
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





Ornamental Ornama Truit (rees

Illustrated
Descriptive Catalog
1921-22

California Nursery Co. Niles, California

To Correspondents

1st. This catalog cancels all previous prices, either in special lists, offers or eatalogs. This rule will be strictly observed.

ORDERS

2d. Order early so that you may get the varieties and grades you prefer. All orders should be legibly written on a separate sheet and not mixed up in the body of the letter, thereby saving us a great deal of trouble and tending to prevent mistakes. Never write on both sides of paper.

QUANTITY ORDERS

3d. Articles mentioned in this catalog will be furnished as follows: 5 of a variety at the 10 rate, 50 at the 100 rate, 300 at the 1000 rate. To illustrate: One each of Baldwin, Delicious, Gravenstein, Lawver, Red Astrachan, making five in all, would entitle the purchaser to the 10 rate on apples. If an order called for five varieties of apples, as mentioned above, 1 Mnir Peach, 1 French Prnne, 1 Royal Apricot, 1 Bartlett Pear, 1 Washington Navel Orange, the 10 rate would apply on the apples, but the each rate on the assorted trees. Purchasers will please bear in mind that the quantity rates apply only where multiples of the same variety of tree is ordered and not on assortments. As an extreme case, 300 apples, one of each variety, would entitle the purchaser to the 1000 rate just the same as if the order consisted of 10 varieties of 30 trees each; if, however, 100 apples, 100 peaches, 100 pears, 100 plums, 100 nectarines, 100 appricots, 100 cherries, 100 walnuts, 100 oranges, and 100 persimmons were ordered, the 100 rate would apply on each item.

BASIS OF THE SIZES AND CALIPER MEASUREMENTS FOR TREES

4th. On all decidnous fruit trees, except almonds and figs, the caliper and height combined determine the grade of the tree.

Not less than 1 inch represents 8 to 10 ft. trees Not less than $\frac{5}{2}$ inch represents 6 to 8 ft. trees Not less than $\frac{3}{2}$ inch represents 4 to 6 ft. trees Not less than $\frac{3}{2}$ inch represents 3 to 4 ft. trees Not less than $\frac{3}{2}$ inch represents 2 to 3 ft. trees

Almonds and Figs are inclined to grow stocky, and the caliper measurements will govern the grade regardless of the height of the tree.

ALMONDS

Not less than ½ inch represents 4 to 6 ft. trees % Not less than ¾ inch represents 3 to 4 ft. trees Not less than ¼ inch represents 2 to 3 ft. trees

FIGS

Not less than $\frac{5}{6}$ inch represents 4 to 6 ft. trees Not less than $\frac{3}{2}$ inch represents 3 to 4 ft. trees Not less than $\frac{3}{6}$ inch represents 2 to 3 ft. trees

SUBSTITUTIONS

5th. Where particular varieties are ordered, and particular ages and sizes of trees, kind of stock, etc., it should be stated whether and to what extent substitution will be allowed in case the order cannot be filled to the letter. Where no instructions in this respect accompany the order, we shall feel at liberty to substitute other varieties as nearly similar as possible. If the selection of the varieties is left entirely to us, we shall endeavor to send only such sorts as are acknowledged to give general satisfaction.

PACKING

6th. All trees and plants are earefully labeled, and securely packed in the best manner, for which a moderate charge sufficient to cover cost of material only will be made; but no charge is made for the delivery of packages to the railroad or express office at Niles.

EXPRESS OR FREIGHT

7th. Always state which way you want your order shipped and give explicit directions for marking packages. When it is left for us to choose the mode of conveyance, we will exercise our best judgment, but as all articles are at the risk of the purchaser after being shipped, we must not be held responsible for any loss or delay that may occur through the negligence of the transportation companies.

ERRORS AND SHORTAGES

8th. Customers are requested to notify us immediately should any error or shortage occur in filling their orders so we may rectify it at once. Any such claim must be made within one week after receipt of shipment, otherwise it will be assumed that the goods are satisfactory and in accordance with invoice.

TERMS

9th. All of our stock is sold for cash, nnless other arrangements are made. Remittanees can be made to us either by postoffice or express money order, registered letter, bank draft, or check.

10th. On all orders placed in advance we ask that a 20 per cent deposit be forwarded with the order, and we will then reserve the stock for shipment at any time designated by the customer.

WRITE PLAINLY

11th. Always be sure to write your name, Postoffice address and Express or Freight office plainly so no mistake can be made by us.

GUARANTEE

12th. The California Nursery Company will exercise care to have all stock true to name, nevertheless it is understood and agreed that should any stock prove untrue to name, the California Nursery Company shall be liable only for the sum paid for the stock which may prove untrue, and shall not be liable for any greater amount.

All communications should be addressed to

Copyright 1921.

CALIFORNIA NURSERY COMPANY,

DEC 27 1921

NILES, CALIFORNIA.



Our Main Office at Niles, California

ANNOUNCEMENT

The California Nursery Company has been intimately connected with the horticultural development of the Pacific Coast for fifty-five years, during which time we have enjoyed a patronage of which we are very proud.

We wish our many customers and prospective customers to feel that they are free to visit both our Fruit Tree and Ornamental Nurseries at any time, and they will always find us glad and willing to render them any assistance possible.

OUR ORNAMENTAL NURSERY

Here at Niles we grow the most complete assortment of Deciduous Ornamental Trees, Shrubs and Conifers and Broad-Leaved Evergreens to better advantage, possibly, than in any other section of California.

OUR FRUIT TREE NURSERY

Our fruit trees are being grown in our branch nursery at Loomis, Placer County, California, in a soil composed of a disintegrated granite which produces a very fine fibrous root system.

Many of the varieties of fruit trees, so important commercially in California today, have had their origin in our nursery. Our test orchard, covering forty acres, and containing approximately a thousand varieties, is a branch of the business of which we are very proud. These trees are the source of bud-wood for growing our exceptionally fine, well-matured, perfect root system trees.

To anyone interested in Ornamental Shrubs and Trees, as well as Fruits of all varieties, we extend a cordial invitation to visit our extensive nursery grounds at Niles, California.

CALIFORNIA NURSERY CO., INC.

GEO. C. ROEDING,

President.

Hints on Transplanting

The many excellent treatises on Fruit Culture which have appeared within the past few years—one or more of which should be in the hands of every person intending to plant—render it almost unnecessary to give any directions in that line; yet we are so frequently asked for advice in this way that we offer a few general remarks.

The situation of the orchard having been decided on, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots when spread out in their natural position. In planting, the top soil should be broken down into the hole, and worked carefully in between every root and fiber, filling up every crevice, that every root may be in contact with the soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may in light soils stand from two to three inches deeper than it stood in the nursery; but in heavy clay or wet ground it is advisable to have it stand at the same height as it was before transplanting.

It is very important to whitewash the bodies of all fruit trees, and in addition to this, to protect them with tree protectors. This prevents both the attack of insects and sunburn.

Planting Distances

-	Distance
Standard Apples	apart each way
Standard Apples	25 to 30 feet
Standard Pears	24 to 30 feet
Dwarf Pear	12 to 15 feet
Strong-growing Cherries.	24 to 30 feet
Strong-growing Cherries. Duke and Morello Cherries. Standard Plums and Prunes. Peaches and Nectarines. Apricots. Figs. Olives.	18 to 24 feet
Standard Plums and Prunes	24 to 30 feet
Peaches and Nectarines	24 to 30 feet
Apricots	24 to 30 feet
Figs	25 to 35 feet
Olives	30 to 35 feet
Citrus Trees	22 to 30 feet
Walnuts	40 to 50 feet
Almonds	24 to 30 feet
Grapes	6x12 and 8x10 feet
Currants and Gooseberries.	4 by 6 feet
Olives. Citrus Trees. Walnuts. Almonds. Grapes. Currants and Gooseberries. Raspberries and Blackberries. Strawberries for field culture. Ctrawberries for genden engineer.	4 by 5 to 7 feet
Strawberries for field culture	11/2 by 4 to 5 feet
Strawberries for garden culture	1 to 2 feet apart

NUMBER OF TREES OR PLANTS ON AN ACRE AT GIVEN DISTANCE APART

_					Number	of Plants
				DISTANCE	Square Method	Equilateral Triangle Method
1	foot	apart	each	way	43,560	50,300
				way	10,890	12,375
3	feet	apart	each	way	4,840	5,889
4	feet	apart	each	way	2,722	3,130
5	feet	apart	each	way	1,742	2,011
6	feet	apart	each	way	1,210	1,397
7	feet	apart	each	way	807	928
8	feet	apart	each	way	680	785
9	feet	apart	each	way	537	620
10	feet	apart	each	way	435	502
12	feet	apart	each	way	302	348
14	feet	apart	each	way	222	256
15	feet	apart	each	way	193	222
16	feet	apart	each	way	170	195
18	feet	apart	each	way	134	154
20	feet	apart	each	way	109	125
22	feet	apart	each	way	90	104
24	feet	apart	each	way	75	86
25	feet	apart	each	way	69	79
30	feet	apart	each	way	48	55
35	feet	apart	each	way	35	40
40	feet	apart	each	way	27	31
50	feet	apart	each	way	18	20

Rule—Square Method—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (48,560), will give the number of plants or trees to the acre.

Rule—Equilateral Triangle Method—Divide the number required to the acre "square method" by the decimal .866. The result will be the number of plants required to the acre by this method.

Fruit Department

For many years we have been making notes and keeping close watch to determine the approximate date that the fruit in the following pages is ready to gather. Following the descriptions, we give the month, not attempting to figure closer than this. This memoranda is for Niles and should be correct for like climate in the Northern part of the State along the Coast. In the early sections and the interior valleys they will be found to ripen earlier.



A Three-Year-Old Prune Orchard Interset With Banner Strawberries

APPLES

]	Each	10	100	1000
4	to	6	ft	.75	\$5.50	\$45.00	\$400.00
3	to	4	ft	.60	5.00	40.00	350.00
2	to	3	ft	.55	4.50	35.00	300.00
1	to	2	ft	.50	4.00	30.00	250.00

The letter S, F or W following each name indicates that it is a Summer, Fall or Winter variety.

Arkansas Black (W). Large; round; regular; smooth and glossy; yellow where not covered with deep crimson, almost black; flesh very yellow, firm, fine-grained, juicy; flavor sub-acid, pleasant, rich. A long keeper. October.

Delicious (W). Large; ribbed and irregular; dark red where apples color well. A long keeper and of remarkably high quality in favorable locations. November.

Early Harvest (S). Medium size; pale yellow; tender, mild, fine flavor; erect grower and good bearer. July.

Esopus Spitzenburg (W). Large; tapering; light red, delicately coated with light bloom; flesh butter yellow, crisp, rich, sprightly, vinous flavor; one of the best. November.

Jonathan (F). Medium to large; conical; striped, mostly red; tender, juicy, rich vinous flavor; very productive; good keeper; one of the best varieties for table or market. October.

Gano (F). Medium large, oblate, irregular; red striped, handsome; sub-acid, brisk, good; medical control of the control of the

dium to late. October.

Gravenstein (F). Large; striped red and orange.
Most popular early variety on Coast. August.
King David (W). (New). Fruit large, wine-red,
blotched yellow. Its high color and delicious
flavor are causing it to be a winner. October.

Red Astrachan (S). Large; roundish; deep crimson; very handsome, juicy, good, rather acid; an early and abundant bearer

Red June (S). Medium; irregular; deep red; good; very productive and early bearer. July.

Rome Beauty (W). Large; yellow striped with bright red; very handsome; flesh tender, juicy, sprightly. October.

Smith's Cider (W). Large; handsome; red and yellow; juicy, acid. A vigorous grower and abundant bearer. November.

Stayman's Winesap (W). Large; a seedling of Winesap and considered quite an improvement; yellow, well covered with dark red; flesh yellow, sub-acid and of best quality. November.

White Astrachan (S). Very large; roundish; very smooth and nearly white; a great favorite and one of the best summer apples. July.

White Winter Pearmain (W). Large; roundish; conical; pale yellow; flesh yellowish, tender and juicy with extra high flavor; one of the best. October.

Winesap (W). Medium size; oblong; skin smooth, dark red; flesh yellow, firm, crisp, with a rich, high flavor; a productive bearer. November.

Winter Banana (W). Medium to large; golden yellow, usually shaded crimson; flesh fine grained with a very rich, sub-acid flavor. Tree healthy and vigorous. Commences bearing very young. October.

Yellow Bellflower (W). Very large; oblong; skin smooth, pale lemon yellow, often with blush next to sun; flesh tender, juicy, crisp, with a sprightly sub-acid flavor; one of the very best. October.

Yellow Newtown Pippin (W). Large; yellow with brownish red cheek; firm, crisp, juicy, with a very rich, high flavor. Generally considered the best winter apple in California. November.

CRAB APPLES

One Year

		E	ach	10	100
4 to	6	ft\$.75	\$5.50	\$45.00
3 to	4	ft	.60	5.00	40.00
2 to	3	ft	.55	4.50	35.00
1 to	2	ft	.50	4.00	30.00
I.T. 1		A lancard and lancar		41 171	04

Hyslop. Almost as large as the Early Strawberry apple; deep crimson; very popular on account of its large size, beauty and hardness; late; tree remarkably vigorous. August.
Red Siberian. Fruit small, about an inch in

diameter; yellow, with scarlet cheek, beautiful; tree an erect, free grower; bears when two or

three years old. August.

Transcendent. A beautiful variety of the Siberian Crab; large; red and yellow; tree a remarkably strong grower. August.

Whitney. Large; skin smooth, glossy green, striped, splashed with carmine; flesh firm; juicy and flavor very pleasant. August.
Yellow Siberian. Large; beautiful golden yellow.

August.

PEARS One Year

			E	ach	10	100	1000
6	to	8	ft\$.80	\$6.00	\$50.00	\$450.00
4	to	6	ft	.75	5.50	45.00	400.00
3	to	4	ft	.60	5.00	40.00	350.00
2	to	3	ft	.55	4.50	35.00	300.00
1	to	2	ft	.50	4.00	30.00	250.00

The letters S, F or W following each name indicates whether it is a Summer, Fall or Winter variety.

Bartlett (S). Large; smooth; clear yellow; flesh white, juicy, buttery and highly perfumed. The most popular sort in this State; the best early variety and has no competitor for market or canning. August.

Beurre Bosc (F). A large and beautiful russety sort, very distinct, long neck; melting, high

flavored and delicious. September.

Beurre Clairgeau (F). Very large; pyriform; yellow, shaded red; nearly melting, high flavored; one of the earliest and most prolific bearers. September.

Beurre d'Anjou (F). eurre d'Anjou (F). Large; russety yellow, often with a fine red cheek; flesh perfumed,

buttery and melting. October.

Beurre Hardy (F). Large, cinnamon russet; with sometimes a red cheek; juicy, melting, very pleasant flavor. September.

Chadbourne Bartlett (S). Same quality as Bart-

lett but ripens two weeks earlier.

Dana's Hovey (Winter Seckel) (F). greenish yellow with russet dots; juicy, sweet and aromatic. One of the valuable pears. October.

Doyenne du Comice (F). Large, pyriform; fine yellow, lightly shaded with russet and crimson: melting, buttery, rich, sweet, slightly aromatic. October.

Easter Beurre (W). Very large; yellowish green; fine grain; very buttery, melting and juicy, with a sweet and rich flavor. One of the best keepers. October.

Forelle (Trout) (W). Oblong, pyriform; lemon yellow, covered with dots, washed with deep red on the sunny side; flesh white, fine grained,

buttery, melting, slightly vinous. October.
Glou Morceau (W). Large; clear yellow; fine

grained, sugary, rich. October.

Howell (F). Large; light waxen yellow with small brown dots; juicy, melting, brisk, vinous; a valuable variety. August.

Lawson (Comet) (S). Medium to large; crimson on bright yellow ground; flesh fine grained. juicy, rich and sweet. August.

Madeleine (S). Medium size; yellowish green; very juicy; melting and sweet; the earliest sort we have. July.

P. Barry (W). Large to very large; elongated pyriform; deep yellow, nearly covered with rich golden russet; flesh whitish, fine, juicy, buttery, melting, rich and slightly vinous; tree healthy and regular bearer. October.

Seckel (F). Rather small; regularly formed;

yellow with russet red cheek; flesh cream color; flavor rich, spicy, unique and characteristic. Excels all other sorts in quality. September.

Winter Nelis (W). Medium size; dull russet; melting, juicy, buttery and of the highest flavor. October.

CHERRIES

One Year

	Each	10	100	1000
6 to 8	ft\$1.15	\$9.50	\$85.00	\$800.00
4 to 6	ft 1.10	9.00	80.00	750.00
3 to 4	ft 1.05	8.50	75.00	700.00
2 to 3	ft. 1 00	8.00	70.00	650.00

ng. Large; dark brown or black; very fine, late; vigorous grower with heavy foliage; a Bing.

good shipping variety. July.

Black Tartarian. Largest size; bright purplish black; flesh purplish, thick, juicy, very rich and delicious; tree a remarkably vigorous, erect and beautiful grower and an immense bearer; the best of the black cherries. June.

urbank. A highly flavored cherry somewhat larger than Black Tartarian and ten days earlier. Not a very heavy bearer. Burbank.

Centennial. A seedling of Napoleon Bigarreau. Larger than its parent; beautifully marbled and splashed with crimson on a pale yellow ground; its keeping qualities render it the best shipping variety. June.

Seedling of Black Tartarian; is Chapman. earlier; ripens immediately after Early Purple

Guigne; light bearer. June.

Early Purple Guigne. Small to medium; purple;

tender, juicy and sweet. May.

Governor Wood. Large; light yellow, shaded with bright red; flesh nearly tender, juicy. Bears heavily and a regular cropper. June.

Lambert. Large size and good quality; deep, rich red; flesh firm, and flavor unsurpassed; excellent shipping variety; regular and heavy bearer. Ripens two weeks later than Napoleon Bigarreau. July.

Lewelling (Black Republican, Black Oregon). Large size; cross between Napoleon Bigarreau and Black Tartarian, having the solid flesh of the former and the color of the latter. Very

late and good. July.


Napoleon Bigarreau (Royal Ann). A magnificent cherry of the largest size; pale yellow, becoming amber in the shade, with a bright red cheek; flesh very firm, juicy and sweet. Free grower and enormous bearer. July.

SOUR OR PIE CHERRIES

Early Richmond. Red; acid; valuable for cooking; very productive. July.

English Morello. Large; dark red, nearly black; tender, juicy, rich, acid; productive and late.

May Duke. An old, well-known, excellent variety; large; dark red; juicy, sub-acid, rich. June.



PLUMS

On Peach-One Year

			- I	Each	10	100	1000
6	to	8	ft	.80	\$6.00	\$50.00	\$450.00
4	to	6	ft	.75	5.50	45.00	400.00
3	to	4	ft	.60	5.00	40.00	350.00
2	to	3	ft	.55	4.50	35.00	300.00
1	to	2	ft	.50	4.00	30.00	250.00
_	•						

On Myrobolan

			E	ach	10	100	1000
6	to	8	ft\$.80	\$6.00	\$55.00	\$500.00
4	l to	6	ft	.75	5.50	50.00	450.00
3	to	4	ft	.60	5.00	45.00	400.00
2	to ?	3	ft	.55	4.50	40.00	350.00
1	to	2	ft	.50	4.00	35.00	300.00

Bavay's Green Gage (Reine Claude de Bavay). Large, roundish; greenish yellow; fine flavor; highly recommended for canning. September.

Beauty. A late introduction, having been accorded a leading place by the growers of shipping plums. Tree a most remarkably vigorous, upright grower, with large, healthy foliage. Fruit beautiful, oval, crimson with amber-crimson flesh. The largest of the early plums and ripening ten days earlier than Santa Rosa. June.

Burbank. Large; rich cherry red, slightly mottled with yellow; flesh deep yellow, juicy, very sweet when fully ripe; agreeable flavor; tree vigorous grower; bears early and is extremely productive. August.

Climax. Very large; heart shaped; skin thick, firm, deep vermillion red; flesh yellow. A superbly rich variety. Commands the highest price in Eastern markets. Vigorous grower and very productive. August.

Clyman. Large; mottled reddish purple, with beautiful blue bloom; freestone; flesh firm, dry and sweet. Valuable for shipping on account of its extreme early ripening. July.

Diamond. Very large; oval; dark purple; flesh deep yellow, juicy, with a brisk, agreeable acid flavor. An immense bearer and one of the best shipping plums. August.

Extra Early Cherry. Originated in this nursery. Of the Myrobolan type; about one inch in diameter; bright red with yellow flesh; flavor brisk and agreeable; has ripened here May 26th and will be even earlier in most sections of California. A sure and heavy bearer with us. We have shipped the fruit several years to the San Francisco market, where, on account of its

extreme earliness and attractive appearance, it has brought the highest prices.

Formosa. Tree is a very vigorous, upright grower with luxuriant foliage. Fruit is very large, heart shaped, light cherry red, with pale yellow flesh. Firm, sweet and delicious. Heavy bearer, shortly after Santa Rosa. July.

Gaviota. Fruit nearly round, sometimes oblate; deep purplish red; flesh clear yellow, very fragrant and sweet; pit exceedingly small. Fairly early, ripening after Formosa. August.

Giant. Fruit of immense size, as its name implies; dark crimson on yellow ground; produced in great profusion; flesh firm, rich, sweet, delicious, and excellent shipper; freestone. Tree strong, handsome grower and an early regular, heavy bearer. August.

Grand Duke. A valuable late plum; very large; dark purple, covered with blue bloom; sweet and rich when ripe. August.

Jefferson. Large, oval; yellow with a reddish cheek; flesh very rich, juicy, luscious, high flavor; a very fine canning variety. August.

Kelsey's Japan. Very large; greenish yellow, covered with red on the sunny side; flesh very solid and firm when ripe; juicy, and with a rich vinous flavor; pit very small. August.

President (New). An English plum of very recent introduction. Fruit uniform, large and shaped like Yellow Egg. Skin purple; flesh yellow and of fine texture. In the Vacaville district it is recognized as the most promising of market plums. September.

Santa Rosa. Regarded as one of the best Japanese type of plums. Very large; deep purplish crimson color, with pale blue bloom. Flesh yellow, streaked and shaded with crimson. As a shipping plum it has few equals. June.

Satsuma. Fruit large, nearly round; dark red; flesh dark red; solid color from skin to pit; firm, rather juicy, fair flavor; pit very small. Extremely productive. August.

Shropshire Damson. The tree of this variety is a strong grower and exceedingly productive. The fruit is small, oval in shape, with a purple skin covered with a thick blue bloom. The flesh is tart and separates readily from the pit. One of these should be included in every home orchard. September.

Washington. Very large; roundish; greenish yellow, sometimes with a pale crimson blush; flesh yellow, firm, very sweet and luscious. August.

Wickson. Very large; yellow, overlaid with glowing carmine with a white, heavy bloom; flesh firm, sugary, delicious; pit small. Remarkable for long keeping. Tree vigorous and upright. August.

Yellow Egg. Very large; egg-shaped; yellow skin and flesh; rather acid until very ripe, when it becomes sweet. September.

PRUNES

On Almond and Peach

				Each	10	100	1000
6	to	8	ft	\$.80	\$6.00	\$50.00	\$450.00
4	to	6	ft	.75	5.50	45.00	400.00
3	to	4	ft	.60	5.00	40.00	350.00
2	to	3	ft	.55	4.50	35.00	300.00
1	to	2	ft	.50	4.00	30.00	250.00



DOUBLE X FRENCH PRUNE

COMMON FRENCH PRUNE

The Background Shows DOUBLE X FRENCH PRUNE Drying on Tray. Note the Difference in the Size of the Fresh Fruits.

Prunes on Myrobolan Each 10 100 1000 \$6.00 6 to 8 ft.....\$.80 \$55.00 \$500.00 5.50 50.00 450.00 400.00 5.00 45.00 4.50 40.00 350.00 4.00 35.00 300.00

French (Petite d'Agen). The well-known variety so extensively planted for drying; medium size, egg-shaped, violet purple; juicy, very sweet, rich and sugary; very prolific. August.

German. Long, oval and swollen on one side; skin purple, with a thick blue bloom; flesh firm, green, sweet, with a peculiar pleasant flavor. September.

Hungarian (Grosse Prune, Pond's Seedling). Very large, dark red, juicy and sweet. Its large size, bright color, productiveness and shipping qualities render it a profitable variety for home or distant market. September.

Imperiale Epineuse (Claric Mammoth). This has proved to be the largest and finest prune cultivated in California. With its uniformly large size, reddish or light purple color, thin skin, sweetness and high flavor, it stands ahead of all other prunes. It contains more sugar than the French Prune. Analysis shows 20.4 per cent for the Imperiale Epineuse and 18.53 per cent for the average of the French Prune. Sixty to eighty per cent of the dried prunes of the Imperiale Epineuse will average 20 to 30 to the pound. Always commands the highest price in the markets. August.

in the markets. August.

Robe de Sargent. Medium size; oval; skin deep purple, approaching to black, and covered with a thick blue bloom; flesh greenish yellow, sweet and well flavored, sugary, rich and delicious; a valuable drying and preserving variety. Dries larger and darker than French. August.

Silver. A seedling of Coe's Golden Drop, with which it is almost identical. Bears heavily in some districts. September.

Standard. Originated by Burbank. A very meritorious variety for shipping green. Thus far not much in demand for drying purposes. September.

Sugar. Extremely early, very large; cures superbly rich, with a yellow flesh, tender and rich in sugar; skin very tender, at first of a light purple, tinted with green, changing at maturity to dark purple, covered with a thick, white bloom. Valuable in localities where the French Prune ripens too late for sun drying. Contains almost 24 per cent sugar. Tree an unusually vigorous grower and very productive. August.

Tragedy. Medium size; skin dark purple; flesh yellowish green; very rich and sweet; freestone. Its early ripening makes it very valuable for shipping. July.

Double X French Prune

This is a genuine bud sport of the French Prune, taking its origin in the famous Saratoga Prune district on the F. B. Smith place in Santa

Clara County, Calif.

Of all the new types of French Prunes originated in recent years, this one gives promise of becoming a standard. It is only after careful observation of several orchards in this district, ranging from five to seven years, that we concluded to offer it for sale. The trees are remarkably strong growers, exceeding any other variety of prune. The bearing qualities of the trees have been fully demonstrated and the trees bear equally as well as the common French Prune.

This is the same prune which has been on the market for a few years under the name 14-18. Suggestion has been made to call it the Saratoga but as this name would not have characterized its distinctiveness, therefore we concluded to designate it as the DOUBLE X FRENCH PRUNE, a significant name characterizing its many superior qualities.

In the Fall of 1919, dried samples of the French, Imperiale, Sugar and this prune were taken from the Saratoga district and forwarded to the University of California for analysis. DOUBLE X FRENCH PRUNE analyzed higher in sugar content and had a greater percentage of flesh as compared with the pit than any of the other varieties under investigation. The prune dries readily, so there is no difficulty on this score. In the nursery this prune outgrows all other prune trees. The Improved French Prune, which we have been offering for a number of years has become recognized by the prune growers as having all the merits which we claimed for it.

DOUBLE X FRENCH PRUNE is another forward step, marking a new era for larger sizes in the French Prune type and possessing all of its qualities. We wish to assure prune growers that this prune is no longer an experiment, a fact which will be certified to by Messrs. F. B. Smith, J. E. Cox and Budd Cox of Saratoga. These men have this variety in bearing and appreciate very fully the value of this prune as the very best in drying prunes.

GRADERS' CERTIFICATE No. 90467

The following is a copy of the "Door Receipt" given to Mr. J. E. Cox of Saratoga by the California Prune and Apricot Growers' Association on October 3, 1920.


44 sacks DOUBLE X FRENCH PRUNES WEIGHING 4770 Lbs.

They were graded as follows:

2323 lbs. graded 20s to 30s. 1961 lbs. graded 30s to 40s. 486 lbs. graded over 40s.

This is conclusive evidence that the DOUBLE X FRENCH PRUNE grades the largest sizes of any dried prune on the market.

For prices see Prunes.



PEACHES—Prices and Varieties

			C	ne i	ı ear		
			E	ach	10	100	1000
4	to	6	ft\$.75	\$5.50	\$45.00	\$400.00
3	to	4	ft	.70	5.00	40.00	350.00
2	to	3	ft	.65	4.50	35.00	300.00
1	to	2	ft	.60	4.00	30.00	250.00

FREESTONE VARIETIES

Admiral Dewey. Large; yellow with red cheek; flesh yellow; perfect freestone; flavor good. One of the best early yellows. Ripens soon after Triumph. July.

Alexander. Medium to large; greenish white, nearly covered with a deep, rich red; flesh white, very juicy and sweet, with brisk, agreeable flavor. Very early. July.

Briggs' May. Medium size; round; white with red cheek; flesh white, melting, juicy and very sweet. July.

Early Crawford. A magnificent, large, yellow peach of good quality. Its size, beauty and productiveness make it one of the most popular varieties for home use and commercial planting. August.

Elberta. Very large; skin golden yellow where exposed to the sun; flesh yellow, juicy, rich, sweet and splendidly flavored; tree very prolific and presents a handsome appearance. It is a perfect freestone and one of the most successful market varieties. August.

Foster. Very large; yellow with red cheek. Much like Early Crawford, but is larger, earlier and better. Runs very uniform in size. A fineyellow freestone. August.

Hale's Early. Large, nearly round; skin greenish white, mostly covered with red and can be readily separated from flesh when fully ripe. Flesh white, melting, juicy, sweet and most delicious; adheres partially to the pit. July.

J. H. Hale. A valuable new table, shipping and drying peach. Smooth skin, almost fuzzless-Very firm. Ships almost like an apple. Yellow freestone; flesh tender, excellent quality. Larger than the Elberta and ripening about the same period. From a California standpoint not in the class of canning peaches because it is red at pit and rags in the syrup. August.

Late Crawford. Fruit very large, roundish; skin yellow, with dark red cheek; flesh deep yellow, juicy and melting, with a very rich and excellent vinous flavor. August.

Lovell. A California seedling; large, almost perfectly round; flesh clear yellow to the pit; firm and of excellent quality; a superb canning peach and dries well. Very prolific. August.

Mayflower. Introduced to the Pacific Coast by ourselves a few years ago as "the earliest peach known." Results have fully substantiated this claim and it still holds that title. It is absolutely red all over, with white flesh of excellent flavor. As large as Alexander and ripens two weeks earlier at Niles. June.

Morris White. Large, oval; skin white, becoming creamy or pale straw color when fully ripe, without any red whatever; a perfect freestone; flesh white clear to the dark brown pit, remarkably tender, juicy, sweet and rich. Beyond all doubt the finest flavored peach grown. August.

Muir. An excellent bearer, and does not curl; fruit large to very large; skin and flesh uniformly yellow clear to the pit; a fine shipper and one of the best canning peaches in the United States; as a drying peach it excels all others ever introduced. August.

Salway. Large; yellow with crimson cheek; flesh deep yellow; very juicy, melting and rich; the most valuable late variety. September.

Sneed. Large, creamy white, with blush cheek; tender, juicy; valuable for early shipping. June. Strawberry. Medium size; oval; skin marbled with deep red; flesh whittish, juicy, rich and

of a very delicious flavor. August.

Susquehanna. A large, handsome variety, nearly globular; skin rich yellow with beautiful red cheek; flesh yellow, sweet, juicy, with a rich, vinous flavor. August.

CLINGSTONE VARIETIES

The most delicious of all cling-Heath Cling. stones; very large; skin downy, creamy white, with a faint blush of red in the sun; flesh greenish white, very tender, and exceedingly juicy, with the richest, highest and most luscious flavor. September.

Henrietta Cling (Levy's Late Cling). A most magnificent yellow cling of largest size; skin

mostly covered with bright crimson; hardy, productive and ripens late. September.

McDevitt's Cling. Large; golden yellow; flesh superior flavor. In demand by canners. August. McKevitt's Cling. Very large; flesh white to the pit; very firm, sugary and rich, with a highly vinous flavor; it bears transportation well. August.

Phillip's Cling. Large; yellow; flesh clear yellow to the pit, which is very small; exceedingly rich and high flavor. One of the best canning sorts.

September.

Runyon's Orange Cling. Superior to the common Orange Cling, and not subject to mildew like that variety; very large; skin yellow with a dark crimson cheek; flesh yellow, rich and sugary, with a decided vinous flavor. August.

Seller's Orange Cling. A variety of Orange Cling of largest size; flesh yellow, firm, very juicy and rich. Ripens with Late Crawfords in

Selma Cling. The peach is a beautiful golden yellow, very uniform in size, desirable for canning, and during the past season when so many of the canning peaches were small, the Selma Cling averaged a good canning size. Ripens immediately after the Tuscan. Somewhat flattened; skin slightly colored when exposed to sun; flesh a clear yellow to the pit; is fine grained and of excellent flavor; the pit is very small, a point which appeals very forcibly to those who are engaged in the canning of fruit. August.

Sims Cling. An improved Phillip's Cling. Large to very large; golden yellow, with faint blush; flesh deep yellow, of fine texture, firm and rich; pit small. We regard it as the best clingstone for canning and recommend extensive planting.

Strawberry Cling. Large; yellow striped with red; flesh white, red around pit; heavy and uniform

bearer. September.

Tuscan Cling. Large; yellow; red at pit; heavy bearer; best of all Clings; fine shipper. In great demand by canneries on account of its early ripening, as it is the first Cling to ripen. August.

NECTARINES

One Year

			\mathbf{E}	ach	10	100	1000
4	to	6	ft\$.75	\$6.00	\$55.00	\$500.00
3	to	4	ft	.60	5.50	50.00	450.00
2	to	3	ft	.55	5.00	45.00	400.00
1	to	2	ft	.50	4.50	$^{-}40.00$	350.00

Advance. Large, round; skin green on shaded parts, blotched with red and brown on sunny side; flesh greenish white, rich and sugary. with rich flavor. The earliest nectarine. July.

NEW NECTARINE—GOWER

Earliest of all nectarines. Ripens with Early Crawford Peach. No fruit of its class has met with such favor as has this new early nectarine. We strongly recommend it for home and commercial planting. Fruit is very firm, freestone. Ships like a clingstone peach. Very early; de-

licious flavor. Strong grower, bears heavy.

New White (Large White). Rather large; nearly round; skin white with a light tinge of red when exposed; flesh white, tender and very juicy, with a rich, vinous flavor. The most widely planted and popular variety in this

State. August.

Stanwick. Very large; skin pale, shaded rich violet; flesh white, tender, juicy. The best drying, shipping and canning sort. August.

Victoria. Tree a strong grower and heavy bearer; medium, roundish, oval, greenish yellow, crimson on sunny side; rich in sugar. August.

APRICOTS

On Apricot, Myrobolan and Peach

One Year Each 10 1000 4 to 6 ft.....\$.75 \$7.00 \$60.00 \$550.00 6.50 55.00 500.00 6.00 50.00 450.00 5.50 45.00

Blenheim. Above medium; oval; orange; flesh deep yellow, juicy and fairly rich; vigorous grower and regular, prolific bearer. July.

Hemskirke. Strongly resembles Moorpark in size and color, but differs in bearing better and ripening a little earlier and more evenly.

Large Early Montgamet. Large; reddish next the

sun; flesh orange yellow, very firm. July. Moorpark. One of the largest, most popular and widely disseminated apricots; deep orange or brownish red; flesh quite firm, bright orange, parting freely from the stone; quite juicy, with a rich and luscious flavor; a favorite canning variety. In some sections a shy and irregular bearer. August.

Newcastle. Medium size, round, well shaped; a shade smaller than the Royal, and two or three

weeks earlier. July.

Routier's Peach. Originated near Sacramento. Large, yellow in shade; deep orange mottled or splashed with red in the sun; flesh juicy and rich, with high flavor. July.

Royal. A standard variety; skin dull yellow, with an orange cheek; flesh pale orange, firm and juicy, with a rich, vinous flavor; equally valuable for canning and drying. July.

Tilton. Large, oval, slightly compressed; flesh firm, yellow and parts readily from the stone; heavy and regular bearer; seems to be more exempt from late frosts than any other variety. July.

MORUS—Mulberry

Morticaulis. White mulberry. A strong growing small tree from China, where it is the chief

silkworm mulberry.

ersian. This excellent ornamental fruit tree should be in every family orchard. Trees of Persian. rather slow growth, but bear young and produce the largest and finest fruit of all the mulberries. The fruit is black, large, one to one and a half inches long, with a fine aromatic flavor and abundant sub-acid juice. This tart flavor makes it very different in taste from all

other mulberries. It makes better pies than blackberries, as there are no seeds and no core. Mulberries are invaluable for protecting cherries and other fruits, as birds will eat the mulberries in preference. This variety is also invaluable to plant in chicken yards for shade and feed. Commences to ripen in early summer and bears continually until late fall.

				Lacn
4	to	6	ft	\$1.00
3	to	4	ft	.75

OUINCES—Prices and Varieties

favorite. September.

Champion. Very large; handsome; very productive; flesh tender; flavor delicate, imparting an exquisite quince taste and odor to any other fruit with which it may be cooked. September.

Pineapple. Fruit very large, apple-shaped, clear yellow; flesh very tender; can be eaten raw like an apple; makes a high-flavored jelly. September.

Rea's Mammoth. A very large and fine variety of Orange Quince of recent introduction; strong grower and very productive. September.

Smyrna. Extremely large; elongated; lemon yellow; cooks tender and has a fine flavor; long keeper; tree strong grower with heavy foliage; very prolific. Ripens with Orange. September.

FIGS—Smyrna and Adriatic Prices and Varieties

			E	ach	10	100	1000
4	to	5	ft\$.75	\$5.50	\$40.00	\$350.00
3	to	4	ft	.60	5.00	35.00	300.00
2	to	3	ft	.55	4.50	30.00	250.00
1	to	2	ft	.50	4.00	25.00	200.00

Purchasers should order Capri Fig Trees with all orders of Calimyrna trees.

Adriatic. Tree a strong and healthy grower; fruit above medium size; skin white and thin; pulp red, fine, exceedingly aromatic and

changes to an amber color when dried.

Calimyrna. The genuine Smyrna fig packed under the name of "Erbeyli" (signifying fine fig) in Asia Minor, and known in Turkish as "Lop," and in Greek as "Lopia." Large to very large; turbinate, pyriform; very short, stalk short; ribs distinct; orifice large, of pale ochre color and widely open when the fig is mature and before shriveling; skin lemon-yellow; pulp reddish-amber, sometimes pale amber, turning to dark amber just before falling; seeds large, yellow, fertile, overspread with a clear, white syrup, giving the fruit a richness and meatiness unsurpassed by any other fig. Tree of spreading habit, leaves medium to large and five lobed. The dried figs contain 64 per cent sugar, which is 1½ per cent more sugar than found in the imported Smyrna fig. Dries readily and with less trouble and expense than any other fig, dropping to the ground of its own accord, being practically dry when it falls and requiring when placed on trays, only from two to three days exposure to the sun. This is the world-famous fig of commerce. August.

Mission (California Black). The well-known local variety; fruit large, dark purple, almost black when fully ripe; makes a good dried fig; tree grows to large size, and bears immense crops.

grows to large size, and bears immense crops.

White Endrich (Kadota). Introduced over forty years ago by the well-known nurseryman, Mr. W. B. West, of Stockton; original name lost and given name of Endrich, a fruit grower in the vicinity of Stockton, by Mr. West. Has been sold under the following names: White Endrich, White Pacific, Verdoni, Smyrna, Kadota. Medium sized; thin, white skin; pulp white to pink. One of the best for canning, preserving and pickling. Inferior for drying. Never sours when planted in dampest locations.

CAPRI FIGS

These are the wild figs which furnish the pollen by which the Smyrna figs are fertilized through the aid of the fig-wasp (Blastophaga grossorum) that lives and breeds in the capri figs. Without Capri figs the Smyrna figs cannot be made to bear. Consequently a few Capri figs should always be planted at the same time as the Smyrna figs. There are many varieties of Capri figs known, some valued for one quality, others for another. We have on our ground eighteen varieties of Capri figs imported from Turkey, Italy, Africa and Dalmatia; the one from the latter place, known as the Milco, is unsurpassed for carrying the wasps for a long period in the summer in this section of the State.

FIGS-Wild or Capri Class

	E	ach	10	100
4 to 5	ft\$.75	\$5.50	\$45.00
3 to 4	ft	.60	5.00	40.00
2 to 3	ft	.55	4.50	35.00
1 to 2	ft	.50	4.00	30.00

Capri Milco. One of the most promising varieties. A good producer of all the crops necessary to perpetuate the insect. Profichi crop rather late in maturing and valuable on this account.

Roeding's Capri No. 1. A very rapid, vigorous grower of spreading habit and with very large leaves. Produces an abundance of all crops; Profichi, Mammoni and Mamme, and matures its first Profichi June 12. Particularly valuable on account of its producing all the crops necessary for successfully carrying through all the generations of the Blastonhaga.

generations of the Blastophaga.

Roeding's Capri No. 3. A decidedly distinct variety; branches much heavier and more closely joined than Nos. 1 and 2; leaves small and serrated. Figs of the Profichi crop very large, heavily ribbed and developing a larger number of galls with insects than either of the

other two varieties.

Nut Trees

ALMONDS—Prices and Varieties

	On Almond and Peach—One Year								
			Each	10	100	1000			
4 to	6	ft	.\$.75	\$5.50	\$45.00	\$400.00			
		ft		5.00	40.00	350.00			
2 to	3	ft	55	4.50	35.00	300.00			
1 to	2	ft	.50	4.00	30.00	250.00			

We give below the date and average period of full bloom at Niles.

Drake's Seedling. Of the Languedoc class; very prolific and a regular, abundant bearer. Full bloom March 1st.

Eureka (New). The Eureka, on account of the similarity of the kernel in shape and flavor to the famous Jordan, commands the very highest price, and confectioners pay a premium to secure it. It differs in two essentials from the Jordan, being somewhat smaller in size and is paper-shell. The tree is an exceptionally strong grower and heavy cropper. Originated on the farm of A. M. Newland, Colusa, Cal. His orchard is over twenty years old and a failure of crop has never been known. The commercial value of this nut has been established by years of trial. Full bloom March 9th.

I. X. L. Tree a sturdy, rather upright grower; nuts large; hulls easily; shells soft, but perfect. Full bloom March 5th.

Jordan. Until recently the total supply of these nuts was imported from Spain. The late John Rock told the writer that he tried for fifteen years to buy the trees in Europe before he succeeded. He said they would take his money and send trees, but never the Jordan until finally about 1895 he got 250 trees and out of the lot three Jordan. His comment was, "Yes by——, they made a mistake." He meant that unintentionally they had let three Jordan trees be shipped through error. From these trees our stock has all been propagated. With us there has never been a crop failure although the Jordan blooms earliest of all. As nearly everyone knows, it is the largest, sweetest and finest flavored of all and unsurpassed for the use of confectioners. Full bloom February 25th.

Ne Plus Ultra. A sturdy and rather upright grower; extremely prolific, producing its nuts in bunches all over the twigs; nuts large and long; almost invariably of one kernel; of fine flavor; hulls readily. Full bloom March 5th.

Nonpareil. Of a weeping style of growth, but still forms a beautiful tree; an extraordinarily heavy and regular bearer, with very thin shell. Full bloom March 9th.

Peerless. Preferred by some to I. X. L., which it resembles, but the nut is larger. Shell medium soft, white. Kernel short, few doubles. Grown quite largely in Sacramento Valley where it is considered a very profitable nut. Full bloom March 5th.

Texas Prolific. Nut medium size; shells perfect and well filled. As the name indicates, this is a very heavy and regular bearer. It is of the greatest value for planting with other sorts to increase their yield by aiding in pollination. Tree is a fine, strong grower. Full bloom March 22nd.

CHESTNUTS—Prices and Varieties

				1	Grafted			
]	Each	10
6	to	8	ft				\$2.50	\$ 20.00
4	to	6	ft				2.00	18.00
3	to	4	ft				1.80	16.00
2	to	3	ft		·		1.60	14.00

Marron Combale. A valuable variety from France. Nut very large with peculiarly rich and sweet flavor. Our best commercial variety.

Marron de Lyon. A French variety; nut large, roundish, sweet and well flavored. The tree is very productive and of handsome growth.

CHESTNUTS

Grown From Second Generation Nuts
Italian (Spanish). A highly ornamental and freegrowing tree with beautiful foliage. Nuts
large and fairly sweet, but are not always of
as large and uniform size as those from grafted
trees, because of their being seedlings.

FILBERTS—Prices and Varieties

Each 10 \$10.00

Cosford. Nut large; oblong; husk hairy; shell remarkably thin; kernel of excellent flavor. Good bearer.

Fertile de Coutard. Nut very large; broad pointed, kernel full and highly flavored; early and abundant bearer.

Merveille de Bolwiller. Nut large; rounded at the base, tapering to a point; shell thick; kernel fine flavored. Bears regularly and nuts always filled.

Nottingham Prolific. Nut medium sized; obtusely ovate; shell thick; kernel full and fine flavored; a light producer.

Prolific Cob. Nut very large; oblong; shell pretty thick, of a brown color; kernel full and of very rich flavor; one of the best.

Purple Leaved. Large shrub with large, round leaves, intensely dark, bronzy purple in spring, becoming greenish toward fall. Very distinct even among other purple-leaved trees and shrubs. Bears good nuts.

PECANS—Seedlings

				Each	10
4	to	6	ft	\$1.50	\$12.50
3	to	4	ft	1.25	10.00

WALNUTS—Prices and Varieties

 Grafted on California and American Blacks

 Each
 10
 100

 8 to 10 ft
 \$2.25
 \$20.00
 \$185.00

 6 to 8 ft
 2.00
 18.50
 175.00

 4 to 6 ft
 1.75
 16.00
 150.00

 3 to 4 ft
 1.50
 13.50
 125.00

Eureka. Tree is remarkably vigorous, upright grower, leaves and blooms fully three weeks later than seedlings of the Santa Barbara Soft-Shell, and is therefore very desirable in localities subject to late frosts. An immense producer. Nuts large, elongated, smooth and tightly sealed.

Franquette. Nuts very large, long and pointed; kernel full-fleshed, sweet and rich; buds out late in the spring. We have fruited this variety for many years, never failing to get a full crop. Probably the best French sort for commercial purposes.

Mayette. One of the best; nuts large and uniform, decidedly flattened at the base; shells light colored; tree hardy, buds out late and bears abundantly.

Placentia Perfection. A vigorous grower; commences to bear abundantly about the fifth year after planting. An improved Santa Barbara soft-shell. Most popular walnut in the southern part of the State. Nut large; shell smooth and thin; kernel white and sweet.

WALNUTS—Seedlings

			Each	10	100
8 to	10	ft	\$.75	\$6.00	\$55.00
6 to	8	ft	.60	5.00	45.00
4 to	6	ft	.50	4.00	30.00

American Black. Called here Eastern Walnut. This noble forest tree grows freely on this Coast, stands transplanting well, bears early, and ought to be extensively cultivated, not alone for the nuts, but also for the valuable wood it produces.

California Black. Tall, vigorous tree; indigenous to Central California; excellent shade and avenue tree; nut roundish; small and smoother than the American Black Walnut; kernel is

sweeter and of a more delicate flavor.

Citrus Fruits

HEADED CITRUS TREES

For indoor, conservatory and lawn purposes. These have fine rounded heads and the trees have been transplanted several times. The quotations are for balled trees.

Diameter	Height		
of Stem	of Stem	Crown	Each
1½ to 2 in.	28 in.	36 in	\$10.00
1½ to 2 in.	28 in.	30 in	8.00
1½ to 2 in.	28 in.	24 in	6.00
11/4 to 2 in.	28 in.	18 in	4.00

ORANGES—Prices and Varieties

	Each	10	100
1 inch up	\$2.50	\$20.00	\$175.00
34 to 1 inch caliper	2.00	18.00	160.00
% to ¼ inch caliper	1.75	16.00	150.00
½ to % inch caliper	1.50	14.00	130.00
uby Blood. Medium; v	ery sm	nooth; pr	ulp red,

rich, juicy and melting. January to April. Washington Navel. In California it has reached its highest stage of perfection, and stands in the lead of all other varieties for its large size, lusciousness and sweetness of pulp. The most extensively planted variety on the market. November to March.

Valencia Late. Large; reaching the market when all other varieties are gone. Second only to Washington Navel in the extent of its dissemi-The summer orange of California.

Ripens from June to September.

LEMONS—Prices and Varieties

	Each	10	100
1 inch up	.\$2.50	\$20.00	\$175.00
34 to 1 inch caliper	. 2.00	18.00	160.00
5% to 34 inch caliper	. 1.75	16.00	150.00
½ to ½ inch caliper	. 1.50	14.00	130.00

Eureka. Tree nearly thornless of rapid growth and prolific bearer; fruit medium size, sweet rind; a good keeper; few seeds; very popular,

especially in coast regions.

Tree of largest growth; thorny; fruit medium size, oblong, fine-grained; rind of medium thickness; strong acid; few seeds; a good

keeper; popular at interior points especially.

Villa Franca. A strong-growing variety; thornless, or nearly so; fruit oblong, juicy and nearly seedless; withstands lower temperature than any other variety.

POMELOS (Grape Fruit)—Prices and Varieties

		Each	10	100
1 inch	up	\$2.50	\$20.00	\$175.00
3/4 to 1	inch caliper	2.00	18.00	160.00
% to 3/4	inch caliper	1.75	16.00	150.00
	inch caliper		14.00	130.00

Marsh Seedless. One of the most popular varieties: nearly seedless: large, roundish: skin smooth, lemon yellow; very juicy and of excellent quality.

Triumph. Medium size: flat, round, thin-skinned. full of juice, sweetish, with a distinct but agree-

able bitter flavor.

NOVELTIES IN CITRUS FRUITS

Price \$2.50

Bearss Seedless Lime. Twice as large as the ordi-

decidedly acid. Hardier than Mexican lime and seedless; very juicy and decidedly acid. Hardier than Mexican, wonderfully productive and is practically a continuous bearer. Very valuable.

Kumquat. About the size of a large gooseberry; rind sweet, juicy, acid, delicious and refresh-ing. Tree dwarf and desirable for pot and garden culture. May to July.

Satsuma (Unshiu: Oonshiu). Deep vellow: flesh

very tender, juicy. October to December.

Tangerine (Dancy). Fruit flat; small to medium; skin separates freely from the flesh; juicy, aromatic and rich; color deep red; belongs to the Mandarin family.

FELIOA SELLOWIANA

Fruit 2½ inches long to 2 inches across. Flesh thick, white, pulpy and watery, with a sugary taste resembling the pineapple and guava, and with a strong, agreeable odor. Very hardy.

Each 2 to 3 ft......\$1.25

PERSIMMONS—Prices and

Varieties

Each 100 \$11.00 3 ft. and over.....\$1.25 \$100.00

licious, firm, juicy, very good; seeds generally absent

Hachiya. Fruit very large, oblong, conical pointed toward the apex; skin bright red with occasional dark spots or blotches, flesh deep yellow, soft and jelly-like when ripe; seeds usually absent; a valuable variety, considered to be one of the best. Dried quite extensively in its native home, Japan. One of the earliest. October.

Hyakume. The name means "Hundred Momme," a weight equal to four-fifths of a pound and referring to its size; fruit very large, slightly oblate; skin orange yellow; flesh rusty brown, with many purple or dark spots, and but few seeds; ripens early, and not astringent even when hard. October.

Tane-Nashi. Very large; bright red; flesh yellow; seedless. A good market variety of fine quality.

Vigorous grower and heavy bearer. September. Yemon. Fruit is large, oblate, tomato shaped, more or less square in outline, folded at apex; skin light yellow, changing to dull red; flesh deep yellow, seedless or nearly so, like all seedless yellow fleshed varieties cannot be eaten until soft. November.

POMEGRANATES—Prices and

Varieties

			E	ach	10	100
3	to	4	ft\$.75	\$6.00	\$50.00
2	to	3	ft	.60	5.00	45.00

Sweet-Fruited. Fruit very large, with sweet and juicy pulp. Ripens early.
Wonderful. The largest and most attractive. Valuable for shipment. Ripens early. Pulp a rich garnet color, with an abundance of juice, dark as port wine; exquisite flavor. October.

GUAVA—Strawberry (Bearing Plants)

Potted, 1½ to 2 ft. \$1.00 \$7.50 Strawberry Guava. Shrub or small tree, producing fruit of a fine deep claret color, with strawberry-like flavor.

LOQUAT (Budded)—Prices and Varieties

2	to	3	ft							\$2.00
1	to	2	ft							1.50
Adv	and	e.	Wo	rthv	of	its	name.	being	a (decided
										gated:
										seeds
- 1	-0		. 7		., .	- CP	01 01011	01 1101	,,,,	becas

Each

larger than usual. Giant. Introduced from Japan; fruit very large, pear-shaped; flesh deep yellow; when fully ripe, it has a sweet, cherry-like flavor.

Large-Fruited. An improved variety; bears when quite young; fruit shaped like a crab-apple; flesh white; seeds small; flavor rich, pleasant

Victor. Introduced by the U.S. Department of Agriculture as a variety of superior excellence. Has not fruited as yet with us.

MEDLARS—Prices and Varieties

4 to 6 ft	Each		
3 to 1 ft	\$1.50	ft	4
	1 95	ft	3
This fruit is not much known in this country	1.20		TI

This fruit is not much known in this country, but should be in every family orchard. Europeans grow it quite generally and it is very popular "over there." When ripe the taste is much like a baked apple.

Nottingham. Fruit smaller than the preceding variety, but has a superior flavor, rich and sub-acid. Tree very prolific.

MORUS (Mulberry)
4 to 6 ft.....\$1.00

OLIVES—Prices and Varieties

(Excepting Ascolano and Sevillano) Each 10 100

1 inch up caliper\$1.50	\$12.50	\$100.00
34 to 1 inch caliper 1.25	10.00	90.00
% to ¾ inch caliper 1.10	9.00	80.00
½ to % inch caliper 1.00	8.00	70.00
% to ½ inch caliper	7.00	60.00
Prices on Ascolano and	Sevillano	
Prices on Ascolano and Each		100
	10	100 \$110.00
Each	$10 \\ 13.50	\$110.00

½ to % inch caliper...... 1.10 Manzanillo. One of the standards for green and ripe pickles. Produces oil of a very high grade. Very hardy, and a regular and prolific bearer. First week in October.

Mission. Tree a handsome, upright grower, and fine for avenues. Medium to large; excellent pickles; makes a superior oil. Late October.

GRAPES—American Varieties

Prices \$\ .40 \\$3.50

American Grapes, or as called in California "Slip Skin Grapes." More of these should be planted, particularly for table use and arbors. No other variety climbs equal to these. A majority of the following list do remarkably well and will be found most satisfactory.

Concord. Bunch and berry very large; blueblack; sweet, pulpy, tender. August.

Catawba. Bunches medium size; berries large, coppery color, covered with a thin, lilac bloom; juicy, sweet and musky. Celebrated for its fine wine and jelly.

Delaware. One of the best flavored American grapes; bunches medium, compact; berries small, round, beautiful light red; pulp sweet and tender; juice abundant, rich and vinous.

Niagara. Bunch large, uniform, very compact; berry large, mostly round, light greenish white, slightly ambered in the sun; peculiar flavor and aroma; enormously productive. Very fine.

aroma; enormously productive. Very fine.

Pierce (Isabella Regia). Originated at Santa Clara, California, by J. P. Pierce. Does remarkably well in all parts of the State. The strongest grower of all. Berries very large, twice the size of its parent, Isabella; black with a heavy light colored bloom; very sweet and delicious; pulp is soft and dissolves readily; a fine shipper; stands up well, known in the southern part of the State as California Concord. Concord.

GRAPES—Scarce, Foreign Table and Raisin

100 \$2.00 Prices\$0.25 \$5.00

Black Hamburg. A fine, tender grape, producing large, magnificent, compact bunches; berries black, very large and oblong. A great favorite everywhere.

Gros Colman. Bunches large, thick shouldered; berries very large, round; skin tough, dark purple or black; flesh coarse, but juicy and sweet. This is the variety so extensively grown in England in green houses. October.


Rose of Peru. (Black Prince). Bunches very large; berries large, oval; skin thick, brownish black; flesh tender, juicy, rich and sprightly; a fine market variety. September.

Sultana Rosea. Bunches compact, shouldered and very large. Single bunches frequently weigh four pounds each. Berries much larger than Thompson's Seedless; color same as Flame Tokay; quality as good; perfectly seedless. August.

MARAVILLE DE MALAGA Red Malaga

It has proven to be the best shipping grape grown in California. In color it rivals the famous Flame Tokay or the Emperor, being of a deep red intermingled with blue. A heavy and consistent bearer. The fruit commands top prices in the eastern markets. Introduced by Geo. C. Roeding from France, in 1901. Ripens with the Flame Tokay.

Each 100 \$3.00 \$15.00 Prices\$.35



A Twelve-Year-Old Thompson Seedless Vine Showing the Results Obtained by the Single Cane Method of Pruning. This Vineyard of Four Acres in 1917 Produced 73 Tons of Grapes

General Collection Table and Raisin Varieties

Each 10 100 1000 No. 1.....\$.25 \$2.00 \$5.00 \$45.00

Cornichon. Berries very large, oblong; dark blue, almost black, covered with a beautiful bloom; skin rather thick; a good shipping grape. October.

Emperor. Clusters large; berries large, oval, rose-colored; one of the most valuable grapes for shipping long distances. Does not ripen well near the coast. October.

Flame Tokay. Bunches very large and handsomely formed; berries large; skin thick, pale red, or flame colored; flesh firm, sweet, with a sprightly flavor; a splendid shipping grape. Ripens in September.

Malaga. Vine a strong grower and immensely productive; bunches very large, loose, shouldered; berry very large, oval, yellowish green; skin thick, fleshy. September.

Muscat of Alexandria. Bunches large, long and loose; berries large, slightly oval, pale amber when ripe, covered with a thin white bloom; flesh firm, brittle, exceedingly sweet and rich; fine flavored; the variety most extensively planted for raisins. September.

Sultana. Bunches compact, tapering; berries rather small; skin thin, green, semi-transparent, becoming pale yellow as it ripens; pulp tender, seedless. August.

Thompson's Seedless. Resembles Sultana in some respects, but in others is much superior. Bunches large and long; berries yellow, seedless. Very heavy bearer in favorable sections. August.

ZANTE CURRANT Black Corinth

Bunches medium; berries small, seedless; skin thin; black; blue bloom. This is the variety producing the currant of commerce, under the name "Zante Currant," of which there are imported into the U. S. annually from Greece over 1,000,000 pounds.

Foreign Wine Varieties

Each 10 100 1000 Prices\$.25 \$2.00 \$5.00 \$45.00


Feher Zagos. Vigorous, hardy and productive; bunches large and compact; berries oval, yellowish green; flavor very fine; valuable sherry grape. August.

Grenache. A strong-growing variety; bunches conical, rather loose; berries bluish black; makes excellent wine, but requires age. September.

Mission (California). The well-known variety cultivated at the missions by the Spanish Padres; strong, sturdy grower, bearing large, black berries; valuable for wine. September.

Petite Syrah. One of the best claret grapes; very vigorous grower and remarkably productive. Cluster loose, long and shouldered; berries of medium size, black, covered with bloom. September

Zinfandel. Bunches large, compact; berries round, dark purple, covered with a heavy bloom; succeeds well in most any climate. Probably the best all-round claret variety for California. September.



CORY THORNLESS BLACKBERRY

Is Without Question Far Superior to Any Other Variety on the Market Today. Fruit Full Size of Cut

Small Fruits

CORY THORNLESS BLACK-BERRY

The big luscious berries often grow to a length of $2\frac{1}{2}$ inches, have a small core, are almost seedless and the distinctive flavor is suggestive of the wild berry. They are richer and sweeter than other blackberries, yet have sufficient acidity to make the finest of jelly.

The vigorous canes grow erect to a height of about five feet then assume a trailing habit, making a growth of 25 feet or more, and properly cared for gives enormous yields through a long season, thrives in any good soil and will amply repay for special culture and fertilization.

For Commercial Growers "Cory Thornless" will be a big moneymaker, having proven superior in every way to other blackberries in our growing tests covering several seasons, stands handling and shipping and costs less to pick and prune.

Each	10	100
\$.30	\$2.50	\$20.00

LOGANBERRIES

	Each	10	100
Tips	\$.20	\$1.50	\$10.00
Variety			

DEWBERRY

	Each	10	100
Tips	\$.20	\$1.50	\$10.00
Variety			·
Lucretia			

RASPBERRY

E	ach	10	100
Tips\$.20	\$1.50	\$10.00
Varieties		•	
Cuthbert (red)	Kansas	(black)	
Superlative (red)		,	

PHENOMENAL BERRY

	T TTTT (OTITED)	1223	DELLE	
		Each	10	100
Tips		.\$.30	\$2.50	\$20.00

HIMALAYA BLACKBERRY

	Ea	ach	10	100
Tips	\$.20	\$1.50	\$10.00

GOOSEBERRY

	Each	10	100
Price	\$.30	\$2.50	\$20.00
Houghton			

CURRANT

	One Year		
	Each	10	100
General Collection	\$.30	\$2.50	\$20.00
Black		3.50	25.00
Red and White	Varieties		
Black Naples	Cherr	У	
Perfection	Pomo	na	
White Grape			
_			

STRAWBERRIES

	10	100	1000
Banner	 \$.30	\$2.00	\$15.00

ARTICHOKE

	Lach	10
Globe	\$.25	\$2.00
**		100 Lbs.
Jerusalem Tubers	\$1.50	\$10.00

ASPARAGUS


10

100

PlantsConover's Colossal		\$.30 .lmetto	\$2.00
*	Each	10	100
HOP ROOTS	\$.10	\$.90	\$7.50
HORSERADISH	10	.90	7.50

RHUBARB

\mathbf{E}	ach	10
Niles Giant\$.75	\$6.00
Crimson Winter	.30	2.50
Myatt's Linneaus	.20	1.50



One-half Birdseye View of Our Nursery, Showing the Office, Lathhouses, Greenhouses and Blocks of Ornamental Trees Are Here in Evidence

Ornamental Department

In our climate both evergreen and deciduous trees can be transplanted successfully during the winter months. Palms and bamboos move best in the late spring. The foregoing applies particularly to plants that have to be dug from the open ground. Those grown in pots and also plants established in boxes can be planted at any time during the year if they receive proper care and attention.

DIGGING HOLES

In preparing the hole for planting, the hole should be made SQUARE and much larger than the root system of the plant. Take out the soil to at least a foot deeper than necessary to accommodate the roots. Partially fill in the hole with good soil and firm well to a height necessary to accommodate the plant, taking care that plant will rest at the same height that it stood in the nursery row.

In filling in the hole around a balled tree, do not tramp on top of the ball, as this will break it, dislodge the fibrous roots and in many instances cause the plant to die. After the hole in which the balled tree is planted is partially filled, cut the cord at the top of ball and turn down the burlap so that it will be completely buried when the remainder of the hole is filled in. Do not entirely remove the burlap from the ball, as it will soon rot.

BOXED PLANTS

When plants come boxed, stand in the hole just as the plant will remain when planted. When in its proper position, tilt box to one side and remove one-half of the bottom, reverse the operation and remove the other half of the bottom. The sides should then be carefully removed, taking care not to disturb the plant. Soil should be filled in around the plant, well firmed and watered thoroughly. It is best to leave a good basin around the plant, which should be filled several times to insure water reaching the bottom of the hole. If the weather is hot, it is a good plan to let the tops of evergreens stay tied up for a few days. It greatly reduces evaporation and helps the trees to get established. Keep tops well sprayed.

DECIDUOUS TREES AND SHRUBS

The tops of deciduous trees and shrubs should be pruned in proportion to the amount of roots lost in transplanting. Their natural shape should be preserved as much as possible. The depth of the hole should permit the neck of the plant to be as near the surface of the ground as it was originally. Firm soil well around the roots and water thoroughly. Do not put manure among the roots when planting. A good mulch of manure or straw on top of ground around the plant will be beneficial.

All broken or bruised roots should be cut back with a sharp knife to good sound wood. In planting deciduous trees and shrubs with bare roots, the hole should be large enough to allow all the roots to be spread out to their full length and in their natural position.

In nearly all cases it is advisable, and in hot districts it is of utmost importance to give the trunk of the tree some protection to guard against sunburn. A good method is to whitewash the trunk from the top of the ground to the first branches and wrap loosely with burlap. Where sunburn occurs, it is an invitation for borers to enter the trees.

Most trees should be firmly staked when planted, as this will prevent heavy winds from loosening them and insures a straight growth. This is a very important precaution with both deciduous and evergreen trees and is too often neglected. In fastening the tree to the stake, take pains to do it so the tree will not be chafed or choked by the rope.

Proper planting, while of the very greatest importance, is really only a good start in the right direction. Trees may live if neglected, but they will come very far from attaining perfection. Never let them get dry the first summer. When you water the ground around them, see that it is thoroughly soaked. This is vastly better than giving them a little water continually. The tops will appreciate almost daily spraying on hot days in early morning and evening hours during the dryest weather. Keep the ground around your plants and trees thoroughly loose and preferably mulched as well. Good stock properly planted and cared for will more than repay all expenditure of time and money.



One-half Birdseye View of Our Nursery, Covering Over 465 Acres of Ground. The Boarding Houses for the Men, Outbuildings and Homes of Our Employees Are Plainly Visible

CONIFERS

This division embraces the most beautiful evergreen trees suitable for the Pacific Coast. When planted as specimens, most of them require no pruning, in fact would be injured by it. The lower limbs must be allowed to remain; to remove them is to destroy the beauty of nearly any conifer. If any particular situation makes a bare trunk imperative, it is better to plant some other kind of a tree.

ABIES (Fir). The firs as a class are marked by pronounced regularity and symmetry of growth. Branches are usually produced in tiers, the side branches forming wide, flat sprays; the needle-shaped leaves are often scattered all around the shoots. The cones are always borne erect. These fall to pieces at maturity, leaving the slender, woody axis on the tree. About a third of all known species are native to the Pacific Coast region.

 Balled, 4 to 6 ft.
 \$5.00

 Balled, 3 to 4 ft.
 4.00

 Balled, 2 to 3 ft.
 3.00

- A. barborensis. (A. numidica.) (Algerian Fir.)
 N. W. Africa. A very rare fir. Leaves blunt,
 set closely together, short, marked with two
 glaucous lines beneath; upper surface deep
 green, usually tipped with a single, short,
 glaucous line. Habit compact.
- A. balsamea. (Balsam Fir.) E. North America. Growth erect, branches spreading. Foliage aromatic, dark glossy green above, gray on the under side.
- A. cephalonica. (Cephalonian Fir.) Island of Cephalonia. A very beautiful species; broad for its height. Leaves are dark green above, silvery beneath, dagger-shaped and very acute, standing out from branches at right angles. Makes a fine specimen and is well adapted to California.
- A. concolor. (White Fir.) Western North America. Very beautiful fir; conspicuous on account of its ashy gray, often nearly white bark. Growth very regular and symmetrical; sometimes open, often very compact. Leaves long and slender, light green, usually very glaucous. This is the Silver Fir so highly

admired in the Yosemite and Sierra region generally.

- A. firma. Japan. A stately tree of rapid growth. Branches stout but flexible. Leaves are long, flattened, glossy green above, paler underneath, usually forked at tips. Young growth light, yellowish green, making a pleasing contrast. A very ornamental and desirable Japanese species. Entirely distinct in appearance from all other firs.
- A. nordmanniana. (Nordman's Silver Fir.) Caucasus. A majestic species; growth slow, but eventually becomes a large tree. Branches very widely spreading. Leaves are flattened, not acute, dark green and glossy above, silvery underneath. The contrast in color between the old and new growths is most charming. One of the very best firs.
- A. picea (A. pectinata.) (Silver Fir.) Europe. Of moderate growth, ultimately forming a large tree. Leaves are dark, glossy green above and silvery beneath. Somewhat resembles A. nordmanniana, but has shorter leaves, and usually of more open growth.
- A. pinsapo. (Spanish Fir.) Spain. A magnificent tree, very regular and symmetrical in habit. Leaves, rigid, acute, entirely surrounding the branchlets; often reflexed; upper surface glaucous, underlaid deep green, while the lower surface is marked with two conspicuous silvery lines. Well adapted to a warm climate. One of the finest firs for California.
- A. nobilis glauca. (Silvery Red Fir.) A garden form with very glaucous foliage. In this climate it is a true dwarf, usually growing only three or four inches a year. Of great value for Japanese gardens.

ARAUCARIA. A genus of magnificent, tall-growing trees, all natives of the Southern Hemisphere. Most of the species have a very symmetrical habit; some carry this to a most remarkable extent. Cones are very large and solid, but are not borne until the trees attain considerable age.

A. bidwilli. (Bunya-Bunya.) Australia. Grows quickly and makes a large tree. Leaves are flat, sharp and dark, glossy green. Cones about the size and shape of a large pineapple. When young the tree is loose and open, but with growth becomes compact and extremely sym-Balled, 3 to 4 ft.....\$5.00

A. imbricata. (Monkey Puzzle.) Well-known tree of very unusual appearance. Trunk straight; coarse, blunt branches in regular whorls. Leaves short, broad, triangular; very sharp, overlapping like shingles, closely sur-rounding trunk and branches. Entirely unlike any other tree.

Araucaria. (Monkey Puzzle.) Balled, 1 to 2 ft.....\$1.50

CASUARINA. Native of Australia, with extremely hard wood equaling in this respect the walnut and hickory. Its redness has given it the popular name of Beefwood. The branches are long and slender, and weeping with jointed needle-like leaves. They are odd but beautiful ornamental trees, growing well even in alkali soils. Of very rapid growth. Stand pruning well and as formal street trees and for hedges we recommend them highly. Potted, 4 to 5 ft. \$1.50 Potted, 3 to 4 ft. \$1.25 Potted, 2 to 3 ft. 1.00

Equisetifolia (She Oak.) 100 feet. Of very rapid growth, with drooping branches and dark green, needle-like leaves.

Stricta (C. quadrivalvis.) 30 feet. Is of more erect habit than the preceding, but does not grow so tall.


CEDRUS (Cedar.) Although many conifers of various kinds have the name "Cedar" applied to them, the true Cedars are limited to three species, all natives of the Old World. There are no true Cedars native to North or South America. They are all magnificent, long-lived trees of noble appearance and readily dis-tinguished by their needle-like leaves produced in bunches except on the young growing shoots, where they are scattered. Cones are borne erect and are very beautiful.

C. atlantica. (Mt. Atlas Cedar.) North Africa. Large, pyramidal, open tree. Leaves very slightly glaucous. The hardiest species.

Balled, 6 to 7 ft.....\$5.00

C. atlantica glauca. (Blue Mt. Atlas Cedar.) A variety of C. atlantica with intensely glacous or silvery leaves. When young, the growth is irregular and straggling, but later becomes symmetrical and compact. One of the most strikingly beautiful specimen trees in our collection.

In a Class by Itself



Our Strain of Italian Cypress Is the Best. For Formal Planting and for Setting Off a Stately Building This Magnificent Conifer Is

- C. deodara. (Deodar; Indian Cedar.) Himalaya Mountains. This magnificent tree is a picture of grace and beauty. Pyramidical in general outline; the lower limbs lie on the ground, all the upper ones drooping gracefully. The foliage of young trees is decidedly glaucous, but not so much as when older. Thrives to perfection in California.
 - Balled, 4 to 5 ft.
 \$3.50

 Balled, 3 to 4 ft.
 2.50

 Balled, 2 to 3 ft.
 2.00
- C. deodara verticillata. A variety with light bluish leaves and stiffer growth. Retains its glaucous hue even when older.
- C. libani. (Cedar of Lebanon.) Vigorous growth; wide-spreading, horizontal branches; dark green foliage; massive and picturesque. Closely resembles C. atlantica, but grows slower and more compact. Balled, 4 to 6 ft.....\$3.50 Balled, 3 to 4 ft. 2.50
- CEPHALOTAXUS pedunculata fastigiata. anese Yew.) Entirely distinct from other Yews. Growth very compact, upright and columnar like Irish Yew. Leaves larger, nearly two inches long, acute, deep glossy green above and marked with two broad, silvery lines beneath. Very fine.
- C. fortunei. Very graceful shrub with tapering, sharp pointed leaves 2 to 3 inches long, which are usually curved; dark green and shining Balled, 2 to 3 ft.....\$1.50
- CHAMAECYPARIS. A genus closely related to Cupressus (Cypress). As a class they may be called "Flat-branched Cypresses," as the branchlets are always arranged so as to lie in a plane. Cones are smaller than those of Cypress. Habit varies from almost dwarfs to very large trees.
- C. lawsoniana. (Lawson Cypress; Port Orford Cedar.) Oregon and California. A beautiful tree, native of this State; tall and slender except at base. Has elegant drooping branches and very slender, feathery branchlets. Foliage usually more or less glaucous. Tip of tree always droops. Balled, 4 to 6 ft.....\$4.00 Balled, 3 to 4 ft......\$3.00
- C. lawsoniana alumi. A variety of Lawson Cypress, of dense growth and columnar habit. Foliage very glaucous, with decidedly bluish metallic hue. Develops very symmetrically into a beautiful specimen for individual planting.
- C. lawsoniana erecta virids. A remarkably hand-some variety, differing in its color and compact growth. The branches all stand vertically and close together. The foliage is a clear, rich green with no glaucous markings.
- C. lawsoniana filifera. Very distinct. It produces an abundance of long, slender, thread-like branchlets covered with minute, closely overlapping leaves. Only moderately glaucous. Growth quite erect; tips of branches somewhat drooping. Very graceful and handsome.
- C. lawsoniana glauca. Beautiful compact form with silvery foliage.

- C. lawsoniana Triumph de Boskoop. Of upright growth but loose and open. Foliage intensely silvery. One of the best of the blue Lawsons.
- C. lawsoniana nana argentea. A dwarfed compact little plant with all of the young growth yellowish white. This deepens to light green when mature.
- C. nootkatensis. (Nootka Sound Cypress.) N. W. America. A vigorous, upright-growing tree, with spreading upward-curved branches and flexible branchlets. Foliage dark green. Somewhat resembles Lawson Cypress.
- C. obtusa ericoides. Shrub of very dense growth, after the style of Cryptomeria japonica elegans. Form nearly globular. Leaves needle-like, very silvery and assume bronzy winter tints. Very desirable for foreground planting.
- C. thyoides ericoides. Similar to preceding, but with slightly narrower and longer leaves and of more compact growth. Summer color less glaucous; winter tints more pronounced. Very desirable for foreground planting.
- CRYPTOMERIA japonica. (Japanese Cedar.) In Japan this is a magnificent tree of noble proportions. In California it does not succeed well except in the cooler, moister parts, as it suffers from hot summer weather. Growth is rapid; branches rather distant, giving it a loose, open appearance.
- Balled, 1½ to 2 ft......\$1.00 \$7.50 C. japonica elegans. Foliage fine and feathery, but very dense and compact; in summer a rich green, but changes to purplish bronze in winter. A very handsome small tree.

Prices upon application.

- C. lobbii. A more compact variety than preceding. Foliage is of brighter and deeper green. Leaves shorter and more closely adpressed to the branchlets. A fine dwarf type.
- CUPRESSUS (Cypress.) A genus of tall or medium-sized trees, natives of the warmer portions of the North Temperate Zone. Growth mainly erect. Foliage consists of very small, over-lapping, scale-like leaves. Cones nearly globular. Balled, 8 to 10 ft.....\$6.00

 Balled, 6 to 8 ft.
 5.00

 Balled, 4 to 6 ft.
 3.50

 Balled, 2 to 3 ft.
 2.50

 Except C. macrocarpa.
- C. arizonica. (Arizona Cypress.) Handsome tree with brilliant, silvery blue foliage. Growth rather compact with somewhat stout branches. Bark red. Fine for dry situations.
- C. glabra. A new introduction and a fine companion to arizonica. Has finer foliage and more compact growth.
- sempervirens fastigiata. (Italian Cypress.) Europe and Asia. A tall, very slender, tapering tree with erect branches lying close to the
- C. macrocarpa lutea. (Golden Monterey Cypress.)
 A very beautiful golden-hued variety of the Monterey. Color especially pronounced in spring and held fairly well through the year.

C. macrocarpa. (Monterey Cypress.) California. The well-known, rapid-growing native cypress. Useful where quick effect is wanted. Makes a dense, compact hedge.



Cupressus Lawsoniana Erecta Viridis (Erect Green Lawson Cypress). Few Conifers Compare With it. The Tree Assumes This Natural Form Without Trimming

GINKGO biloba (Salisburia adiantifolia.) (Maiden Hair Tree.) One of the most remarkable trees in cultivation. Leaves are fan-shaped, clear green during summer and changing to a clear, soft yellow in the fall. Apparently extinct except in cultivation. Has been preserved from antiquity in grounds about the temples of China and Japan. Although deciduous is really a true conifer.

				rent ×	Each
Balled.	2	to	3	ft	\$3.00
				ft	

J. excelsa. Handsome tree, thickly branched, of dense growth, with glaucous green foliage.

J. excelsa stricta. A variety of the preceding. Growth more compact and color more intense. Fine subjects for low planting.

J. virginiana. The red cedar of the East. Pyramidal form with branches that are at first erect or sub-erect, afterwards horizontal and in old trees frequently decumbent.

J. virginiana glauca. (Blue Virginia Cedar.) A very glaucous form of the so-called Eastern "Red Cedar." The silvery color is quite pronounced and its habit graceful and pleasing. Very handsome tree.

J. chinensis albo variegata. (Variegated Japanese Juniper.) Similar in form and habit to J. chinensis fortunei but is slightly variegated with creamy white.

J. chinensis fortunei. A pleasing variety of rather rapid, erect growth. Branches are long and gracefully arching.

J. communis hibernica. (Irish Juniper.) A distinct and beautiful variety of slender, erect, dense, columnar growth. Foliage very glaucous. Very useful where a tree is needed shaped like Italian Cypress, but of slower and smaller growth.

Prostrate types of junipers. On account of their prostrate form, sizes are based on the horizontal spread. These beautiful low-growing types are excellent for foreground planting, mass effects or rock work.

Balled, 1½ to 2 ft......\$2.50

J. chinensis pfitzeriana. (Pfitzer's Juniper.) A very graceful variety. Develops a large number of

graceful variety. Develops a large number of long, slender, tapering shoots clothed with fine sage green foliage. Most of the leaves are an inute and scale-like, but with here and there a few very silvery ones of the needle form.

a few very silvery ones of the needle form.

J. chinensis procumbens. (Creeping Japanese Juniper.) A dense, dwarf shrub with trailing branches and glaucous foliage.

J. chinensis procumbens aureo-variegata. (Golden Creeping Japanese Juniper.) A form of above; foliage variegated with golden yellow.

J. sabina. (Savin Juniper.) A dwarf spreading shrub, with partially trailing branches. Thrives in the poorest soil.

J. sabina prostrata. A more prostrate form of the preceding.

J. sabina tamaricifolia. A variety of sabina with much finer and deeper colored foliage.

L. chilensis. (Chilena Cedar.) Tree of spreading but compact growth. Foliage glaucous green, marked with silvery lines beneath. A very graceful, attractive tree.

L. chilensis virdis. A variety of preceding, with deeper green foliage.

L. decurrens. (Incense Cedar, White Cedar.)
California and Oregon. A noble tree of vigorous, close growth and conical outline. Branches are spreading and ascending, clothed with compact, bright, glossy green foliage. Easily among the best of our specimen trees.



Blue Spruce

- PICEA (Spruce.) Symmetrical trees of straight, upright growth, with branches produced in whorls. Often confused with the firs, from which they can very easily be distinguished by their leaves, which are borne on a very short leaf stalk instead of directly on the branch, as is the case with firs. When the leaves finally drop the little stalks remain on the limbs, giving them a bristly appearance. Cones are always pendant instead of erect and do not fall to pieces. Of great importance both economically and horticulturally. Each Balled, 4 to 6 ft. \$5.00 Balled, 3 to 4 ft. 4.00 Balled, 2 to 3 ft. 3.00
- P. alba coerulea. A silvery blue form of the White Spruce. Growth and general appearance like Norway Spruce, but entirely different in color, and bears very small cones. Not as silvery as Colorado Blue Spruce, but of much deeper growth.
- P. excelsa. (Norway Spruce.) Europe. A compact, symmetrical tree; the branches assuming a graceful, drooping habit with age. Cones very large. Foliage light green in this climate. Extremely hardy and of rapid growth. The original Christmas tree of northern Europe.
- P. excelsa pendula. (Weeping Norway Spruce.) A variety with decidedly drooping branches. Growth is very irregular and picturesque.
- P. orientalis. (Oriental Spruce.) Asia. The most delicate and graceful of all the spruces. About the same color as Norway Spruce, but with more slender branches, shorter leaves, and far more compact. Grows very slowly and is the very best spruce for small grounds.

- P. polita. (Tiger Tail Spruce.) Japan. A distinct Japanese species. It is of erect habit, and has sharply pointed, very rigid, bright green leaves, contrasting beautifully with the yellow branches. Excellent specimen tree for a lawn. One of the most desirable for California.
- P. pungens. (Colorado Spruce.) Western United States. Regular, compact, pyramidal tree, with stout, horizontal, bright yellowish brown branches. Leaves rigid, very acute, varying from green to silvery white.
- P. smithiana (P. morinda.) Himalaya Mountains. Handsome species of very distinct habit. The main trunk grows upright; the branches slope downward, the branchlets drooping very decidedly. The leaves are closely set, very long, slender and very soft.


 Special varieties of Picea.
- P. pungens glauca. (Colorado Blue Spruce.) A glaucous variety of P. pungens with shorter leaves and more compact growth. Foliage silvery.
- PINUS. (Pine.) Well-known genus of varying habit, growth and appearance, but all characterized by needle-like leaves in bundles of from one to five. Many are excellent specimen trees, others specially useful where a considerable area is to be covered.
- P. halepensis. (Aleppo Pine.) Western Asia. 60 feet. Growth very rapid; habit spreading. Leaves medium length, light yellowish green. Succeeds admirably in California.
- P. jeffreyi. (Jeffrey Pine.) Oregon and California. Forms large tree with short, spreading and sometimes drooping branches. Leaves long, sharp, light bluish green. Cone large.
- P. montana. (Swiss Mountain Pine.) Europe. A low, densely branched, small tree or shrub. Leaves short, bright green.
- P. mughus. A variety of preceding. Usually shrubby and prostrate habit. Excellent for rocky slopes and undergrowth in open woods.
- P. nigra austraica. (Austrian Pine.) Southern Europe. A robust, hardy, spreading tree with stout, blunt branches and stiff, very dark green leaves.
- P. pinea. (Italian Stone Pine.) Southern Europe. 80 feet. Of slow growth, delighting in a deep, sandy, dry soil. Very symmetrical and compact. With age it forms a flat, parasol-like head. Foliage deep green, presenting a striking contrast to that of the young growth, which is silvery blue.
- P. radiata (P. insignis.) (Monterey Pine.) Central California. Our well-known native variety. The most handsome of the genus. Growth upright and extremely rapid, probably more so than any other pine.
- SEQUOIA. Our wonderful native genus of only two species, found nowhere else in the world. Remarkable for their vast size, longevity and resistance to fire. With us both species thrive admirably.

- T. baccata. (English Yew.) Europe and North Africa. Tree or large shrub of slow growth and very bushy head, densely branched and thickly covered with somber green leaves. Can be trimmed into any shape. This is the yew that is used so extensively for hedges and formal effects.
- T. baccata dovastoni. (Dovaston's Weeping Yew.) A remarkable weeping variety. All the branches are strongly drooping and clothed with a very dark foliage. Entirely distinct from all other yews and of very striking appearance.
- T. baccata dovastoni variegata. (Dovaston's Variegated Weeping Yew.) A form of the preceding with every leaf marked with creamy bands. In spring the entire plant is brilliant golden.
- T. baccata elegantissima. (Elegant Variegated Yew.) Brilliantly variegated. In spring it is covered with almost solid, golden yellow. This becomes less pronounced later, but every leaf always shows the creamy variegation. Growth is slow, compact and erect. Very fine.

- T. baccata erect. (Erect Yew.) Variety of compact, erect growth, similar to that of Irish Yew. Differs in its more rapid growth, smaller leaves and slightly lighter color.
- T. baccata washingtoni. (Washington Golden Yew.)
 A form of the English Yew and of similar growth, but with golden variegated leaves.
 Habit bushy. Very distinct and handsome.
- T. cuspidata. (Japanese Yew.) Japan. Although a distinct species, it is quite similar to English Yew. Probably grows a little faster; leaves broader and sharp pointed. Bark reddish. (Note—the common name, "Japanese Yew," is also applied to Cephalotaxus pedunculata fastigiata, which is entirely distinct.)
- T. baccata fastigiata variegata. (Variegated Irish Yew.) Has the same remarkable form and habit as the Irish Yew, but in the spring the foliage has the most intense golden hue that can be imagined. This becomes creamy as the season advances, but is always very pronounced. Very rare and easily one of the most remarkable conifers in our collection.
- THUYA. (Arbor Vitae.) Comprises species of varying growth and appearance, but most are inclined to be compact and of symmetrical shape. Branchlets are usually flattened, with leaves overlapping like scales. Cones very small.

- T. plicata. (T. gigantea.) (Giant Arbor Vitae.) Pacific Coast. One of our splendid native conifers. In fairly young trees the lower branches are very long in proportion to height and upper half of tree is extremely slender. With age it becomes more columnar, as the lower branches do not maintain their growth. Attains height quite rapidly.
- T. plicata aurea. (Golden Giant Arbor Vitae.)
 Identical with preceding except foliage strongly
 marked with yellow.
- T. occidentalis wareana. (Siberian Arbor Vitae.)
 A very distinct form of nearly globular shape
 when young. Foliage an unusual shade of sage
 green. Very compact, regular and handsome.
- T. orientalis aurea. (Golden Chinese Arbor Vitae.)
 One of the most desirable types. Almost globular in outline and very compact. During spring the foliage is golden tinted, but as the season advances it changes to a most beautiful, deep, rich green. Growth slow, but makes a large shrub.
- T. orientalis aurea conspicua. More conical in outline than the preceding. Its golden color persists throughout the year. A very desirable variety.
- T. orientalis pendula. (Japanese Weeping Arbor Vitae.) A form of orientalis with slender, drooping shoots, less regular in outline and very novel.
- T. lycopodioides. A novel and distinct variety. Foliage dark green. Loose, spreading habit. The beautifully tufted ends of branches resemble miniature cockscombs.
- T. occidentalis globosa. A dwarf compact variety having short dense branchlets with foliage of a brighter color than that of the common form.

 T. occidentalis rosenthalii. Very dark green foliage and of company to work the company of the company
- T. occidentalis rosenthalii. Very dark green foliage and of compact upright growth. A very choice variety.



A Good Illustration As to How Evergreen and Deciduous Plants May Be Grouped Together to Obtain Attractive Results

Broad-Leaved Evergreens

In this section we group what are ordinarily called "Broad-Leaved Evergreens" to distinguish them from the conifers. They vary in size from the largest trees to the smallest shrubs. We have distinguished trees and shrubs by the letters (T) and (S), respectively, placed after the names. As this division includes such a diversity of trees and shrubs, no definite points on culture can

be given. For planting instructions see page 13.

ACACIA. Flowering trees or shrubs of widely varying habit, appearance and foliage. Flowers are always some shade of yellow, ranging from deepest golden or orange to nearly white. Leaves are either bipinnate (feathery) or reduced to phyllodia (blade-like); in the latter case they vary from minute to very large, in some species attaining to as much as a foot in length. All the following species are native to Australia except where otherwise stated.

					gacn
Potted,	4	to	6	ft	\$1.25
				ft	
				ft	

A. armata. (Kangaroo Thorn.) (S.) Spreading shrub with long, slender branches. Foliage deep green, leaves (phyllodia) small and undivided. A small, sharp thorn at each leaf. Flower heads light yellow, borne all along the branches. Makes a very graceful plant.

- A. cultriformis. (S.) Tall shrub with long, willowy, yellow branches. Leaves small, undivided, acute and very glaucous. A very heavy bloomer, with flower heads in clusters and all along the branches; deep golden yellow. Blooms early.
- A. cyanophylla. (Blue-leaved Wattle.) (T.) Makes a small tree or tall shrub. Branches inclined to droop. Leaves are undivided, enormous on young plants, often a foot long, and with a very pronounced blue tint. Flower heads deep golden yellow and unusually large.
- A. dealbata (A. mollissima.) (Silver Wattle.) (T.) Probably the most popular Acacia in California. Highly prized for its wonderful freedom of bloom in late winter or early spring. Foliage is feathery and varies from silvery to green. Flowers are clear yellow, very fragrant and borne in clustered racemes in utmost profusion.
- A. decurrens. (Green Wattle.) (T.) One of the best for parks or avenues; leaves feathery, dark green; flowers whitish yellow, appearing in May; upright habit; hardy.
- A. longifolia (A. latifolia.) (Sydney Golden Wattle.) (S. or T.) Large shrub of quick growth. Can be trained as a small tree and is excellent for hedges. Leaves undivided, long and varying from narrow to broad. Flowers rich yellow, borne freely in rather long spikes.



Acacia bailevana

- A. melanoxylon. (Black Acacia; Blackwood.) (T.)
 An erect, pyramidal grower, forming a well-shaped head. Flowers very light yellow, in heads. Leaves large and oblong. Well adapted and extensively used for sidewalk planting owing to its regular, symmetrical growth. A peculiarity of this tree is that when young it has both "blade" and "feather" leaves.
- A. neriifolia (A. floribunda.) (T.) Tall, quickgrowing tree with long, slender, light green leaves. Flower heads yellow, in short racemes, very fragrant. Tree is in bloom most of the time; particularly valuable for this reason.
- A. pravissima. (S. or T.) An elegant species of upright growth, but with very long, slender, drooping branches. Leaves smilar to A. cultriformis, but smaller and sage green. Flowers soft yellow, borne early in drooping racemes all along the branches. Rare and very beautiful.
- A. verticillata. (S. or T.) Shrub or small tree of very distinct appearance. Leaves awlshaped, dark green, whorled, rigid and sharp, about one-half to three-quarters of an inch long. Flowers light yellow, in short, dense spikes, about an inch long, somewhat resembling catkins of "Pussy Willow."
- A. baileyana. (T.) One of the very best. Growth extremely rapid when planted out. The whole tree is intensely glaucous throughout the year. Leaves feathery and finely divided. Flowers borne in racemes, are produced very early in the utmost profusion, deep golden yellow. A magnificent species.
- ARBUTUS menziesi. (Madrone.) Pacific Coast. (T.) Our beautiful and distinct native tree. Its smooth, ruddy brown bark gives it a decided individuality among other trees. White flowers in panicles, followed by orange red berries. Our stock is entirely nursery-grown seedlings.
 - Potted, 2 to 3 ft.....\$2.50

- A. japonica angustifolia. A variety of compact growth with long, narrow, green leaves and without variegation.
- A. japonica latimaculata. A form with especially brilliant variegation. Bears male flowers only, so is very useful to pollinate the other sorts.
- A. japonica macrophylla. A very distinct variety of much more vigorous growth than the others. Leaves very large, coarsely toothed and rich, glossy green. The female plants bear very large berries, which contrast brilliantly with the foliage.
- A. japonica variegata. (Gold Dust Plant.) (S.)
 A beautiful variegated form with leaves almost covered with yellow dots, accounting for the common name. Excellent for tub culture or for planting out. A very desirable variety.
- AZALEA indica. China. (S.) Well-known, small, compact shrubs, covered in early spring with large, funnel-shaped, single or double flowers. They are perfectly hardy here. Thrive best in a cool, moist situation and fail in full sun. Colors range through purple, white and all shades and tints of red.

- B. darwini. Chile. (S.) Shrub with many slender branches drooping toward tips. Leaves small, rich green, prickly like Holly. Many of the leaves turn bright red in fall, holding this tint through winter. Flowers golden yellow, produced in utmost profusion early in spring. Berries blue. One of the very finest small evergreen shrubs.
- B. elegantissima. (S.) Low shrub with spreading branches. Flowers golden yellow. Variety of recent introduction.



BERBERIS: Barberry

- B. illicifolia. South America. (S.) Shrub of stronger growth than preceding and with larger leaves, about the size and shape of Holly. Some of the leaves fall during winter, but the majority become tinted and hold on until new growth appears. Flowers orange yellow, in clusters.
- B. pruinosa. (S.) Evergreen shrub, branches brownish yellow with spines one inch long. Flowers yellow. A fine variety.
- B. stenophylla. (Garden Hybrid.) (S.) Shrub with long, slender, arching branches. Leaves small, long and narrow; dark green above, silvery beneath; spiny pointed with revolute margins. Flowers deep golden yellow.
- Berberis wilsonii. Low growing variety forming compact globular head; useful as single specimen; of recent introduction.
- BUDDLEIA. Shrubs native of semi-tropical regions. The species described below have similar foliage, but are so unlike in flowering habit as to appear of different genera.

- B. globosa. Chile. (S.) Medium-sized shrub with long, narrow, rough leaves. Flowers yellow, fragrant, in globular heads on long stalks.
- B. variabilis. (Butterfly Plant.) China. (S.) Large shrub of extremely rapid, spreading growth. Leaves similar to preceding, but larger and very silvery beneath. Flowers lilac, marked with yellow, borne profusely in dense spikes nearly a foot long; extremely fragrant. A very good flowering shrub.
- BUXUS. (Box.) Well-known, long-lived shrubs with small leaves and, mainly, of dense, compact growth. Flowers inconspicuous. Can be sheared or trimmed into almost any form. Splendid for formal hedges.

 Busus. (Boxwood.)
 Trained Boxwoods.

 Cones, globes, squares.
 Each

 Balled, $2\frac{1}{2}$ ft.
 \$5.00

 Balled, 2 ft.
 4.50

 Balled, $1\frac{1}{2}$ ft.
 3.50

DOXWOOD—I	or rieuges.	
	Each	Per 50 or more
12 to 18 in	n\$1.00	\$.75
D		

Buxus sempervirens.
In flats of 100......\$5.00

- B. sempervirens. (Boxwood.) Europe, Africa and Asia. (S.) Handsome shrub of dense, compact growth. Leaves quite small, deep green.
- B. sempervirens arborescens. (Tree Box.) (S. or T.) A variety with slightly larger leaves, of somewhat faster growth and ultimately making a small tree.
- B. sempervirens variegata. Variety with very brilliant variegated foliage. The variegation is creamy yellow turning white and disposed in bands and stripes.

- C. coccineus. Leaves narrow. Branches usually drooping. A free blooming variety.
- C. cunninghami. Leaves extremely narrow. Growth low and compact.
- C. lanceolatus hybridus. Distinguished by its very short and broad leaves. Growth always erect and usually compact. New shoots very ruddy. Free bloomer.
- C. robustus. Branches stout and spreading, but not drooping. Leaves very long, narrow and usually curved.
- CAMELLIA japonica. China and Japan. (S.)
 The common and well-known Camellia. Grows very slowly, but begins blooming when very young. Colors range through white, pink and red. There are also varieties with variegated flowers. The double forms are best known.
 Colors: Double pink, double red, double variegated, double white.

 Each
 Potted

 S5.00



TRAINED BOXWOODS

Reading Left to Right: Square Column, Globe, Triangular Pyramid, Cylinder, Cone, Standard

CERATONIA siliqua. (Carob; St. John's Bread.)
Mediterranean region. (T.) Although of
great economic value on account of its edible
pods, this splendid tree is also one of the hand-
somest ornamentals adapted to our climate.

				<u>F</u>	lach
Boxed,	2	to	3	ft\$.75
Boxed,	$1\frac{1}{2}$	to	2	ft	.50

- C. fasciculatum. Mexico. (S.) Similar to preceding, but with somewhat larger flowers, lighter red and without purplish hue. Flower clusters quite compact.
- C. parqui. Chile. (S.) Somewhat similar to preceding, but with narrow leaves and greenish yellow flowers. Also fragrant at night.
- CHOISYA ternata. (Mexican Orange.) (S.)
 Compact shrub of rather slow growth. Leaves
 light green, divided into three leaflets; fragrant when crushed. Bears a profusion of
 white, very fragrant flowers in broad clusters.

 Each

					Laci
Dallad	O	+~	9	ft	PIEA
Danieu,	4	w	o	1 b	DT.OU
Danied,	1	w	4	ft	1.25

- C. albidus. Southern Europe. (S.) Foliage woolly white. Flowers lilac pink, two or three inches wide. Blooms continuously. Very resistant to drought.
- C. ladeniferus maculatus. (Spotted Rock Rose.)
 Europe. (S.) Spreading shrub of prostrate growth. Foliage covered with aromatic resin (ladanum). Flowers large, often four inches wide, pure white except for a conspicuous crimson spot at base of each petal. Free flowering and very handsome indeed. Particularly desirable where very low growth is wanted.
- C. salvifolius. Mediterranean region. (S.) 3 feet. Small shrub with long, slender, often drooping branches. Leaves small, very rough, wrinkled and downy. Flowers medium sized, white, borne on long, slender stalks.
- COPROSMA baueri. New Zealand. (S.) Low-growing shrub, or can be trained up as a low climber. Leaves are rounded, green and wonderfully glossy, exceeding any plant we know of in this respect—dust will not stick to them. Flowers are inconspicuous, but followed by clusters of showy, yellow berries.
- C. baueri variegata. Variety of preceding, differing only in the very conspicuous yellow variegation of the leaves. Probably the showiest variegated plant in our collection. Each Balled, 2 to 3 ft. \$1.25 Balled, 1 to 2 ft. 1.00 Potted, 1 to 2 ft. 1.00

- CORNUS california. (Dogwood.) (S.) Shrub with purplish branches, leaves two to four inches long, lighter colored beneath with loose silky hairs; flowers white.

- C. emerus. (Scorpion Senna.) S. Europe. (S.) Leaves deep glossy green. Flowers yellow, sometimes tinged red. Blooms in spring and early summer.
- C. glauca. S. Europe. (S.) Rather similar to above, but with fine and very glaucous foliage. Flowers deep golden yellow, intensely fragrant by the day, but scentless at night. Very free bloomer. Especially valuable as it commences blooming early in the winter and continues through the spring.
- C. glauca variegata. A form of the preceding; identical except that the foliage is conspicuously variegated.
- C. acuminata (C. nepalensis.) Himalayas. (S.) Growth erect. Leaves medium sized and pointed. Flowers pinkish white, followed by large, showy, red berries. Semi-evergreen.
- C. Francheti. China. (S.) Growth upright. Well distinguished by its very arching branches, which give it a most graceful habit. Leaves about the size of C. acuminata, but downy. Flowers pink. Berries yellowish red.
- C. frigida. Himalayas. (S.) A very stronggrowing species with leaves as much as four inches long. Flowers white. Berries brilliant scarlet, in large clusters. When loaded with a heavy crop of berries it is indeed a remarkably striking specimen. Grows very vigorously and should be well pruned.
- C. pannosa. China. (S.) A very beautiful shrub of upright growth. Branches long, slender and slightly arching, covered with purplish mahogany bark. Leaves deep, rich green above and covered with silvery down beneath and along edges. Flowers white. Berries, borne in great profusion in the fall, are vermilion red. The branches loaded with berries can be cut and kept in water for weeks.

- Prostrate Varieties of Cotoneaster.EachBalled, 2 to 3 feet spread.\$2.50Balled, $1\frac{1}{2}$ to 2 feet spread.2.00Balled, 1 to $1\frac{1}{2}$ feet spread.1.25
- C. horizontalis. China. (S.) One of the best trailing shrubs. Branches grow almost on the ground. Leaves very small and turn red during winter. Flowers pinkish white. Berries bright red and borne in great profusion. Nearly deciduous.
- C. microphylla. Himalayas. (S.) Very densely branched and of almost prostrate growth. Leaves small, glossy and very dark green. Flowers white. Berries larger than those of preceding and purplish red. Entirely evergreen.
- C. microphylla thymifolia. (S.) A variety of preceding of dense, compact growth, with tiny leaves, smaller flowers and berries. A very dainty little plant.
- CRINUM. Quite similar to Amaryllis and sometimes so called. Leaves long and very broad. Flowers are funnel-shaped, large and often fragrant; borne in clusters on stout, hollow stalks.

- C. asiaticum. China. Flowers medium-sized, with narrow, spreading segments; white with reddish stamens.
- C. fimbriatulum. Flowers short and rather broad; white with red band in each petal. Very pretty.
- C. longifolium. S. Africa. Leaves evergreen, two or three feet long. Flowers tubular; white, tinged red on back and sometimes on face. Very fragrant.
- C. longifolium album. Variety of preceding with pure white flowers.
- CYTISUS. (Broom.) Shrubs with pea-shaped flowers and clover-like leaves. Some kinds have very few leaves, the green branches assuming their functions. They are very free blooming, of the easiest culture and will thrive almost anywhere. For brooms not included below, see Genista and Spartium.

Potted, 2 to 3 ft. \$1.00

- C. albus. (Portugal Broom.) Europe and Africa. (S.) Shrub of moderate size, with long, very slender branches, covered in early spring with numerous small, pure white flowers. The long shoots covered with dainty blossoms are very beautiful for cutting.
- C. canariensis. Canary Islands. (S.) Moderatesized shrub of dense growth. Branches very downy. Leaves downy on both sides. Flowers in numerous dense racemes, bright yellow and fragrant.
- C. scoparius. (Scotch Broom.) Europe. (S.) Easily recognized by its ridged branches. Flowers rather large, clear yellow. Seed pods almost black.
- C. racemosus (Genista racemosa.) (S.) Mediumsized shrub, highly desirable for its extreme floriferousness. Has yellow flowers in long racemes. In bloom most of the time. Garden hybrid.



Escallonia Rubra

- ESCALLONIA. Flowering shrubs from South America, with clean, glossy foliage. Flowers white, pink or red, rather small, but more or less clustered. Each Balled, 2 to 3 ft. \$1.50 Balled, 1 to 2 ft. 1.25
- E. berteriana. (S.) Shrub of erect habit and good growth. Foliage dark green and glossy. Flowers white, rather small, in very long, loose, erect panicles. Continuous bloomer.
- E. crimson flowering. (S.) Growth and habit E. rosea except flowers are crimson.
- E. montevidensis. (E. floribunda.) (S.) Large shrub of symmetrical habit and glossy green leaves, which are almost identical with those of E. berteriana, but notched instead of acute at apex. Flowers pure white, borne in large, compact, terminal cymes or panicles in late summer or fall. The clusters are produced in such great profusion as to cover completely the entire plant. By far the handsomest of the white kinds.
- E. rosea. (S.) Growth strong and upright. Leaves rough, serrate and with resinous glands beneath. Flowers pink, in conspicuous terminal racemes. Very handsome species.
- E. rubra. (S.) Compact shrub of rather slow, dense growth, with large, very dark leaves, shining above, dull and resinous beneath. Flowers rather dark red, in short terminal clusters.

clusters.	Sach	10
Balled, 3 to 4 ft		\$25.00
Balled, 2 to 3 ft	2.00	17.50
Balled, 1½ to 2 ft	1.50	12.50
Potted, 1 to 1½ ft	1.00	8.00

- ELAEAGNUS pungens. Japan. (S.) Shrub of striking appearance. Leaves large, wavy-margined; smooth above, except for numerous small, brown, waxy specks, silky beneath.
- E. pungens variegata. A variety of above, leaves green with yellow margins. Makes a wonderful specimen plant.

- E. lusitanica. (Spanish Heath.) (S.) A beautiful variety of rather loose habits, flowers pale rose in broad panicles. Winter and spring bloomer.
- E. mediterranea. (Mediterranean Heath.) Europe. (S.) One of the most popular Heaths. Forms a densely branched perfectly globular shrub, with dark green leaves. In winter it is simply covered with tiny pink flowers. The hardiest Erica.
- E. mediterranea hybrida. (S.) A very compact almost dwarf variety of above. Blooms earlier, coming into flowers in the fall.
- E. multiflora grandiflora. (S.) Of dense and spreading growth. Flowers purple, in long spikes. Blooms all summer.
- E. persoluta alba. (S.) Erect but very small, completely covered with pure white flowers. Spring bloomer.
- E. persoluta rosea. (S.) Similar to above except flowers are rose colored.
- E. melanthera. (S.) Another splendid winterblooming Heath. Of less regular growth than Mediterranea. Flowers a little larger, rosy with conspicuous, protruding, black-tipped stamens. This also is a wonderful bloomer.

Each Balled, 2 year bushy.....\$2.00

EUCALYPTUS. Eucalyptus trees are all native of the Australian region. We list below the most desirable varieties.

	Each	10	100
Potted, 4 to 5 ft	\$.50	\$4.00	\$35.00
Potted, 3 to 4 ft	40	3.50	30.00
Flats			3.00

- E. corynocalyx. (Sugar Gum.) An excellent species attaining good size. Very resistant to drought.
- E. globulus. (Blue Gum.) Growth exceedingly rapid and widely planted especially in coast
- E. leucoxylon. (White Iron Bark.) This variety and the following are excellent for bees on account of their long blooming period. Flowers white.
- E. leucoxylon rosea. A red flowering variety of the above. Much hardier than other red flowering types.
- E. polyanthemos. (Red Box.) (Australian Beech.) One of the most ornamental. Foliage very
- E. robusta. (Swamp Mahogany.) Handsome tree of moderate size and quick growth. Flowers yellow and very profuse.
- E. rostrata. (Red Gum.) The best species for hot dry regions. The most desirable variety for large plantings in interior valleys.
- E. rudis. (Desert Gum.) A variety that does not
- shed its bark. Will stand considerable cold.

 E. tereticornis. (Gray Gum.) (Flooded Gum.)

 Tall slender tree with drooping branches. Will thrive in wet soil.
- E. viminalis. (Manna Gum.) Tall rapid growing hardy variety. Valuable for its resistance to frost and strong winds. Good individual specimen.

Special varieties. Potted, 4 to 5 ft.....\$1.25

- of slow growth. Flowers very large, usually crimson or scarlet, but sometimes varying to pink and orange. Really the most beautiful of the entire species.
- EUGENIA. Shrubs closely related to Myrtle, having white or creamy flowers of similar form, followed by berries, which, in most species, are edible. For other plants often included under Eugenia see Myrtus. Potted, 2 to 3 ft.....\$1.25
- Potted, 1 to 2 ft. 1.00

 E. apiculata. (Myrtus Luma.) Chile. (S.) Attractive shrub of compact growth. Leaves small, smooth, rounded or oval, tipped with a small point; very dark green. The contrast between the dark foliage and numerous white flowers is very fine. One of the very best hedge plants, as it can be kept trimmed to any desired form. Almost as compact as Box, and,
- of course, of far faster growth.

 E. hookeriana. A tall-growing handsome tree pyramidal in outline. Shiny dark green foliage, young growth ruddy bronze. Fruit very attractive and borne in large clusters. A remarkable tree.
- E. myrtifolia (E. australis.) (Brush Cherry.) Australia. (S.) Tall, handsome shrub of erect, compact growth. Leaves dark, glossy green when fully developed, but very ruddy on new growth. Blooms profusely, flowers creamy. Berries violet or purple, edible.
- EVONYMUS. The evergreen sorts are grown for their very handsome foliage, which varies considerably and includes many variegated forms. In some parts of the State they bloom and bear heavy crops of curiously formed, showy, red and orange berries during fall and winter.

	\mathbf{E}	ach
Balled, 2	to 3 ft\$	1.25
	to 2 ft.	
	to 2 ft.	

- E. japonica. Japan. (S.) Fine, upright shrub of moderate size and rather compact growth. Foliage and bark are clear, dark green. Has many variegated forms, as follows:
- japonica albo-marginata. (Silver-Margined Evonymus.) (S.) Leaves have a very narrow margin of silvery white. Growth slow and compact. Entirely distinct.
- E. japonica albo-variegata. (Silver Variegated Evonymus.) (S.) Of strong, erect growth. Branches very light green. Leaves almost white around edge, changing to yellow as season advances, making a beautiful hedge and excellent for landscape work.
- E. japonica aureo-variegata. (Golden Variegated Evonymus.) Branches green; leaves yellow in center, dark green around edges. Color about equally divided.
- E. japonica virdi-variegata. (Duc D'Anjou.) Very vigorous and of spreading growth. Branches green. Leaves dark green toward the edges, striped in the center with light green and pale yellow.
- E. japonica aureo-marginata. (Golden Evonymus.)
 6 feet. Of dwarf and compact growth. Branches light green. Leaves deep yellow toward the edge, blotched in the center with light and dark green.

E. japonica microphyllus (E. pulchella.) (S.)
Very distinct sort of dwarf, compact habit.
Leaves very small, dark green, slender, serrated. Fine for edging.

FUCHSIA. Practically all the shrubby Fuchsias commonly cultivated are hybrids. The graceful habit of the plants, the unusual coloring and form of the flowers and the profusion of bloom have made them great favorites. They thrive best where the summer heat is not too great and prefer a shaded situation.

Fuchsia (Assorted.) Potted\$1.00

GENISTA aetnensis. Sicily. (S.) Closely related to cytisus. Graceful shrub with very slender, green branches and few leaves. Flowers deep yellow. Blooms during summer. Potted, 2 to 3 ft.....\$.60

GREVILLEA robusta. (Silk Oak.) Australia. (T.) Good-sized tree of rapid growth. Leaves large, deeply dissected, fern-like. Flowers orange-yellow, curiously formed, very sweet scented. Very resistant to drought.

Potted, 4 to 6 ft.....\$1.00

HYPERICUM. (Gold Flower.) Balled, 1 to 2 ft.....\$1.00

shade.

H. patulum Henryi. (S.) This variety is hardier than others of the species and of more vigorous growth. Showy large flowers. Potted, 1 to 1½ ft.....\$.60



The Hypericums Are Low Growing Shrubs Which Are Constantly in Bloom and Are Well Worthy of the Name Bestowed Upon Them, "Gold Flowers"

- L. gracile. (S.) Variety of graceful and erect growth. Twigs long and very slender. Leaves ovate with revolute margins and a smooth, waxy surface.
- L. gracile variegatum. (S.) Variety of above. The variegation is cream-colored, remarkably brilliant and profuse, some leaves being entirely

- without any green tint. Does not sunburn nor sport back. One of the very best variegated shrubs. Name provisional; real species unknown.
- L. japonicum. (Japanese Privet.) (S. or T.) Large shrub or tree, with leathery, dark green, glossy leaves and white flowers. Remarkably good for a tall hedge and also makes a handsome flowering tree.
- L. lucidum (L. spicatum macrophyllum.) Japan. (S.) Shrub of spreading but compact growth. Leaves large leathery, very dark green and glossy above, light green beneath. Easily one of the handsomest.
- L. nepalense. (S.) A new variety from the Himalaya Mountains with oblong ovate leaves. A fine introduction, excellent for hedges.
- L. ovalifolium albo-marginatum. Variety of above with white margined leaves.
- L. ovalifolium aureo-marginatum. Variety of ovalifolium with yellow variegation.
- L. reevesi. A small leaved type, excellent for hedges; will stand shearing well.
- L. sinense. (Chinese Privet.) China and Korea. (S.) Shrub with very leathery, acute leaves; smaller than those of preceding, dark green above, light green beneath. Flowers white, very fragrant, in large, erect panicles.
- L. vulgare. (Evergreen or English Privet.) Europe; Africa; Asia. (S.) Hedge plant. Leaves small and dark green. Spikes of fragrant, white flowers in June, followed by numerous clusters of black, shining berries. If symmetrically pruned, it cannot be surpassed for hedges. See prices on bare root. (See prices of bare root stock).
- L. coriaceum. Japan. (S.) Shrub of dwarf, compact, slow growth. Leaves numerous, leathery, very dark green and glossy, convex above.

Each 100 Bare roots, 2 to 3 ft\$.25 \$20.00	branches; very small, opposite, grayish leaves. Flowers lilac, on short spikes. Very graceful.
LONICERA nitida. Shrub, with upright branches.	M. ericifolia. (T. or S.) Small tree or shrub with slender branches and leaves like heather.
Leaves dark green ovate-oblong, about one-half inch long. A very handsome shrub, suitable	Flowers yellowish white. M. hypericifolia. Shrub of spreading growth.
for hedges or as a single specimen. Each 100	Leaves opposite, slender and rather long for the genus. Flowers large, with long stamens,
Balled, 2 to 3 ft\$1.00 \$75.00 Balled, 1 to 2 ft	fine red.
LYONOTHAMNUS floribundus asplenifolius. (Island Ironwood; Western Ironwood.) Santa Barbara Islands. (T.) An extremely rare and very beautiful name tree, growing naturally only on the islands, elengths. Sente Par	M. wilsoni. (S.) Fine, erect-growing shrub with medium-sized, lance-shaped leaves. Foliage soft and pleasing; branches slightly downy. New growths ruddy, making a beautiful contrast.
ally only on the islands along the Santa Bar- bara Channel and Catalina Island. Growth is tall, erect and rather slender. Bark on trunk is fibrous and reddish brown; on small branches	MYRTUS (Myrtle.) Handsome shrubs with rather small, very aromatic leaves. Flowers are small and white, with very numerous stamens and followed by black berries.
and twigs it is shining red. Leaves are opposite, pinnately divided into long, narrow leaf-	Each 100 Balled, 1 to 2 ft\$1.00 \$75.00
lets, which are cut nearly to midrib into tri- angular lobes. Flowers are white, about like	Potted, 1 to 2 ft
those of Spirea, but borne in large, flat clusters 10 to 12 inches broad. Blooms in early summer. Wood is very heavy, dense and hard. Perfectly hardy and apparently will thrive	M. communis. (Common Myrtle.) Europe. (S.) A beautiful shrub with fine, clean, glossy foliage. Leaves about an inch long. Flowers spicy, fragrant, pure white. Handsome as a
anywhere under ordinary California conditions.	specimen or hedge plant. M. communis flore pleno. (Double-Flowering
Boxed, 4 to 6 ft. \$2.50 Boxed, 3 to 4 ft. 2.00	Myrtle.) Flowers very double, with few or no stamens.
MAGNOLIA grandiflora. Southern U. S. (T.) Well-known tree of splendid appearance.	M. communis microphylla. (Small-Leaved Myrtle.) (S.) Leaves very small. Growth spreading
Growth slow but erect and usually symmetrical.	but compact. M. communis variegata. (Variegated Myrtle.)
Leaves very large, leathery, deep, glossy green. Flowers as much as ten inches broad, pure white, with a powerful aromatic and spicy fragrance. Hardy, long-lived, free from disease	Foliage handsomely variegated. Very free flowering and fruiting.
and desirable in every way.	NANDINA domestica. Japan. (S.) A very hand- some shrub of moderate size and rather slow
Balled, 4 to 6 ft. \$3.00 Balled, 3 to 4 ft. 2.50 Balled, 2 to 3 ft. 1.50	growth. The leaves are much divided, with rather large leaflets, light green in summer, turning to a vivid red during the fall and
MAHONIA acquifolium. (Oregon Grape.) Oregon and California. (S.) 6 feet. Well-known native shrub of medium size, with dark green leaves, which become coppery purple during winter. New growth very glossy. Flowers bright yellow, in slender, erect, clustered	winter. The white flowers are small, in good- sized, erect panicles, followed by bright crim- son berries. This is one of our handsomest shrubs, the winter appearance with the bright red berries and darker red foliage being par- ticularly striking.
racemes, followed by a profusion of dark blue berries.	Balled, 2 to 3 ft\$2.00
M. japonica (M. beali.) (Japanese Mahonia.) (S.)	Balled, 1 to 2 ft
Oregon Grape. Soft green if shaded, becoming marked with yellow and red if exposed to full sun. Flowers large, in long, erect racemes, followed by large, blue berries. Possesses decided individuality and is excellent for shaded locations. Each 100	NERIUM (Oleander.) Orient. (S.) The general characteristics of this species are too well known to need description, but most people seem to overlook the fact that there are many named varieties, ranging in color through various shades of red, pink, white and yellow, which are very fine. They do best when planted
Balled, 2 to 3 ft\$1.50 \$100.00	in the full sun. It should not be forgotten that all parts of the Oleander are poisonous if
MELALEUCA. Shrubs of quick growth. Flowers mostly formed like the Callistemons, but usually on a smaller scale. Will stand wet soils, but seem to thrive well where very dry.	eaten. We grow the following varieties: Red, white, pink, salmon. Each Potted, 2 to 3 ft\$1.25
Natives of Australia. Each	PHILADELPHUS mexicana. (S.) The evergreen
Potted, 2 to 3 ft\$1.00 M. armillaris. (S.) Large shrub of spreading habit, with long, slender, drooping branches,	mock orange. Fast growing shrub of straggly growth. Flowers two inches across in large clusters. Very fragrant. Constant bloomer.
well clothed with small, narrow, soft green leaves. Flowers like a diminutive Bottle Brush, creamy white. Growth very rapid.	Each Potted, 2 to 4 ft \$.75 Potted, 1½ to 2 ft50

LIGUSTRUM. (California Privet.)

M. decussata. (S.) Tall shrub with arching



The Christmas Berry (Photinia arbutifolia) Is a Gem. When Seen in the Woods or Under Cultivation It Always Brings Forth Words of Admiration From the Beholder

PHOTINIA arbutifolia (Heteromeles arbutifolia.) (Toyon; Christmas Berry; California Holly.) California. (S.) Our well-known native shrub, the glory of our hills and canyons in early winter when loaded with its brilliant red berries. Thrives admirably under cultivation and with good care grows very quickly.

P. arbutifolia. (Yellow Berries.) New. A variety of the above with lemon yellow berries.

Potted, 2 to 3 ft. \$1.25

PITTOSPORUM. Shrubs or trees mostly natives of Australia and New Zealand. In several species the flowers, while small, are handsome. The species P. eugenioides, nigricans and undulatum are highly valued as hedge plants. All thrive well in California.

Balled, 3 to 4 ft. \$2.00 Balled, 2 to 3 ft. 1.50

P. crassifolium. (S.) 30 feet. Large or small tree. Leaves colored same as olive, dark green above, silvery beneath, but are two to three inches long and very downy. Flowers wine-colored. Very valuable on account of its great resistance to wind, even close to the coast.

- P. eugenioides. (S. or T.) 40 feet. If grown singly will make quite a good-sized, handsome tree, but more often used in hedges. Leaves are bright yellowish green, medium-sized in hedges, but rather large in the tree form; margins wavy. Flowers clustered, yellow and fragrant.
- P. rhombifolium. Pyramidal tree with light green shiny foliage. The bright orange berries are very attractive and persist throughout the winter.
- P. tenuifolium (P. nigricans.) (S. or T.) 40 feet. Growth about the same as P. eugenioides, whether as a specimen or in hedges. Leaves smaller and darker green. Particularly remarkable for its black flowers.
- P. undulatum. (Victorian Box.) 40 feet. Makes a handsome, round-headed tree, or can be trained as hedge. Leaves rich green, longer than any of above, wavy-margined and taperpointed. Flowers yellowish white, extremely fragrant, particularly at night. Makes a beautiful, free-flowering tree and is one of the very handsomest hedge plants for sections where it is sufficiently hardy.

	S	Pl	ECIAL VARIETIES	Each
Balled, 2	to	3	ft	\$1.75
			ft	


- P. tobira. (Japanese Pittosporum.) (S.) Forms a dense, globular shrub of good size or can even be trained into a small tree. Leaves dark green above, lighter beneath, broadest toward the end. Flowers numerous, pure white and fragrant. Very showy in bloom, as the flowers are larger than those of the other species and borne at the ends of the shoots.
- P. tobira variegatum. Identical with preceding except that foliage is strongly and conspicuously variegated with white. One of the very handsomest shrubs in our collection.

POLYGALA dalmaisiana. Garden hybrid. (S.) One of the most continuous blooming shrubs in our collection, as it is never without flowers and most of the time is nearly covered. Forms a dense, globular shrub of moderate growth, with very slender branches. Flowers magenta pink, tipped with a little white brush.

Potted, 1 to 2 ft.....\$1.00

- PRUNUS. A very large and greatly diversified genus, including many of our commonest fruit trees such as plum, cherry, peach, apricot, etc., and also many very valuable ornamental trees and shrubs. The evergreen kinds described below include our native wild cherries and the Cherry Laurels, all characterized by and desirable for their fine foliage.
- P. ilicifolia. (California Evergreen Cherry; Holly-Leaved Cherry; Islay.) (T. or S.) Well-known native shrub or tree with very glossy, prickly margined leaves, resembling those of English Holly. One of the very handsomest hedge plants, but of rather slow growth.
- P. ilicifolia integrifolia. (Catalina Cherry.) (T.) A variety of the preceding with considerably larger and more pointed leaves, usually without the prickly edges. Grows more rapidly.

- P. laurocerasus. (English Laurel; Cherry Laurel.)
 E. Europe. (S.) Large shrub or even small tree, with broad, heavy, glossy leaves, slightly serrated. Flowers are white, in erect racemes, followed by black, cherry-like fruits. There are several varieties, which differ in the shape and color of leaves.
- P. laurocerasus camelliaefolia. (Camellia-Leaved Laurel.) Leaves long and narrow, recurved both edgewise and lengthwise.
- P. laurocerasus latifolia. (Large-Leaved Laurel.)
 Identical with type, except has noticeably broader, larger and darker green leaves.
- P. laurocerasus rotundifolia. Leaves light green, oblong and blunt. Growth compact and symmetrical.
- P. lusitanica. (Portugal Laurel.) Spain and Portugal. (S.) Easily distinguished by its somber, very dark green, sharply serrated leaves, which usually show a tendency to fold upward from the midrib. Growth compact. Flowers white, in very long, slender racemes. Easily one of the handsomest evergreen shrubs and excellent for tub culture. Each Balled, 3 to 4 ft. \$2.50 Balled, 2 to 3 ft. 2.00



Pyracantha (Crataegus)

- P. angustifolia. China. (S.) Growth spreading somewhat spiny. Leaves long and narrow. Berries very abundant, orange yellow; develop their color late and hold it throughout the winter.
- P. coccinea. (Burning Bush.) Europe. (S.) Large, thorny shrub with small, ovate leaves. Bears a great profusion of small white flowers in flat corymbs, followed by a mass of orange red berries in early fall.
- P. coccinea Lalandi. (S.) Variety of stronger growth, making long shoots that can be trained against a wall if desired. Leaves a little longer. Berries orange yellow. There is not a very marked difference between this variety and the type.


- P. crenulata. (Chinese Evergreen Hawthorn.) (S.)
 Very distinct from the preceding sorts. Growth
 is more compact, branches slender, leaves
 longer, narrow and glossy. New growth very
 ruddy. Flowers about the same, but berries
 clear, bright red. It is about the earliest redberry-bearing shrub, as color is fully developed
 by August. Will endure considerable shade.
- P. crenulata yunnanensis. More vigorous than the type. Prostrate in form with larger berries An excellent subject for banks and low plantings.
- QUERCUS chrysolepis. (California Live Oak.)
 (T.) The well-known grand old California evergreen, which adds so much beauty to our lowland scenery, where it abounds and grows to perfection. Many refuse to plant this on account of its supposed slow growth. This impression is entirely erroneous, as with care and water it grows very rapidly, and quickly forms a fine tree.
- Q. suber. (Cork Oak.) S. Europe; N. Africa. (T.) Growth upright but with drooping branches. Leaves like live oak, distinguished by the downy lower surface. From the bark of this tree is derived the cork of commerce.

- RHAMNUS alaternus. (S. or T.) Evergreen shrub or small tree. Leaves glossy, dark green above, pale or yellowish green beneath. Comparatively little known. A very fine shrub.

Balled, 1½ to 2 ft......\$1.00

- ROSMARINUS officinalis. (Rosemary.) Mediterranean region. (S.) Small shrub of irregular growth. Leaves linear and highly aromatic, as are the numerous lavender-colored flowers borne in early spring. Thrives in dry ground. Each

Potted, 1 to 2 ft.....\$.75



The Dwarf Spanish Broom Originated on Our Grounds Will Certainly Create a Sensation. It Is So Thrifty and Compact in Its Habit, and So Very Distinct, It Is Bound to Win Its Way Into Favor. We Take Pleasure in Recommending It Most Highly

RUSCUS aculeatus. (Butcher's Broom.)	Europe.
(S.) Small, compact shrub of very	
appearance; branches and spiny fals	
one uniform shade of dull green. Flor	
small and inconspicuous, but are followed	owed by
large, red berries, which contrast har	ndsomely
with the green plants.	Each
Balled, 11/2 to 2 ft.	

STERCULIA diversifolia. (Brachychiton.) (Bottle Tree.) Australia. (T.) Tall tree with moderate-sized, clean, glossy leaves, deeply and variously lobed. Flowers small, greenish white, marked with red. Remarkable for the great size of trunk at the base. An excellent specimen and first class as an evergreen street tree.

Potted, 1 to 2 ft....

V. decussata. (S.) Rather dwarf. Leaves medium sized and closely set. Flowers large, violet blue. An excellent hedge plant.



Hydrangea Hortensis, Unexcelled for Its Profusion of Bloom and Rapidity of Growth

- V. decussata variegata. Foliage brilliantly and freely variegated with bright yellow. Very handsome.
- V. elliptica. (S.) Growth upright. Leaves small, light green. Flowers large, in loose spikes, violet tinted in bud, changing to pure white.
- V. hulkeana. Shrub with shining, coarsely serrate leaves, 1 to 2 inches long. Small, pale lilac flowers in panicles 6 to 12 inches long and 2 to 6 inches broad.
- V. speciosa andersoni. Hybrid. (S.) Growth strong and leaves rather long. Flowers violet purple. Very free bloomer.
- V. speciosa imperialis. (Imperial Veronica.) (S.) Growth strong and rather spreading. Leaves large, dark green with purple margins and midribs. Flowers amaranth red. Very handsome.
- V. speciosa variegata. (S.) Growth strong and upright. Leaves large and conspicuously variegated with creamy white. Flowers light blue.
- V. traversi. (S.) Small shrub of upright, compact growth. Leaves far smaller than in any of preceding. Flowers pure white, in great profusion. Spikes small. Very dainty.
- V. cupressoides. Globular shrub with numerous slender branches clothed with scale-like leaves which give it the appearance of cypress. Flowers small, in terminal heads, lilac.

Each Balled, 10 to 12 in. \$1.00


- V. odoratissimum. China. (S.) Bushy shrub with stout, erect branches. Leaves large and leathery, glossy green, dark above, pale beneath. Flowers white, very fragrant, borne in large panicles, sometimes followed by showy red berries. During winter the exposed leaves turn a vivid red. Very rare and handsome shrub.
- V. suspensum (V. sandankwa; V. ellipticum.) Growth spreading. Leaves elliptic, large, dark green and quite wrinkled; edges finely scalloped. Flowers cream color, in small clusters, very fragrant.

V. tinus. (Laurustinus.) Mediterranean region. (S.) Shrub with rather small, wavy-margined, pointed leaves. Flowers in broad heads, pinkish in the bud, white when fully opened. A great hedge plant.

V. tinus lucidum (Laurustinus grandiflora.) Much better than the type. Growth is stronger, leaves larger and very glossy, with flower clusters several times as large. Very fine.

V. tinus strictum (Laurustinus rotundifolia.)
Variety of very tall, slender and erect growth.
Leaves slightly rounded. Blooms freely. Flower
clusters rather small.

V. tinus variegatum. Leaves very conscipuously marked with yellow. Otherwise same as type.



An Excellent Avenue of Norway Maples. Note the Effect

Deciduous Ornamental Trees

This division is self-explained by the title, except that trees of drooping or "weeping" habit are

classed together in the next section.

The best street trees for this part of California are included in this division. Evergreens are used in Southern California, but in Northern California deciduous trees are better, as they afford needed shade during the summer, but admit sunshine in winter, which helps to dry the mud after rains. A list of the best trees for this purpose both evergreen and deciduous, will be found in back of catalog.

In this class will also be found some of the most beautiful specimen trees, others valued for

their wealth of blossoms and some "general purpose" trees.

All have been carefully grown, and such as needed, pruned each year. It is advisable, however, when planting, to cut back pretty well all but a few kinds. This helps the tree to become established and lessens the risk of loss. It is easy to cut back too little, but hard to overdo it.

In the hot interior valleys it is advisable to shade the trunks of this class of trees until they

become well established.

ACER (Maple.) Among our most ornamental and valuable deciduous trees for park and street planting. The foliage of nearly all assumes handsome autumnal tints. All have leaves with characteristic lobes except the box elder, which has pinnate leaves.

			Each	10
3 t	o 4	in. diam.	\$5.00	\$45.00
2½ t	o 3	in. diam	4.00	35.00
2 t	o $2\frac{1}{2}$	in. diam	3.00	25.00
12 t	o 14	ft	2.00	15.00
10 t	o 12	ft	1.50	12.50
8 t	o 10	ft	1.25	10.00
6 t	o 8	ft	1.00	8.00

Except special varieties.

A. campestre. (English Cork-Barked Maple.)
Europe. Beautiful small tree of compact habit.
Leaves very small compared to other maples,
dark green. Bark somewhat corky. Certain
to attain popularity when better known.

A. macrophyllum. (Oregon or Large-Leaved Maple.) Oregon; California. A native tree of large size. Young branches rather stout, bluish and glaucous. Leaves very large, dark green and deeply lobed.

A. saccharinum (A. dasycarpum.) (Silver Maple; Soft Maple.) Eastern N. America. Large tree of very quick growth. Bark nearly white. Leaves are deeply lobed and very variable in form, green above and silvery beneath.

Special varieties of Acer.

-]	Each	10
3	to	4	in.	diam	\$5.00	\$45.00
$2\frac{1}{2}$	to	3	in.	diam.	4.00	35.00
2	to	$2\frac{1}{2}$	in.	diam.	3.00	25.00
12	to	14	ft		2.50	20.00
10	to	12	ft		2.00	17.50
8	to	10	ft		1.50	12.50
6	to	8	ft		1.25	10.00

- A. platanoides. (Norway Maple.) Europe; Asia. A large, handsome tree of rounded form, with very broad, five-lobed, dark green, shining leaves. One of the most desirable for any situation.
- A. platanoides schwedleri. (Schwedler's Purple-Leaved Maple.) Variety of Norway maple. Young leaves are deep purple. As summer advances, the purple changes to green. Very handsome.
- A. rubrum. (Scarlet Maple.) Eastern N. America. A medium, round-headed tree of slow growth here. Produces deep red blossoms, appearing before the leaves, which change to a brilliant scarlet in early autumn.
- A. saccharum. (Sugar Maple; Rock Maple.) Eastern N. America. A well-known tree of stately growth, fine form and foliage, which assumes beautiful autumnal tints in cold sections. Leaves rather small, three or five lobed.
- A. carnea. (Red-Flowering Horse Chestnut.) A rare and beautiful tree of slow growth. Leaves smaller and deeper green than the following. Flowers red and very showy. Pods smooth.
- A. hippocastanum. (European Horse Chestnut.)
 Sturdy tree of strong growth. Flowers white
 tinged with red. Pods spiny. Succeeds well in
 California and worthy of more extensive
 planting.
- BETULA (Birch.) Trees of vigorous and upright growth, but with slender, usually drooping shoots. Leaves rather small. Will thrive even in poor soils.

PC	.01	201100		Lacr
3	to	4	in. diam.	35.00
21/2	to	3	in. diam	4.00
			in. diam	
12	to	14	ft	2.00
10	to	12	ft	1.50
			ft	
			ft.	
-		_		

- B. alba. (European White Birch.) Europe to Japan. Medium to large tree with white bark on the older limbs and trunk. Growth somewhat irregular. At about five years the young branches assume a drooping habit.
- B. papyrifera. (Canoe Birch; Paper Birch.) Northern U. S. Bark on trunk and older limbs becomes paper-white similar to European birch. The cordate leaves are very much larger and darker; dull green above. Veins on lower surface are fleshy and covered with rusty down. Very distinct. Bark used by Indians for making canoes.
- CASTANEA (Chestnut.) While also grown for its edible nuts, the chestnut is easily one of the handsomest deciduous ornamental trees. Leaves large and long, with spiny margins.

					Each	10
3	to	4	in.	diam	\$5.00	\$45.00
$2\frac{1}{2}$	to	3	in.	diam	4.00	35.00
2	to	$2\frac{1}{2}$	in.	diam	3.00	25.00
12	to	14	ft		2.50	20.00
10	to	12	ft		2.00	15.00
8	to	10	ft		1.50	12.50
6	to	8	ft		1.25	10.00

- C. sativa. (Italian or Spanish Chestnut.) Makes a fine, round-headed tree of great beauty. Flowers, in very long, slender spikes, are produced very profusely in spring.
- C. bignonioides. S. E. United States. Resembles C. speciosa, but slower grower and makes a smaller tree with smaller foilage, but more conspicuous and numerous flowers.
- C. speciosa. (Hardy Catalpa.) Eastern United States. Very rapid-growing, tall tree with large, heart-shaped leaves, sometimes a foot long. A free bloomer, bearing panicles of white fragrant flowers in June and July. Yields valuable timber.
- CELTIS occidentalis. (American Nettle Tree or Hackberry.) Trees of strong, spreading growth. Leaves resemble those of nettles. Flowers inconspicuous, but followed by numerous small berries. Wood is very fine grained, light and elastic, useful for manufacture of small articles. Branches numerous and spread horizontally. Berries orange red.

 6 to 8 ft. \$1.25 4 to 6 ft. 1.00
- C. siliquastrum alba. (White-Flowering Judas Tree.) Variety of preceding with pure white flowers
- C. cordata. (Washington Thorn.) Eastern United States. Easily one of our handsomest small trees. Leaves are triangular, lobed, deep glossy green, holding their color until very late in fall, when they assume beautiful red and yellow tints. Flowers are white and borne late in spring, followed by large clusters of small, glossy, intensely red berries.
- C. crus-galli. (Cockspur.) Eastern United States. Small, thorny tree, but very decorative. Bloom, handsome. Fruit showy red, remaining on tree most of the winter.
- C. monogyna pauli. (Paul's Double Scarlet Thorn.)

 Small tree, but larger than the others and of very erect, quick growth. Flowers produced in great profusion in early summer, bright carmine and double. Berries large, dull red and borne freely. Very fine.



The Thorn Is Esteemed for Its Brilliant Flowers in the Spring and Its Masses of Berries in the Fall of the Year, Among the Deciduous Trees It Stands in a Class by Itself

- C. monogyna stricta. (Pyramidal Thorn.) Of handsome pyramidal habit with fine foliage. A good grower. Flowers white.
- C. oxyacantha. (English Hawthorn.) Europe. Small tree or shrub with spreading branches and stout spines. Very fragrant, single, white flowers produced freely. Berries scarlet. The celebrated English hedge plant.
- C. oxyacantha flore pleno. (Double White Hawthorn.) A double-flowering form of the foregoing. Flowers usually become nearly pink before falling.
- C. rubra splendens. Trees of spreading habit with single, bright red flowers. Bloom is very profuse, followed by a heavy crop of red berries. Probably a variety of C. oxyacantha.
- C. tomentosa. Eastern United States. Small tree with few or no thorns. Leaves downy. Flowers single white. Fruit is very showy, blood red.
- FRAXINUS americana. (American White Ash.)
 Tall tree of rapid growth, with straight, clean
 trunk and broad, rounded head. A most excellent street tree requiring little care.

				Each
8	to	10	ft	\$1.25
6	to	8	ft.	1 00

P. occidentalis. (American Plane; Buttonwood.)
Eastern U. S. Similar to the following, but
of less regular growth, with smaller, less deeply
lobed leaves. Fruit heads usually borne solitary. Makes a large, tall tree.

P. orientalis. (European Sycamore; Oriental Plane.)
Europe and Asia. This splendid tree is almost perfection for street and avenue use. Without training it forms a fine, spreading, well-rounded head. Almost entirely free from disease or pests. Leaves are large, dark green and deeply lobed. Fruit heads from two to four on long, drooping stalks. Bark flakes off from trunk and older limbs. Everything considered, we believe this is the very best street tree for California use and do not hesitate to recommend it most thoroughly.

POPULUS. (Popular.) Trees of very rapid growth. Wood soft and brittle. Leaves tremble in the faintest breeze. Among the very easiest trees to transplant and will thrive almost anywhere

where.]	Each	10
12 to 16	ft	\$2.00	\$15.00
10 to 12	ft	1.50	12.50
8 to 10	ft	1.00	7.50
6 to 8	ft	.75	6.00

- P. alba nivea. (Silver or White Poplar.) A tree of wonderfully rapid growth and wide-spreading habit. Leaves large, glossy green above and white as snow beneath.
- P. balsamifera. (Balsam Poplar; Balm of Gilead.)
 Tall large-headed tree of wonderfully rapid
 growth. Bark green on younger branches.
 Leaves dark green above, lighter beneath.
- P. deltoides carolinensis. (Carolina Poplar.) A very rapid-growing variety with large leaves; grows to a large size in short time. Valuable for street planting.



The European Sycamore Is the Most Popular Street and Avenue Tree in California. Its Freedom From the Insect Pests, Rapidity of Growth and Wide Adaptability, Are Factors Which Cause It to Be So Much Appreciated

P. nigra italica. (Lombardy Poplar.) known and esteemed for its decided individuality. Grows to a great height; narrow and columnar. Forms a strong contrast with most other trees, hence of great value in landscape work.

QUERCUS. (Oak.) The deciduous oaks are grand, long-lived trees of sturdy growth. They impart an air of permanence and stability to their surroundings. All bear acorns and have the lobed leaves characterizing the deciduous species.

6 to 8 ft.....\$1.25 2 to 3 ft.....

Q. cerris. (Turkey Oak.) Europe, Asia. A very handsome and symmetrical tree. Leaves deeply lobed, dark green and rough above, gray and downy beneath.

Q. coccinea. (Scarlet Oak.) Eastern U. S. 50 feet. Grows rapidly and forms round-topped, open head. Does well in dry situations. Leaves deeply divided, and turn to a vivid, brilliant scarlet in fall.

Q. rubra. (Red Oak.) Eastern U. S. Beautiful oak of rather rapid growth; forms large, majestic tree. Foliage turns dark red in autumn.

ROBINIA. (Locust.) Flowering trees of varying growth. All have pinnate leaves and peashaped flowers in drooping clusters. Some are thorny.


R	. pseudacacia. (Common or Black Locust.)	
	native American tree of extremely ra	pid
	growth, valuable for timber as well as qu	iite
	ornamental. The flowers are in long, pen	du-
	lous racemes, white and very fragrant, appe	ar-
	ing in June. Will flourish in many places wh	ere
	no other tree will succeed.	ach
	8 to 10 ft\$1	.00
	6 to 8 ft.	.75

R. pseudacacia decaisneana. (Pink-Flowering Locust.) Remarkable for its vigorous growth and fine, pink-colored flowers, which it produces in great abundance. 6 to 8 ft......\$1.50 4 to 6 ft. 1.25

SOPHORA japonica. (Pagoda Tree.) handsome tree of medium size, with dark green bark. Leaves are pinnate; leaflets dark green above, lighter beneath. Bears small, creamcolored, pea-shaped flowers in racemes about a foot long. 4 to 6 ft.....\$1.00 \$7.50

SORBUS aucuparia. (European Mountain Ash: Rowan Tree.) Handsome, small tree of erect growth. Leaves pinnate, leaflets serrate. Flowers white, in flat clusters, four or five inches broad, followed by rather large, red berries. Very handsome at any season. Each 10 to 12 ft.....\$2.00 8 to 10 ft. 1.50

TILIA. (Linden.) Fine, stately trees of large size and rapid growth. Leaves large and heart-shaped. Flowers yellow, in drooping clusters; intensely fragrant. Well liked by bees for the very abundant nectar. 10 to 12 ft.....\$1.50



American Elm and the Camperdown Weeping Elm in a Harmonious Combination

- T. platyphyllos. (European Linden; Lime Tree.)
 Europe. The celebrated European street tree.
 Similar to American, but has smaller, deeper
 green leaves and red or yellow branches.
- ULMUS. (Elm.) Widely known and popular trees. All are of rapid, erect growth and several species are well adapted for street planting. Very easily transplanted.

		•	•	-	Lach
12 to	16	ft			 \$4.00
10 to	12	ft			 3.00
6 to	8	ft.			1 00

- U. americana. (American or White Elm.) United States. A magnificent tree, native from the Rockies to the Atlantic. Growth is erect, with smaller branches drooping when old. Grows rapidly here.
- U. campestris. (English Elm.) Europe, Africa, Asia. An erect, rapid-growing tree of spreading growth. Branches sometimes more or less corky. Leaves smaller than those of American, remain on tree late in fall.
- U. campestris latifolia. (Broad-Leaved English Elm.) Handsome variety. Leaves larger and smoother than the type, appearing earlier in the spring and retained later in the fall.


- U. foliacea suberosa. (Cork Elm.) Another variety of English Elm, distinguished from it by the dense growth of cork almost covering the limbs, which spread horizontally. Leaves dark green and very rough. This has proved to be a desirable deciduous street and avenue tree for the western states.
- U. hollandica vegeta (U. scarba Huntingdonii.)
 Huntingdon Elm.) Of very erect habit and rapid, vigorous growth. Bark clean and smooth. Foliage dense, leaves large, dark green, remaining on the tree until late. Fine for street and avenue planting. The handsomest of all elms.

FLOWERING FRUIT TREES

Under this head we are listing the different varieties of fruit trees, including apple, almond, peach, cherry and plum. These trees are very attractive, both in fruit and foliage and contribute greatly to the beauty of our gardens in the early spring. Their beauty and charm are indeed individual, and no one should forego the joy of these trees somewhere in their grounds.

Each \$1.00

Flowering Apple—Pink, white and red. Flowering Peach—Pink, white and red.



When Planted Along a Pond There Is a Charm About the Weeping Willow Which Is Hard to Resist

Deciduous Weeping Trees

The trees in this class are characterized by the tendency of the branches to droop or even grow directly downward. Almost all are beautiful specimen trees, sharply distinguished from the preceding class by their habit of growth, which renders them invaluable for making a contrast in large plantings. Varying in size from the diminutive weeping cherry to large trees like the weeping willow, they offer a wide range for choice. In waterside planting the use of this class of trees is imperative if natural landscape effects are to be reproduced. They require little or no pruning.

SALIX babylonica. (Weeping Willow.) The com-

mon and well-known Weeping Willow.

S. babylonica aurea. (Golden Weeping Willow.)

Variety of preceding of identical habit. Differs in the intense golden hue of the branches, making it particularly handsome during the winter.

S. "Lick's Weeping." A beautiful weeper. It is a cross between the common Weeping Willow and the Black California Willow. It has the pendulous habit of the former and the large, glossy leaves of the latter.

S. vitellina aurea. (Golden Willow.) Handsome, spreading tree of rapid growth. Bark is bright golden yellow, particularly showy during winter and early spring.

** 1.	iioc.	Lu	na carry	spring.	H	Cach
10	to	12	ft		\$	1.50
8	to	10	ft			1.25
6	to	8	ft			1.00

ULMUS glabra camperdownii. (Camperdown Elm.)
These trees have large heads. We can supply them grafted at any height desired. Always top grafted. Limbs grow outward and downward, giving the trees a remarkably picturesque aspect.

					Laci	10
4	to	6	in.	diam.	\$7.50	\$60.00
3	to	4	in.	diam.	5.00	40.00
2	to	3	in.	diam	2.50	

Deciduous Shrubs

A class of shrubs too little planted in our State. Few of the evergreens are as free bloomers as the best of the deciduous. Of course, they are bare during the winter, but the beautiful, fresh spring foliage, so often accompanied by the flowers, more than compensates. To ignore them means to lose many of the very best things available for our climate.

A good general rule is to prune these shrubs when they have finished blooming. This is very necessary with such as bloom from the old wood of the previous season; observation will show which these are. To prune them when dormant spoils their chances of flowering. Those which bloom from new wood of the current season's growth can be pruned either when dormant or after flowering.

BERBERIS (Barberry.) Spreading shrubs with spines and rather small, green leaves, yellow flowers and numerous small berries.

Each 10 100 1½ to 2 ft.....\$.40 \$3.50 \$30.00 Except B. thunbergi.

- B. vulgaris. (Common Barberry.) Europe, Asia. Branches grooved; leaves one to two inches long. Flowers and berries in numerous drooping racemes all along branches. Berries purple or red.
- B. vulgaris atropurpurea. (Purple-Leaved Barberry.) A very handsome variety of the preceding, with purple leaves. Probably the best shrub of its color.
- B. thunbergi. (Thunberg's Barberry.) Handsome, low-growing shrub. The branches arch outward in a very graceful manner. Leaves rather small and color beautifully in fall. Flowers borne singly along the branches; berries bright red. Very fine.

1½ to 2 ft......\$.60

CAESALPINIA gilliesi. (Poinciana gilliesi.) South America. Tall shrub or sometimes small tree. Growth very vigorous. Leaves doubly pinnate with small leaflets. Flowers large and borne in clusters, extremely showy, having light yellow petals and long, brilliant red stamens. Blooms almost continuously all summer. Sometimes called "Bird of Paradise Flower."

- C. japonica. (Japan Scarlet Quince.) China, Japan. An old favorite. Flowers brilliant scarlet. Makes an impassable and beautiful flowering hedge.
- C. japonica alba. (Japan White Quince.) White shaded pink.
- C. japonica grandiflora rosea. Has very large, rosy pink flowers.
- C. japonica sanguinea. Flowers very dark red. Often semi-double.

					od.) Med				
:	sr	nal	1	trees, wit	h small,	white flow	vers	in n	um-
(er	ou	s	clusters.				F	Each
:	3	to	4	ft.					
1	E	ксе	pt	C. pauci	nervis.	•			
					(Siberian	Dogwoo	d.)	Gro	wth

C. alba sibirica. (Siberian Dogwood.) Growth erect. Branches bright red, particularly conspicuous in winter. Flowers creamy; berries light blue.

C. sanguinea. Europe, Asia. Large shrub with blood-red branches. Leaves downy on both sides. Flowers greenish white, in dense clusters. Berries black.

CORYLUS maxima purpurea. (Purple-Leaved Filbert.) Large shrub with large, round leaves, intensely dark, bronzy purple in spring, becoming greenish toward fall. Very distinct even among other purple-leaved trees and shrubs.

				Each
4	to	6	ft	\$2.00
			ft	
			ft.	
_	•••	~	***************************************	

DEUTZLA. Very beautiful, free-blooming, Asiatic shrubs with bell-shaped flowers produced during spring and early summer. Should certainly be more widely planted in California. All listed below are garden hybrids or varieties.

D. fortunei. Handsome hybrid of strong growth. Flowers are large, single and pure white.

D. lemoinei. Growth similar to preceding, but a little more vigorous. Flowers pure white. Very free flowering.

D. "Pride of Rochester." Tall growing. Flowers large and double; white, slightly tinged pink on back of petals.

D. rosea. One of our daintiest and most graceful flowering shrubs. Branches are extremely slender and arching, covered with a profusion of small, beautifully formed flowers, which are bright pink in the bud and pale flesh when fully opened. Altogether a most charming plant.

D. scabra candidissima. Growth vigorous and erect; leaves dark green. Flowers double and pure white.

D. scabra plena (D. crenata rosea plena.) Growth like preceding; leaves lighter green. Flowers double; white, tinged rose outside.

DIERVILLA (Weigela.) A most desirable class of free-flowering shrubs. In late spring they are simply a mass of trumpet-shaped flowers, showing a profusion of bloom that is almost unequaled. Colors in the different varieties range from nearly white through pink to deep red and crimson.

D. florida. China. An old favorite and probably still the most popular. Flowers pink, large, and borne in the utmost profusion.

D. hendersoni. Growth upright and compact. Flowers deep rose.

D. lavallei. Growth very strong. Flowers bright but very deep crimson.

D. van houttei. Growth strong and spreading. Flowers pink, shaded carmine.

FORSYTHIA (Golden Bell.) Japanese shrubs bearing golden yellow flowers very early in spring. Flowers have four slender, spreading petals and appear in small clusters along the branches.


F. suspensa fortunei. A variety of more upright and vigorous growth. Petals more slender.

F. virdissima. Large shrub with green, erect branches. Leaves very dark green, 3 to 6 inches long; flowers about one inch long.

HYDRANGEA. Well-known shrubs bearing enormous cymes or panicles of pink or white flowers. They thrive best in partial shade. Hot sun is particularly harmful to H. hortensis and its varieties. We are often asked about "Blue Hydrangeas." The pink kinds can be made to bear blue flowers by mixing in plenty of iron filings, old nails or any scrap iron around the roots.

H. arborescens sterilis. (Hills of Snow.) Native American shrub, considered in the East to be the best acquisition in years. Cymes shaped like our common pink variety, but snow white. Blooms from early to late summer. Of great value for sections too cold for the hortensis type.

Potted, 1½ to 2 ft.....\$1.00



The Philadelphus Is Loaded With a Mass of Fragrant Blossoms in the Spring Months. The Pronounced Orange Scent of Its Delicate White Blossoms Accounts for the Name Mock Orange



 P. coronarius. (Garland Syringa.) Europe, Asia. Flowers creamy white, medium-sized, in very short, dense racemes; as fragrant as orange blossoms.

P. inodorus (P. grandiflorus.) (Large-Flowered Syringa.) Southeastern United States. Of stronger growth than the common Garland. Flowers borne profusely and larger, but not so fragrant.

PUNICA (Pomegranate.) The flowering Pomegranates are of very great value. Perfectly adapted to our climate, they are in bloom throughout the summer, lending their brilliant coloring at a period when it is greatly needed and appreciated. Foliage is neat, glossy and handsome, with ruddy tints on new growth.

Double Red. Flowers large, very double and brilliant scarlet.

Double White. Flowers medium-sized, creamy white or light yellow.

Mad. Legrelle. Handsome variegated form. Flowers full and double, light red, conspicuously edged with white.

R. aureum. (Yellow-Flowering Currant.) Foliage shiny. Flowers yellow, tipped with red, are borne in small clusters all along branches; have a pleasing, spicy fragrance.

R. sanguineum. (Red-Flowering Currant.) California. Handsome shrub with five-lobed, rounded leaves and ruddy branches. Flowers, borne in drooping racemes, are a beautiful shade of rosy red or very deep pink. Berries large, glaucous blue. Both foliage and flowers are very handsome.

- S. billiardii (S. californica.) Growth erect, about six feet high. Flowers reddish pink, in elongated, dense, terminal panicles. Blooms during summer months.
- S. cantoniensis (S. reevesi; S. lanceolata.) China; Japan. Medium-sized shrub with long, narrow leaves. Flowers pure white and large for the genus, borne most profusely in dense heads. Practically evergreen, as it holds most of its leaves over winter.
- S. cantoniensis flore pleno. Variety of preceding with very double flowers.
- S. van houttei. Garden hybrid. Moderate size. Branches arching and drooping with the weight of the flowers, which are borne so freely in spring as to cover plant completely with a mass of snowy bloom. Very beautiful and extremely hardy.
- S. bumalda. (Anthony Waterer.) Dwarf but erect form, growing about three feet high. Flowers bright crimson, in flattened heads at end of branches. Blooms about midsummer.
- S. albus (S. racemosus.) (Eastern Snowberry.)
 Indigenous to Eastern states and similar to preceding but of more erect growth. Fruiting habit about the same.
- S. occidentalis. (Western Snowberry.) Native shrub of spreading, arching growth, bearing small, pink flowers and showy clusters of very large, clear white berries at ends of branches.
- S. orbiculatus (S. vulgaris.) (Indian Currant; Red Fruited Snowberry.) Eastern United States. Habit similar to the others, but somewhat more compact. Loaded during fall and winter with a profuse crop of dark red, small berries in dense clusters.
- Alba grandiflora. Purest white, single; panicles very large and loose. Growth very vigorous.
- Charles Joly. Violet purple; very double. Panicles large and compact. One of the very darkest.
- Charles the Tenth. Deep ruddy purple in bud, purplish lilac when open; single. Growth strong and compact. Very free bloomer.
- Chinensis sougeana (S. rothomagensis rubra.)
 Flowers single, red, in very large, showy panicles on long stems. Early and fine for cutting.
- Comte de Paris. Red in bud; bluish purple when open. Very free blooming and later than most.
- De Croncels. Red in bud; light pink when open; single; panicles large.
- Gigantea. Light blue, single; both flowers and panicles extremely large. Growth upright and very strong. Bluest of all.

- Gloire de Lorraine. Purplish red, single; panicles, as well as individual flowers, of large size.
- Gloire des Moulins. Pink in bud, rosy lilac when open; single; very fragrant; panicles elongated. Growth compact.
- Lemoinei flore pleno. Lilac blue, nearly lavender. Very double with pointed petals; panicles compact, slender and pointed. Entirely distinct in every way.
- Ludwig Spaeth. Violet purple, dark; single. Flowers large, panicles long and slender. One of the best.
- Mad. Abel Chatenay. Pure white, double; panicles compact. Free blooming.
- Mad. Casimir-Perier. Creamy white; double; panicles large, full and compact.
- Marie Legraye. White; single. Extremely free flowering, even when small.
- Michel Buchner. Pale lilac, very double; panicles small and compact. Very fragrant.
- Persian Cut-Leaved. Pale lilac; single; panicles loose on very long stems. Leaves deeply cut. Very, free bloomer and fine for cutting.
- Pres. Grevy. Bluish lilac; very double; panicles unusually large and showy. Very handsome.
- Pres. Massart. Reddish purple; single.
 Rubra insignis (Sanguinea.) Purplish red; single.
 Upright grower. Panicles on long stems; fine for cutting.
- Vulgaris alba. (Common White Lilac.) Bears small panicles of pure white and very fragrant flowers.
- Vulgaris purpurea. (Common Purple Lilac.) The old, best known sort.
- TAMARIX (Tamarisk.) Shrubs of rapid growth, sometimes becoming small trees. Foliage very minute and greatly imitating some kinds of cypress. Flowers small but very numerous, in various shades of pink, completely covering the plants in spring.

T. algerica. Growth spreading. Foliage grayish green.
T. hispida aestivalis. Has the unusual and valu-

able habit of blooming twice a year, in spring and again in late summer. Growth slender and upright.

T. odessana. Asia. Growth erect and compact. Foliage plumy. Appearance entirely distinct from the others. Can be trained into quite a tree.


T. parviflora (T. africana.) Europe. Growth slender and upright. Very free bloomer and earlier than the others.

T. parviflora purpurea. Growth strong and upright. Makes a good tree. Blooms after the others. Extremely free bloomer.

T. pentandra. A fine shrub with long slender plumose branches and of very feathery and graceful growth. Leaves very small and closely crowded. Tiny pink flowers are arranged at the ends of the shoots in dense masses.

V. opulus sterile. (Common Snowball.) Well-known shrub, bearing large, globular clusters of white flowers during late spring. Foliage colors brilliantly in fall.

CLIMBING PLANTS



One Can Readily See From the Dense Mass of Growth Which the Muehlenbeckia or Wire Vine Makes, How Well It Is Adapted for Covering Walls and Unslightly Objects

MUEHLENBECKIA complexa. (Wire Vine; Tasmanian Ivy; Maiden Hair Vine; Mattress Vine; Money Vine, etc.) New Zealand. Remarkably strong-growing, evergreen, twining vine. The innumerable branches are very slender and black, resembling wire. Leaves about the size of Maiden Hair Fern. Flowers white, but entirely inconspicuous. Splendid for training up trunks of trees. If grown on "chicken wire" will make a very beautiful hedge, as the branches intertwine until a dense mass is formed. 4-inch pot\$.50

ACTINIDIA chinensis. China. Very strong-growing, twining deciduous climber. Leaves very large, rounded, downy beneath. Branchlets and leaflets are densely covered with bright red hairs. Flowers, about two inches broad with five spreading petals and a mass of stamens, are creamy white, soon turning yellow. Quite out of the ordinary in every way. Each 5-inch pot\$.75

AKEBIA. Handsome twining vines with dense, semi-evergreen foliage. Flowers, borne in early spring, are small, in short racemes, a peculiar shade of livid purple. 5-inch pot\$.60

- A. lobata. China; Japan. Leaves of three large leaflets, deeply or slightly lobed, sometimes only wavy-margined. Foliage very dense.
- A. quinata. China; Japan. Leaves of five small leaflets. Foliage more graceful and less dense than preceding.

BIGNONIA unguis-cati (B. tweediana.) Argentina. Leaflets long and narrow. Flowers lemonvellow and usually broader than long. vine is very graceful and handsome and will climb very high. The tendrils are hooked and adhere readily to brick, stone, cement and wood. Each

Potted

BOUGAINVILLEA. Very showy evergreen climbers from South America, with insignificant real flowers surrounded by three very showy bracts appearing like flowers and usually so called.

4-inch pot\$.75

B. spectabilis. Leaves large, bright green. Flowers brilliant rosy magenta. Wonderfully free bloomer and one of the showiest plants in cultivation.

CAMPSIS chinensis (Bignonia grandiflora; B. chinensis.) (Chinese Trumpet Vine.) Foliage similar to common Trumpet Vine and deciduous. Flowers similarly colored, but shorter, more flaring and with much larger, spreading lobes. They are borne in a large, open pinacle. Makes a beautiful display nearly all summer; far superior to the common form. Very little known, as the ordinary Tecoma radicans has so generally been sent out by nurseries under this name. Potted

CISSUS striata (Ampelopsis sempervirens.) (Evergreen Ampelopsis.) Very handsome vine of much more dainty appearance than the deciduous kinds. Leaves small, palmate, with five dark green leaflets. Adheres by tendrils. Well liked where known. Each Potted

LEMATIS. Well-known deciduous climbers clinging by their twining leafstalks. Flowers CLEMATIS. vary greatly in size, color and time of blooming. Perfectly hardy here. They require rich, light soil, plenty of moisture with good drainage.

5-inch pot\$.60

very small but borne in the greatest profusion during late summer. Large-flowering varieties.

Potted Henryi. Extremely large, almost pure white. Single.

Jackmanni. Single, medium-sized; intense violet A very free bloomer and the most purple. popular variety grown.

FICUS pumila (F. repens.) (Climbing Fig.) Extremely handsome evergreen climber with about same habit as the well-known Boston or Japan Ivy. It adheres closely to walls by its clinging tendrils. Leaves are small, dark green and heart-shaped. Has been proved perfectly hardy here by several years' test on our office building, where it has thrived admirably. 4-inch pot\$.50

- H. helix. (English Ivy.) Europe; Africa; Asia. The well-known species with very dark green, leathery leaves, usually about five-lobed. Old vines have greenish flowers and black berries in clusters on lower part of plant.

- J. azoricum. Growth rather compact. Foliage very dark green and glossy. Leaves of three small leaflets. Flowers in dense clusters, purest white, fragrant. In bloom most of the time. Evergreen. One of the handsomest.
- J. beesianum. Shrub or low climber with simple leaves about one inch long. Flowers pink or deep rose, very fragrant.
- J. grandiflorum. (Catalonian Jasmine.) India. Pinnate leaves. Flowers pink in bud, white when open, very large and double, delightfully fragrant. Blooms most of the time. Evergreen.
- J. humile (J. revolutum.) (Italian Yellow Jasmine.)
 Asia. Strong grower. Pinnate leaves. Leaflets slender and pointed. Flowers bright yellow in open clusters. Evergreen. Very fine.
- J. primulinum. (Double Yellow Jasmine.) China. A recent and very valuable introduction. It is not only the fastest growing Jasmine, but almost the quickest growing climber in our entire list. Leaves of three good-sized leaflets. Flowers clear primrose yellow, very large and usually double. Evergreen.

- L. japonica chinensis. (Chinese Honeysuckle.)
 Growth extremely strong. Old leaves dull green.
 New growth is reddish purple on branches and backs of leaves. Flowers white inside, purplish outside. One of the very best vines where very rapid growth and a dense mass of foliage are desired.

L. japonica halliana. (Japanese Honeysuckle.)
Habit exactly like Chinese; growth equally strong and dense. Leaves are bright green above, grayish green below, not at all purplish. Flowers white, changing to yellow. Very fragrant.



Wistaria

- P. jasminoides. Australia. Vigorous evergreen climber. Leaflets small, pointed, dark green. Flowers large, the flaring lobes white shading to rosy pink inside the tube; borne in clusters. Blooms almost continuously throughout the year. Very handsome.
- P. jasminoides alba. Variety of preceding. Flowers larger and entirely white. Foliage light green beneath. Flowers large, borne in clusters, light pink, striped red.

- P. quinquefolia. (Virginia Creeper; Woodbine.)
 Eastern United States. Very well known.
 Leaves large with fine leaflets. Berries dark
 purple with a bloom, borne on red stalks.
 Foliage colors a most intense scarlet early in
 the fall.
- P. tricuspidata (A. vetchi.) (Boston Ivy; Japan Ivy.) China; Japan. Perfectly distinct from Virginia Creeper. Leaves on very young plants are divided into three separate leaflets, but on older plants are merely three-lobed. Foliage is dense and very glossy.
- P. tricuspidata atropurpurea. Variety of preceding with larger leaves. Young growth in spring is purple. Foliage turns bright purple in fall.
- P. caerulea. Brazil. Growth very strong. Leaves deeply five to seven-lobed. Flowers greenish white. Corona purple at base, white in middle, blue at ends. Produces orange yellow, eggshaped fruit in great abundance.
- P. manicata ignea. (Scarlet Passion Vine.) Growth vigorous. Leaves broad, three-lobed. Flowers about four inches across, fiery scarlet, corona double, outer series blue. Tube rather short and flowers do not droop. Highly valuable for its wonderfully brilliant coloring and freedom of bloom.
- P. mollissima. (Pink Passion Vine.) Andes Mountains. Leaves deeply three-lobed, downy beneath. Flowers large, drooping, rose-colored; corona short; tube long.
- PHAEDRATHUS buccinatoria (Bignonia cherere.)

 Mexico. Leaflets long. Branches inclined to be square. Flowers about four inches long, blood red, yellow at base. Very handsome species.

 Each 5-inch pot \$.75
- P. capensis. South Africa. Flowers a very uncommon shade of azure blue. Almost unique in color.



Passiflora (Passion Vine)

V. major. Large leaves.


- W. chinensis. (Chinese Wistaria.) Racemes nearly a foot long and very compact. Flowers are very light purple or nearly lavender and appear before the leaves. Very fragrant.
- White Chinese Wistaria. Variety of preceding with pure white flowers. Otherwise identical.
- W. chinensis fragrans. (Fragrant White Wistaria.) Similar to White Chinese, but flowers are intensely fragrant.
- W. speciosa magnifica. Blooms a week or two later than any of the others and often again in autumn. Flowers in short panicles, lilac with greenish yellow spots. Native of eastern states.

Bamboo

A class of plants combining the greatest utility with graceful beauty. In spite of common opinion there is a great diversity of form and appearance from little dwarfs only a foot or two tall to those attaining even a hundred feet in their native haunts. With greater appreciation of the individuality of different species they are steadily attaining greater and well-deserved popularity. The cut shoots of several species afford splendid material for decoration.

Light field clumps.....\$1.50

- ARUNDINARIA falconeri. Himalayas. This species is unique in sending up two kinds of canes; one bears flowers and seed, but not leaves; the other leaves only. The latter are most remarkably slender, shoots 8 to 10 feet tall having only the diameter of a lead pencil at base. Leaves are slender and average four inches long, clear green. Branches several at each joint, very narrow. Very distinct in appearance.
- A. japonica (Bambusa metake.) (Arrow Bamboo.)
 Japan. Notable among the Arundinarias for its very large leaves, sometimes as much as a foot long and two inches wide. Canes slender and very erect, almost completely covered with the overlapping sheaths, which are slightly bristly. Very ornamental and has economic value. When well established, yields an abundance of straight, strong canes of great value to florists and gardeners.
- B. fastuosa. Magnificent bamboo of extremely strong and erect growth. When plants are well established the canes spring up straight as spears; when sheaths fall the canes are deep green, with very heavy, glaucous bloom; this color later changes to purple, then gradually ripens, where exposed to sun, into a beautiful, polished mahogany-brown. Entirely different from other sorts. The branches are numerous, stiff and very short. Leaves dark green with yellow blotches when old; large on ends of canes, much smaller on branches. The falling leaf sheaths are particularly beautiful, being as smooth as glass inside and stained brilliant purple.
- PHYLLOSTACHYS aurea. Japan. Named from its golden yellow canes; but this character is found in several others. Can be recognized by the joints being close together at base of canes. Shoots come up densely, most of them being very slender and of moderate height. Leaves two to four inches long. Furnishes excellent decorative material.
- P. quilioi. Our strongest growing, tallest and possibly hardiest bamboo. Probably the species most likely to prove of greatest economic value. Growth is very rapid and mainly erect. Leaves very variable, sometimes up to a foot long by two inches broad, but mainly from three to six inches long. Canes shiny green, changing to clear yellow and possessing great strength when seasoned. Furnishes fine decorative material. Ought to be widely planted in California from an economic as well as an esthetic point of view.



Phyllostachys Quilioi

ARUNDO-False Bamboo

- ARUNDO donax. (Giant Reed.) Orient; South Europe. Not a bamboo, but a woody plant of near relationship and somewhat similar general appearance. Canes are unbranched and bear large, sage green leaves from top to bottom. Spreads from roots and forms clumps. Good windbreak. Far hardier than any of the bamboos, hence can be used to excellent advantage where they are too tender.
- A. donax variegata. Handsome variety of preceding. Grows about half as tall. Leaves conspicuously marked with broad, creamy white bands running lengthwise. Plant should be cut to the ground each year in March. The young growth is very striking.

Balled clumps\$1.00

BAMBOO SHOOTS

					10	100
10	to	12	ft.	long	3.00	\$25.00
8	to	10	ft.	1	2.50	20.00
6	to	8	ft.		2.00	17.50
4	to	5	ft.	long1	.75	15.00

Palms

The hardy palms undoubtedly constitute the chief glory of our California vegetation and go further toward creating and maintaining the semi-tropical appearance than any other class of trees or plants. Owing to great diversity in growth and habit, they can be used in many different localities for a variety of purposes. For street planting we particularly recommend Trachycarpus excelsus and T. nepalensis, as their trunks are very small and require almost no space. It should be remembered that palms can be transplanted safely no matter how large or old, if properly done.

- C. humilis. (Dwarf Fan Palm.) Mediterranean region. Dwarf, hardy palm of extremely slow growth. Leaves very small with spiny stalks, segments rigid and double-pointed. A very useful palm for a small lawn. Fine for tub culture. Handsome and requires but little space.
- C. humilis argentea. Variety of preceding and identical except that the dark green leaves are very silvery on lower surface. When the young leaves are first expanding, this surface faces outward, contrasting finely with the older leaves.
- COCOS australis. (C. eriospatha.) Remarkably handsome and graceful palm. Leaves are strongly arched and even recurved. Often all the leaves on a plant are similarly bent to one side while arching, giving a unique and striking spiral effect to the whole palm. Leaf segments very long, narrow, sage green and more or less glaucous. Forms practically no trunk, at least not for many years. Splendid for lawn planting, as it will not grow out of all bounds and overshadow everything else as the date palm often does. It is thoroughly hardy here and certainly ought to be far more widely planted. Cannot be recommended too highly.

				Each
3	to	4	ft	83.00
2	to	3	ft	2.50

- E. armata. (Blue Palm.) Lower California. Leaves are extremely glaucous, giving the plant a silvery blue hue. Leafstalks armed with curving spines. Extremely showy and entirely distinct from other palms. Growth comparatively slow.
- E. edulis. (Guadeloupe Island Palm.) In our opinion the handsomest of the fan-leaved palms. The leaves, borne on very long stalks, are extremely large and hold their color for many years, so that even on plants ten or fifteen years old the lower leaves, still green, will touch the ground. Blooms comparatively young and bears large, black-skinned nuts.



Washingtonia Filifera Robusta (California Fan Palm)

- PHOENIX canariensis. (Canary Island Date Palm; Ornamental Date Palm.) The most widely planted palm in California. Known everywhere and to all. Its ultimate great size should be remembered when planting so as to allow enough room for development. Unless there is plenty of space a small palm such as Cocos australis should be used instead. Like all other palms, its growth is at first exceedingly slow, but from the time it is two or three feet tall it will grow very rapidly if in good soil and given an abundance of water. Very hardy.

- T. excelsus (Chamaerops excelsa.) (Windmill Palm.) Asia. Trunk slim and very hairy; in old specimens thicker at the top than at the base. Leaf segments are narrow and flexible; the outer third usually droops on older leaves. An excellent species for street planting. Hardiest palm known.
- T. fortunei. Although similar to preceding, it is nevertheless distinct. Trunk is stouter and tapers upward. Growth is slower. Leaves are larger with broader segments, more closely set; very glaucous beneath. Very handsome.
- T. nepalensis. Himalayas. Trunk and general appearance similar to T. excelsus, but the leaves are darker, smaller and borne on shorter stalks; segments extremely rigid and never drooping. The best for very windy situations, as the leaves will not whip to pieces.
- W. filifera. (California Weeping Palm.) Trunk attains diameter of four feet; leaves fanshaped, with numerous divisions and whitish filaments; petioles stout, smooth, 5 to 6 feet long, margined with hooked spines.
- W. robusta (W. gracilis or sonorae.) California. A distinct type; leaves drooping, much greener than preceding and with fewer white filaments. Petioles more heavily spined; much more rapid grower than W. filifera; trunk much more slender than that variety. Not quite as hardy.



The Dracaena, Where Shade Is Not Essential, Makes a Fine Tree for Street Planting

Agaves, Dracaenas, Grasses, Etc.

A group of trees and plants of very tropical appearance. The Dracaenas (Cordyline) are the only ones making real trees. The others are plants of low growth, throwing up elongated flower stalks.

- A. americana. (Century Plant.) Tropical America. The well-known "Century Plant." Leaves are bluish gray. Has an enormous flower stalk, often over twenty feet tall, panicled toward top.
- A. americana variegata. Variety of preceding with two forms. Habit the same, but leaves are either green with broad, yellow margins or very glaucous with creamy margins. Very striking.

CORDYLINE australis (Dracaena australis; D. indivisa.) New Zealand. Tropical looking trees with sword-shaped leaves and very large panicles of white flowers. Often called "Dracaena Palm," which is incorrect, as they are far from palms and really closely related to the lilies, as the flowers will show. Next to the palms they are probably our most tropical looking trees.

]	Each
4	to	5	ft	\$3.00
3	to	4	ft	2.00
2	to	3	ft	1.00

- D. acrotrichum (D. gracile.) Mexico. Habit and general appearance similar to following, but leaves are clear green.
- D. glaucophyllum. Mexico. Trunk short if any. Leaves very glaucous; numerous, standing almost rigid in all directions, about two or three feet long and an inch broad. Margins armed with numerous small, spiny teeth. Flower spike about eight feet tall.
- N. longifolia. Mexico. In time forms a trunk five or six feet tall. Leaves much like preceding, not glaucous, about an inch or more wide; older ones very drooping. Center leaves loose and slightly spiral, usually forming a tube. Decidedly handsome.
- MISCANTHUS sinensis (Eulalia japonica.) Asia. Hardy perennial grass, growing four to five feet and resembling Pampas Grass on a smaller scale. The blooms have clusters of silky hairs, giving them a beautiful feathery appearance. Leaves green. We propagate only the variegated forms listed below.
- M. sinensis gracillimus. Variety of preceding. Leaves only a third as broad as the type and marked with a single white line along the midrib.
- M. sinensis variegatus. Another variegated variety. Leaves same breadth as in type, but with several white stripes running their full length.
- M. sinensis zebrinus. Leaves slightly narrower than type. Variegation is very odd, consisting of broad, white bands across the leaves.

Each Clumps\$1.00

Ferns

Whitman	, Boston, Roosevelt.	Each
7-inch	pot	\$2.00
	pot	
5-inch	pot	1.25
Prinulas.		Each
Potted	•••	\$1.25
Azaleas.		Each
Potted		\$2.00

- P. tenax. (New Zealand Flax.) Leaves clear green, often six feet or longer. Flower stalks in proportion. The fiber is so plentiful that a small strip of the leaf makes excellent tying material. It is imported in great quantities from New Zealand. Makes large clumps of striking appearance.
- P. tanax variegatum. (Variegated New Zealand Flax.) Variety of preceding, identical in all respects except that leaves are conspicuously striped lengthwise with creamy white.
- C. argentea (Gynerium argenteum.) South America. The most widely cultivated but not the handsomest sort. Plumes white.
- C. quila jubatum. Very handsome species. Growth like the rest, but has broader leaves and more feathery, glossy, lavender-colored plumes. Often called Purple Pampas Grass. Blooms freely and is remarkably handsome.

Blooms freely and is remarkably handsome.

C. roi des roses. Leaves narrow. Plumes rosy purple. Winter bloomer.

purple. Winter bloomer.


C. variegated. Growth lower than the rest.
Leaves narrower, with white stripes.

ZOYSIA tanuifolia. (Velvet Grass.) Very dense grass, forming a beautiful turf. Leaves thread-like. Requires very little water. Will grow well in the sun or under the dense foliage of evergreen trees. It resembles very much a piece of green velvet, hence the name. Very valuable for rockery work.

Velvet Grass. Each
In flats\$2.00



Boston Sword Fern



Cherokee Roses

Rose growing is a specialty with us. One of the influences that originally determined the location of our nursery at Niles was the fact that soil and climate were most perfectly adapted to the growth of splendid plants of this beautiful and favorite flower. To these natural advantages we add many years of experience and experiment, so that we honestly believe that no better roses than ours are grown anywhere.

Our assortment is constantly changing. Unless a variety has some marked point in its favor, it is dropped. New varieties are constantly being tested, and if found valuable are propagated and

offered for sale.

Every rosebush we sell is grown entirely in the open ground and almost all are budded. In spite of the pretended objections offered by disseminators of weak plants on their own roots, there is absolutely no doubt that the budded plants are far superior. (There are a very few unimportant exceptions and these we grow from cuttings, anyway.) The only possible objection is that the budded may send up suckers but as we use the right kind of stocks and carefully disbud them, this is very unlikely to occur. A further preventive is to plant them so that the point where they have been budded shall be three or four inches below the surface.

The abbreviations following the variety refer first to the family the rose belongs to. To illustrate (H. P. HYBRID PERPETUAL.) Then the name of the originator when known. After this the year the variety was introduced. For example: LOS ANGELES, HOWARD and SMITH, 1915.

PLANTING AND PRUNING
Roses will grow and bloom if planted with only ordinary care, but far better results will be obtained with a little extra attention to details. The ground should be thoroughly spaded and, unless very rich, should have some well-rotted manure worked in. Fresh manure is likely to kill the plants unless placed on the surface as a mulch after planting is completed. If soil is light and sandy, it is well to work in a good proportion of heavy soil. The bushes are partially pruned before leaving the nursery. Climbers and very strong varieties may be planted as they are, but weak growers should be pruned back even further. Examine the roots carefully; if calluses have formed at the tips, let them remain as they are. Where the ends show no calluses, cut off the tips so that the fresh wood will come into close contact with the soil. Straighten out all roots and as the dirt is filled in see to it that it is well packed around them; this keeps out the air and encourages a prompt growth of rootlets. Be sure that the rose is planted enough lower than it grew so that the point where it is budded shall be three or four inches beneath the surface. If the plants are at all dry, soak them overnight in a bucket of water before planting.

Tree roses are to be handled in about the same way. They are pruned back pretty well before shipment. It is absolutely necessary to stake them when planted and to keep them staked thereafter, as the stems never attain sufficient strength to support the heavy top during severe winds.

Further pruning varies with different classes of roses, but all should be cut back at least once a year before new growth has started. Weak

growers require the most pruning, strong growers should be removed entirely and the strongest shoots cut back moderately, leaving enough to form a basis for new growth. When pruning standards it is necessary to give attention to the form of the head, so that it may remain symmetrical and globular.

MILDEW AND APHIS

When the leaves show a whitish mould, they are attacked by mildew, which is a fungus disease developing rapidly under certain climatic condi-tions. It is far worse in some sections than others, and certain varieties are particularly subject to it. The remedy is powdered sulphur applied promptly as soon as the disease appears. This should be done in the morning while the dew is still on the plants. Put the powdered sulphur in a piece of burlap and sift it as evenly as possible all over the foliage.

Aphis or Green Flies are the little sucking insects that attack the new soft wood. They are usually kept in check where the plants are sprinkled daily with a strong stream of water. If this cannot be done, remove as many as possible when they first appear and sprinkle the plants well with tobacco water in which a little whale-oil soap has been dissolved. They multiply with wonderful rapidity, so it may be necessary to repeat the treatment two or three times.

DESCRIPTIONS

Varieties are first divided into classes. characteristics of each class are fully explained below and the abbreviations are used in designating the class of each variety.

After the names of varieties we give name of

originator or disseminator and year of introduction, whenever these are known.

We have tried to make all descriptions fair and conservative; every variety cannot be "one of the

very best."

Our assortment is continually changing. We are testing and adding new varieties all the time and dropping those in least demand to keep assortment within a reasonable number. The most recent introductions are listed first.

HYBRID TEA (H. T.)

A class of comparatively recent origin and today the most important of all. They were originated by crossing the Tea with the Hybrid Perpetual class, but since varieties have become so numerous many of the new ones are seedlings or results of crosses within the class. They show a blending of the beauty, delicacy and perpetual blooming habit of the Teas with the vigor and great hardiness of the Hybrid Perpetual group. Many have the tea scent very strongly developed, while the fragrance of others suggests the Hybrid Perpetuals. As a class they are much hardier than the Teas and generally bear their flowers on longer stems, making them better, as a rule, for cutting.

TEA (T.)

Formerly this class had a monopoly on the so-called "tea-scent," which was one of their most distinctive characters, but now by repeated hybridizing many of the Hybrid Teas possess the same fragrance fully developed. As a general rule, to which as usual there are exceptions, their growth is very slender and not so very vigorous. Foliage is almost always very glossy. Their tendency is to bloom continuouly. They require considerable pruning, good soil and proper care, but will well repay all the care and attention they receive.

HYBRID PERPETUAL (H. P.)

The name of this class is somewhat misleading. All are supposed to bloom, not only in the spring, but at intervals throughout the summer and fall. This varies from some sorts that bloom almost continually to others which have but few flowers after the main crop. They are all extremely hardy and resistant to cold, enduring a much lower temperature than either of the foregoing groups. Growth is usually vigorous and upright, often with long, unbranched canes. Stems are always strong, frequently very long, and flowers are usually borne erect. Foliage is rough and entirely without the glossy surface so pronounced in the Teas. The fragrance is likewise distinct, readily recognized, but hardly possible to describe. They drop their leaves and become thoroughly dormant during winter.

This class was originated about 1835 by crossing the old Damask Perpetual Rose with the Bourbons. Since then all sorts of crosses have brought new blood into the group.

PERNETIANA (Pern.)

The most recent class of roses. Originated by J. Pernet-Ducher, of Lyons, France, as the result of a cross between Persian Yellow (Austrian Briar) and Antone Ducher (Hybrid Perpetual). His first introducton from this cross was Soleil d'Or, sent out in 1900.

It is a truly wonderful group and the startling color effects obtained in the handful of varieties to date is doubtless only a foretaste of what may be expected in the future. For many years progress in roses, while steady, has been slow, with few distinct breaks from what has been accomplished previously. But here we have colors hitherto absolutely unknown in roses, striking combinations and contrasts, a distinct kind of foliage, and, in one of the most recent sorts, a freedom of bloom not equaled by any other rose of high rank. All are decidedly thorny, some extremely so.

Possibly due to professional jealousy, some prominent rose specialists refuse to accept the name Pernetiana, so these roses will often be found under the title "Hybrid Briars." There is also a tendency to include some of them in the Hybrid Teas. We follow Pernet-Ducher's own classification of varieties, as it seems only reasonable to assume that, having originated the class, he is competent to judge. However, all below doubtless contain Tea blood except Beaute de Lyon, Juliet and Soleil d'Or.

(The colors in this class are so unusual, with often many different shades and tones as well as entirely distinct colors blended or combined in one flower, that it is almost an impossibility to describe them adequately. In most cases it is really necessary to see the flowers to appreciate

the coloring.)

POLYANTHA (Poly.)

Characterized by small flowers borne in usually large clusters. In most other respects there are few points of similarity. They are all of rampant growth and with the exception of Climbing Cecile Brunner, bloom only in the spring.

DWARF POLYANTHA (Dwf. Poly.)

Low-growing varieties, having flowers in clusters and blooming all summer. Used for forcing as well as outside culture.

NOISETTE (Nois.)

Also called Champney Roses, which is the name they should really bear. All are climbers and range in color from yellow to white; none red or pink. They require very little pruning.

MOSS

So called from the sepals being covered with moss-like glands. Handsome in the bud stage only.

CHEROKEE (Cher.)

A beautiful class of climbers, mainly single-flowered, with glossy evergreen foliage. Often trained on wire fencing to form hedges.

IRISH SINGLE

The Irish Single Roses are attaining great popularity in California. They are apparently Teas or possibly hybrids. Very free blooming.

Each 10 100 Prices \$\,\ \\$50 \\$4.50 \\$40.00

Anna de Diesbach (H. P.; Lacharme, 1858.)
Bright pink. Flowers are large, of strong
texture and beautifully colored. Has the
fragrance of the class well developed.

Antoine Rivoire (H. T.; Pernet-Ducher, 1896.)
Silvery flesh with salmon or even carmine center. Medium to large. Buds short pointed.
Outer petals reflexed when open. Very double; fragrant. Growth is moderate, stems long, production good. Excellent.

Augustine Guinoisseau or White La France (H. T.; Guinoisseau, 1889.) White, faintly suffused flesh pink. Generally like La France, but paler. Exceptionally fragrant.

^{*} VARIETIES STARRED ARE CLIMBERS.

Beaute de Lyon (Pern.; Pernet-Ducher, 1910.)
Superb coral red, lightly shaded yellow. The half-developed flowers are much the same shade as a ripe tomato. The buds are curiously globular, with tips of petals overlapping; about saucer-shape when fully open.

Belle Siebrecht or Mrs. W. J. Grant (H. T.; A. Dickson, 1895.) Bright rosy pink. Flowers large, well formed and sweetly perfumed. Buds are long and tapering. Grows vigorously and blooms freely. A thoroughly fine variety.

Bessie Brown (H. T.) Creamy white; very large, fragrant. An old favorite and not likely to be relegated into oblivion in the near future.

Baroness Rothschild (H. P.; Pernet, 1867.) Pale rose, tinted white. Beautifully formed; grows vigorously. Without fragrance, but fine in all other respects.

Beaute Inconstante (T.; Pernet-Ducher, 1893.)
Copper red, shaded carmine and yellow. Colors are beautifully blended and form a very unusual combinaton. Handsome in bud and even more so when opened, as the coloring shows then to best advantage. Semi-double. Very free blooming.

*Beauty of Glazenwood, see Fortune's Yellow.

*Billard et Barre (T.) Clear canary-yellow; turning to golden yellow; buds and flowers large and cup-shaped. A strong grower. Marechal Niel has long held first place among the yellow climbers, but it remains to be seen whether this variety will not become even more popular.

Bridesmaid (T.; Moore, 1893.) Clear, bright pink, very full and well formed. A sport from Catherine Mermet and very similar except in color.

Beautiful and popular.

Captain Christy (H. T.; Lacharme, 1873.) Delicate flesh pink, medium to large. Petals have a satiny texture. Often included in the Hybrid Perpetual class, but as one of its parents was Safrano, it certainly belongs with the H. T.'s.

Caroline Goodrich (H. P.) Light red, very double; rich in fragrance. Of vigorous growth; can be used as a low climber.

Catherine Mermet (T.; Guillot, 1869.) Pink shading to amber in center. Flowers are large and well formed. Free bloomer.

*Cherokee Double White (Cher.) See Fortune's White.

*Cherokee Single White (Cher.; Lindley, 1820.)
White with conspicuous yellow stamens. The flowers are always single, very large and fragrant. Foliage is very beautiful, being fully evergreen and rich, deep, lustrous green. Native of China and Japan, but naturalized in the southeastern states, whence its name.

*Cherokee Pink (Cher.; Hockbridge, 1909.)
About the same as preceding except that flowers are noticeably larger and ruddy pink.

Single.

Chrissie MacKellar (H. T.; A. Dickson, 1913.)
Orange pink, veined carmine. Difficult coloring to describe. Free flowering and richly scented. Semi-double with pointed buds.

scented. Semi-double with pointed buds.
*Climbing American Beauty (H. P.) Cerise red.
Flowers medium size, double and possessing a rich fragrance due to its Wichuraiana blood, which is also evident in its glossy, rich foliage, doubtless mildew proof. Growth extremely vigorous.

*Climbing Bridesmaid (T.; Dingee.) Pink. A climbing form of the beautiful and popular

Bridesmaid, having larger flowers.

*Climbing Captain Christy (H. T.; Ducher, 1881.)
Flesh pink. Flowers same as in bush form.

*Climbing Kaiserin Augusta Victoria (H. T.; A. Dickson, 1897; or Mrs. Robert Peary (Dingee), 1896.) White faintly suffused lemon yellow. Identical with "Kaiserin" except in vigorous climbing habit.


*Climbing Madame Caroline Testout (H. T.; Chauvry, 1902.) Bright pink. Identical with "Testout" except in habit. Climbs vigorously; blooms freely. Could not be recommended too

highly.

Clio (H. P.) Large, flesh-colored flowers, shaded pink; vigorous grower and a really grand rose, somewhat on the order of Baroness Rothschild. Borne profusely and continuously.

*Crimson Rambler (Poly.; Turner, 1893.) Well known. Blooms but once a year. Wonderfully showy when in bloom. Not fragrant.

*Cloth of Gold (Nois.; Coquereau, 1843.) Deep yellow center, tinted sulphur toward edges. Flowers large, full and very handsome. Not a very free bloomer.



Kularney. This Irish Rose Still Maintains Its Popularity Among Rose Enthusiasts

Columbia. Very large rose of a wonderful, glowing pink color when fully open. An excellent feature of this rose is that the color deepens as it opens and is lasting.

Colleen (H. T.) Brilliant rose pink with deeper rose crimson veneering on creamy yellow

ground.


*Dr. Wm. Van Fleet (Wich.) Buds long and pointed; flowers beautiful flesh pink on long

stems. Foliage glossy green.

Duchess of Sutherland (H. T.; A. Dickson, 1912.)
Bright rose pink. Buds very long pointed, borne on splendid strong stems carrying flowers perfectly erect. Very double. Petals large and very conspicuously veined. The bush is unusually good, vigorous, strong and erect, with fine foliage and few thorns.

^{*} VARIETIES STARRED ARE CLIMBERS.

- *Dorothy Perkins (Wichuraiana Hybrid; Jackson & Perkins, 1902.) Shell pink. Blooms in spring only, when it is literally covered with innumerable dainty, pink, double flowers. Foliage is glossy, attractive and does not mildew. Sweetly scented. Very strong climber.
- Dr. William Gordon (H. P.) Pink flowers; petals edged with white and prettily imbricated; very strong grower. One of the best brilliant pink varieties and should be in every garden.
- Duchess of Albany (H. T.; Paul, 1888.) Deep rose, nearly red. Resembles La France except in color. Blooms freely. Sometimes called "Red La France."
- Dr. Gallaway. Cerise red. New and very distinctive with long, peculiar drooping petals.
- Edith Part (H. T.; McGredy, 1913.) Carmine with chamois flushed pink. The pointed buds open beautifully, each petal as it expands shows a rosy cream upper surface, while the center is warm carmine, making a delightful combination. Flowers are medium to large, double and moderately fragrant. Stems carry flowers erect. A splendid rose.
- Elizabeth Rowe (Moss; Rowe, 1866.) Beautiful pink. One of the best moss roses.
- Eugene Furst. Very dark velvety maroon. Flowers of medium size, rather flat and borne freely. Growth moderate.
- Emereur du Maroc (H. P.; Guinoisseau, 1858.) Very dark velvety maroon. Flowers of medium size, rather flat and borne freely.
- Erna Teschendorff (Dwf. Poly.) The color is a brilliant carmine red. It is a very free bloomer and has a permanency of color which has always been lacking in other roses of this class.
- *Excelsa (Red Dorothy Perkins) (Wich.) Flowers double, bright scarlet, produced in clusters; a fine novelty. Anyone having seen Dorothy Perkins in bloom can well imagine what a magnificent sight this brilliant red rose is when in full bloom.
- Farbenkonigin (H. T.; Hinner, 1902.) Bright carmine overlaid with silvery gloss. Color deep at base, light toward tips. Petals two-toned. Large and full. Free blooming. Very handsome.
- Francis Scott Key (H. T.) Deep red; flowers large, very double and well formed; strong grower.
- *Fortune's Yellow (Brought from China by Fortune, 1845.) Creamy yellow, shaded orange and rose. Semi-double. Thought to be a hybrid of Cherokee and Banksia. Blooms only once a year, but that once is well worth while. There probably is no other rose that has such a profusion of bloom at one time. The color varies greatly, many different shadings appearing on one plant. It also rejoices in the following synonymous names: Beauty of Glazenwood, Hester, San Rafael and Watkins.
- Francisca Kruger (T.; Nabonnand, 1879.) Deep chamois, shaded peach pink. Buds particularly fine
- Frau Karl Druschki (H. P.; Lambert, 1900.) Snow white. Flowers extremely large, yet beautifully formed. Blooms six inches broad are nothing uncommon. Growth is strong and vigorous, with abundant foliage. It is one of the very best bloomers in this division. Superb. Sometimes called White American Beauty.



Juliet (Pern.; Paul, 1910)

- General MacArthur (H. T.; Hill, 1905.) Fiery red. In referring to this rose before, we said it was destined to attain the greatest popularity. Our confidence was well grounded.
- General-Superior Arnold Janssen (H. T.; Leenders, 1912.) Deep carmine. Flowers large, double, well formed and hold their shape until they wither.
- George Arends (H. T.; Hinner, 1910.) Delicate pink. A large, handsome rose of solid color and good form. Widely heralded as "Pink Frau Karl Druschki," but does not look like a sport from that variety. Growth is so rampant that it could easily be trained up as a climber and maybe should be classed as such.
- Gloire de Chedane Guinoisseau (H. P.; Guinoisseau, 1908.) Bright vermilion red, shaded velvety crimson. A truly magnificent red. Considered by many good judges to be superior to Ulrich Brunner, which is saying a good deal. It is probably at least as good and under some conditions better. In any event, it is a splendid rose of large size, brilliant color and a beautiful form.
- *Gloire de Margottin (H. P.; Margottin, 1887.)
 Dazzling red. Flowers fragrant, very large,
 full and symmetrically formed. Growth fairly
 vigorous. Bears a good crop of magnificent
 blooms.
- Gloire des Rosomanes (Bourbon; Vibert, 1825.)
 Bright red. Better known in California as "Ragged Robin." Buds produced in large clusters, but open consecutively, keeping it always in bloom. The open flowers are loose and semidouble, of no value individually, but very showy. Splendid hedge rose.
- General Jeff (H. T.) Large, rosy crimson flowers; cup-shaped when full blown. Growth vigorous.

^{*} VARIETIES STARRED ARE CLIMBERS.

George Dickson (H. T.; A. Dickson, 1912.) Deep scarlet, shaded velvety crimson. The coloring is wonderfully rich, especially in half-opened flowers, the ground color red with scarlet tips, while the inside of the expanding petals is nearly black. Large, very full, with enormous petals. Fragrance is very rich. Growth extremely vigorous, almost like a climber.

Gorgeous (H. T.) Flowers large, well formed, chrome yellow, shading to copper.

Grace Molyneux (H. T.; A. Dickson, 1908.) Creamy apricot with flesh center. Large, finely formed, fragrant and free blooming. A lovely

Gruss an Teplitz (H. T.; Geschwind, 1897.) Rich scarlet, overlaid with crimson, particularly in spring. The ground color is intensely red, unsurpassed by any other. A wonderful free bloomer. Growth extremely vigorous, sometimes classed as a climber. An excellent garden variety and unexcelled as a hedge rose.

Hadley (H. T.) Excellent, dark, velvety crimson variety with long stems, carrying flowers well above foliage. Very fragrant.

Hilda Richardson (H. T.; A. Dickson, 1913.) Milk white, flushed rosy lilac at tips. Flowers are small or medium, semi-double, opening to saucer-shape, with golden yellow stamens very conspicuous.

Harisoni or Harrison's Yellow (Austrian Briar.)
Large, double, deep yellow flowers. Foliage glossy green and very healthy.

Helen Gould (H. T.; Lambert, 1899.) Rosy crimson. Flowers medium to large, full and borne freely.

*Hiawatha (Hybrid Wich.) Flowers rich crimson with white center. Very pretty; always in bloom. A very strong grower.

His Majesty (H. T.; McGredy, 1909.) Vermilion. Has a large, long bud and opens rather flat. Fragrance very rich, suggestive of the H. P.'s. Stems long, flowers often clustered. Growth is vigorous and upright, freely branching.

Hoosier Beauty (H. T.) Long buds and large, perfect flowers of rich, dazzling crimson-scarlet; fragrant. Vigorous growth and good bloomer.


Honorable Ina Bingham (H. T.; A. Dickson, 1905.)
Pure pink. Very large, semi-double with enormous petals. Stems strong. Very effective.

Hugh Dickson (H. P.; H. Dickson, 1904.) Brilliant crimson, tinted scarlet. A thoroughly fine rose. Has been fully tested in this climate and found perfectly adapted to it. Has large, finely formed, fragrant flowers; blooms well and is healthy and vigorous.

Irish Elegance (Irish Single; A. Dickson, 1905.)
Apricot, shaded orange and pink. Buds particularly handsome. Always in bloom. A great favorite.

J. B. Clark (H. T.; H. Dickson, 1905.) Scarlet shaded crimson in spring, but brilliant red in fall. Very large, nearly semi-double, opening widely to show the deep yellow stamens, which contrast well with the petals. Fragrance rich. Growth very strong and remarkably spreading.

Jessie (Dwf. Poly.) Bright crimson scarlet, double flowers in huge clusters. One of the best baby or dwarf roses.



Paul Neyron

John Cuff (H. T.; A. Dickson, 1908.) Carmine pink. Flowers are very large, loose and with enormous petals, about the largest we have ever seen in a rose. Free bloomer with a remarkably profuse spring crop.

Juliet (Pern.; Paul, 1910.) Outside of petals old gold, interior rich rosy red, changing to deep rose as the flowers expand. The effect in the expanding bud stage is indeed striking; the edges and tips of petals roll back slightly and show an intense contrast of bright cherry red against the buff shade. Flowers are rather large, very double, fairly fragrant and borne in moderate quantity. Bush is handsome, growing vigorously and erect, with very dark green, glossy foliage. Exceedingly thorny.

Jubilee (H. P.; Henderson, 1898.) Deep crimson, shaded maroon; almost black. Buds pointed.

Kaiserin Augusta Victoria (H. T.; Lambert, 1891.)
White faintly suffused lemon yellow. Almost universally known in California and easily the most popular white variety in the H. T. class. Flowers are large, very full and beautifully formed, with reflexed outer petals. Bush is vigorous and healthy.

Killarney (H. T.; A. Dickson, 1898.) Flesh suffused pink. Semi-double. Buds long pointed and very beautiful. Free blooming. Very fragrant.

Killarney Brilliant (H. T.) Growth as strong as that of its parent, Pink Killarney, and an equally free bloomer; color most brilliant pink.

Konigin Carola (H. T.) Satiny rose with reverse petals silvery rose; very free flowering. Grand La France-like flowers. Habit of Caroline Testout.

La Detroit (H. T.; Breitmeyer, 1904.) Shell pink, tinted soft rose. Color very pleasing and does not fade. Beautiful both in bud and when open. Free bloomer.

Lady Dunleath (H. T.; A. Dickson, 1913.) Pale yellow with deep golden center. It is surpassingly graceful and dainty at every stage. The buds are remarkably long pointed and slender, with noticeably elongated, narrow sepals. Open flowers are cupped and as the bloom expands the color greatly deepens. Stems are very long and slender, but strong enough to carry the flowers. Free blooming and delightfully fragrant.

^{*} VARIETIES STARRED ARE CLIMBERS.

- *Lady Gay (Wich.) Flowers double in clusters; cerise pink, shading on edge of petals to a very soft pink. Vigorous grower; will cover a large porch in an incredibly short time.
- Lady Ursula (H. T.; A. Dickson, 1908.) Flesh pink. Flowers large, full and beautifully formed; center high with reflexed petals. Tea scented.
- La France (H. T.; Guillot, 1867.) Pink, tinted silvery blush. Flowers large and borne freely. Delightfully fragrant, excelling nearly all others in this respect. One of the great favorites.
- *Lamarque (Nois; Marechal, 1830.) White. The most popular white climber in California. Flowers borne continually and in great profusion. Has more abundant foliage than most of the other free-blooming climbers.
- Laurent Carle (H. T.) Brilliant velvety carmine. Buds long, perfect form. Robust grower and continually in bloom.
- Leuchtfeuer (H. T.) Deep, rich velvety crimson; good form and free flowering.
- Liberty (H. T.; A. Dickson, 1900.) Crimson scarlet. A fine, free, continuous bloomer. Flowers medium sized, well formed and richly colored. Excellent for forcing as well as for planting out. A fine "all-around" variety.
- Lyon (Pern.; Pernet-Ducher, 1907.) Shrimp pink or coral; center salmon-shaded chrome yellow. No rose ever made a quicker leap into popularity. Its color is gorgeous, form unsurpassed and fragrance delightful. Flowers are occasionally of enormous size, but always faultlessly formed.
- *Madame Alfred Carriere (Nois.; Schwartz, 1879.)
 Creamy white. A Hybrid Noisette, hence hardier than the rest of the class. Flowers are large, finely formed and borne profusely. Growth strong and vigorous. A very valuable variety, particularly for Oregon and Washington.
- Madame Caroline Testout (H. T.; Pernet-Ducher, 1890.) Bright pink. Almost too well known on the Pacific Coast to require descripton. The official city flower of Portland. Flowers of the largest size and beautifully formed. Free blooming, vigorous and healthy.
- Mad. Jules Grolez (H. T.) Beautiful satiny china rose; flowers large, double and well formed; very free flowering. A fine hedge rose and unsurpassed for massing. A long row of the sturdy plants in full bloom forms a hedge that one will long remember for its unusual and enchanting beauty, and the dainty foliage that remains after the flowers have faded.

Magna Charta (H. P.; Paul, 1876.) Rosy red. Flowers very large, full and fragrant. Grows


vigorously and blooms freely.

Maman Cochet (T.; Cochet, 1893.) Deep rose pink on outer petals, but very light in center. Buds extremely large and beautifully formed, with outer petals well reflexed. Being very full, they hold their form until withered. Magnificent in every way. One of the most popular varieties in California and generally known as "Pink Cochet."

Maman Cochet, Red (Niles Cochet, T.; California Nursery Co., 1906.) Cherry red on outer petals, lighter within. A sport from the popular Maman Cochet and a far better rose. The pink of the latter is replaced by a bright red, which at some seasons becomes decidedly bril-

- liant. The flowers are just a trifle smaller. Stems are better, carrying flowers fairly well. It is a remarkably free bloomer, particularly in the fall, at the very time when its color is at its best. Succeeds splendidly as a "standard" as well as in bush form. A remarkably strong grower.
- Maman Cochet, White (T.; Cook, 1897.) White with outer petals blushed. The largest of all the Cochet roses. Buds and flowers magnificently formed and borne very freely.
- Madame Edouard Herriot or Daily Mail (Pern.; Pernet-Ducher, 1913.) Superb coral red, shaded yellow at base, passing to shrimp red. At first sight it seems artificial. The flowers are moderately large and semi-double. Buds perfectly formed and magnificently colored. This would seem to be enough for one variety, but beyond all this it has the further merit of being the freest blooming rose we have ever known. Its floriferousness surpasses everything else, good and bad. It is not only profuse, but continuous. The flowers do not last long, but more are always coming. Called "Daily Mail" as a result of winning gold cup offered by that paper for best new rose at International Horticultural Exposition, London. Also received the Gold Medal of the National Rose Society of England.
- Marcella (H. T.; Paul, 1913.) Salmon flesh. Buds buff. Large, well formed and handsome. Growth strong and erect. Free and continuous bloomer. Good for cutting.
- Melody (H. T.; A. Dickson, 1911.) Saffron yellow with primrose edges and tips. Flowers are of medium size, sometimes very large, particularly in fall; very double, but always opening freely into a lovely flower with reflexed outer petals and fine center. The fragrance is delightfully rich, probably unexcelled. Plant grows vigorously, has very dark green foliage, which is violet when young and mildew proof at all stages. Stems are splendid, long and slender, but stiff.
- Marquis de Querhoent (T.; Godard, 1901.) Carmine on flesh or yellow ground. Color decidedly variable. Very free bloomer. Spring flowers are only fair, but coloring in fall is very brilliant.
- Mary Countess of Ilchester (H. T.) Forms flowers of great size, deliciously scented and produced freely on long stems. This, with its large, circular, smooth petals of warm crimson carmine color, makes it a very distinctive variety, which should be widely planted.
- Mlle. Cecile Brunner (Dwf. Poly.; Ducher, 1880.)
 Salmon pink. The clustered flowers are small, daintily formed and exquisitely colored. The little buds are especially beautiful. Blooms constantly. A truly charming rose.
- Miss Kate Moulton (H. T.; Hill, 1907.) Pink, tinted silvery flesh. Almost faultlessly formed. Outer petals very large and most strongly reflexed, while inner petals maintain a high, pointed center. Quite a free bloomer. Superlative in form and excellent in other respects.
- Morning Glow (H. T.) Bright, silvery pink. Is quite similar to Radiance. Very fragrant.
- Mrs. David Jardine (H. T.; A. Dickson, 1908.)
 Bright rose pink, faintly suffused salmon.
 Flowers come singly on fine, long, strong stems.
 Very fine.

^{*} VARIETIES STARRED ARE CLIMBERS.



The Richmond, With Its Erect Stems and Pointed and Well Shaped Buds, Is a Standard for Greenhouse Culture. An Excellent Rose for Outdoor Culture

Mrs. George Shawyer (H. T.; Lowe & Shawyer, 1911.) Brilliant rose pink. Almost solid color. Large, full and well formed. Highly recommended for forcing.

Mrs. Campbell Hall (T.) Delicate creamy buff. edged and suffused rosy carmine. Large, full

and exquisitely formed.

Mrs. Charles E. Pearson (H. T.; McGredy, 1913.) Orange, flushed red, apricot, fawn and yellow. Coloring may be said to be intermediate between Lyon and Mad. Edouard Herriot. Buds are pointed; open flowers reflexed-globular to nearly flat, double and faintly fragrant. Growth moderate or rather short. Stems short, but strong, carrying flowers finely. Blooms freely and has a very high coloring.

Mrs. Charles Russell (H. T.; Montgomery, 1912.)

Rosy carmine with scarlet center. One of the very best and of American origin. Color is brilliant and pleasing. Flower is beautifully formed, with petals of wonderful substance. The stems could not be better and flowers always come singly. Simply grand as a cut

Mrs. Charles Hunter (H. T.; Paul, 1912.) Cerise, nearly red. Buds short pointed; open flowers have all petals reflexed. Stems carry flowers perfectly erect. Very free blooming both spring and fall. Growth moderate, freely branching. Mrs. Franklin Dennison (H. T.) White, suffused

with yellow and shading to apricot at base.

Flowers very large and full.

Mrs. Frederick W. Vanderbilt (H. T.; McGredy, 1913.) Salmon ground, with carmine, yellow and flesh mixed in. Buds are moderately pointed and open flowers very double, of medium size and slightly fragrant. Growth moderate and spreading. Stems short but strong.

Mrs. Herbert Hawksworth (T.; A. Dickson, 1912.) Creamy white, light yellow at base. Straw color in bud. The open flowers are particularly beautiful owing to their unusual globular, cupshaped formation, with tips of petals slightly recurved. Fragrance is very sweet. Stems are fairly good; flowers nod slightly.

Mrs. Myles Kennedy (T.; A. Dickson, 1906.) Delicate silvery white shaded buff, with pink center. Large, full and finely formed.

Mrs. Sam Ross (H. T.; H. Dickson, 1912.) Flesh, suffused salmon and underlaid with buff. Color hard to describe, but delicate, unique and very pleasing. Flowers cupped, with outer petals slightly reflexed. Best in fall.

Mrs. John Laing (H. P.; Bennett, 1887.) Shell pink. Easily one of the best pinks in the H. P. class. Flowers are beautifully formed, finely colored, extremely fragrant and borne freely on strong stems. Splendid for cutting. A thoroughly good variety.

Mrs. R. G. Sharman Crawford (H. P.; A. Dickson, 1894.) Deep rosy pink, tinted pale flesh. Flowers large, handsomely formed and borne

Mrs. Theodore Roosevelt (H. T.; Hill, 1903.) Flesh pink; outer petals creamy white. Open flowers large, full and very well formed. Color delicate, but is held well.

Mrs. Wm. H. Cutbush (Dwf. Poly.) Baby Rambler habit with pale pink flowers of Dorothy Perkins; blooms in profusion summer and autumn.

Mrs. Wallace H. Rowe (H. T.; McGredy, 1912.) Bright "sweet-pea mauve." So termed by its introducer. Shade is very unusual, but runs toward pink with us. Flowers of good size and well formed. Growth is vigorous. Runs close

to the H. P. class.

Nerissa (H. T.; Paul, 1912.) Pink, flushed carmine; buds cream, flushed salmon. Coloring resembles Antone Rivoire. Buds sharply short pointed; open flowers have high center with

reflexed outer petals.

Ophelia (H. T.; Paul, 1912.) Salmon flesh shaded rose with chamois center. A rose that is lovely at every stage. The buds and flowers are beautifully formed and colored, enhanced by rich veining on the petals. Stems are long and carry flowers erect. Could hardly be praised too highly.

rleans (Poly.) A dwarf variety like Baby Rambler, with masses of pink flowers. A Orleans (Poly.)

variety of recent introduction.

Peachblossom (T.) Yellow at base, shading into a beautiful shell pink. Very fragrant.

Paul Neyron (H. P.; Levet, 1869.) Dark rose. The largest rose in cultivation. The buds are as large or larger than the best American Beauties grown under glass and are borne freely in the open ground. As an outdoor rose it far excels American Beauty, for which it is often mistaken. Growth is strong and vigorous.

Persian Yellow (Austrian Briar; From Persia, 1837.) Bright yellow. Small but quite double. Foliage faintly scented. Particularly interesting as being one of the parents of the wonder-

ful Pernetiana class.

Pink Gem (Poly.) An improved type of Cecile Brunner flowers; a shade more pink.

Prairie Queen. Color bright pink, sometimes with a white stripe. Large, compact and globular;

very full and double.

Prima Donna (H. T.) The color is a lovely shade of pink, changing to silvery pink; petals undulated or waved on the edges. Flowers of the very largest size, on long strong stems abundantly produced. Its size, fragrance, wonderful lasting qualities, freedom of growth and bloom and distinctiveness, place it in the very forefront of roses.

^{*} VARIETIES STARRED ARE CLIMBERS.

Queen of Edgely or Pink American Beauty (H. P.; Floral Exchange, 1897.) Pink. Sport from American Beauty. Just the same, except much lighter colored. An elegant rose, certainly deserving of its synonym, "Pink American Beauty"

Radiance (H. T.; Cook, 1909.) Soft carmine pink. Flowers are large and cup-shaped, unusually elongated, very double, sweetly scented. Growth vigorous and erect, with spreading branches. Blooms freely. Well liked.

*Reine Marie Henriette (H. T.; Levet, 1878.) Cherry red. A great favorite among the climbers. Flowers very large, full, freely borne, attractively colored and fragrant. Susceptible

to mildew during the early part of the season.
*Reine Olga de Wurtemburg (H. T.; Nabonnand,
1881.) Dazzling red. Flowers large, semidouble and borne in great profusion. Foliage especially handsome. Thrives exceptionally well under the trying conditions around San Francisco Bay.

*Reve d'Or (Nois.; Ducher, 1869.) Light yellow, shaded buff. Flowers are of medium size, well formed and borne very freely. One of the best

yellow climbers.

Rhea Reid (H. T.; Hill, 1908.) Crimson scarlet. Color rich and satisfying. Flowers large, double and as fragrant as La France. Petals velvety. A splendid addition to the limited

number of good reds in this class.

Richmond (H. T.; Hill, 1905.) Scarlet, lightly shaded crimson. In the bud this closely resembles Liberty, but as the flowers open the color is better retained. The coloring of half-opened flowers is very rich. Blooms freely and has good fragrance.

*Silver Moon (Wichuraiana Hybrid; Henderson, 1910.) Pure white, single, very large. Golden stamens very conspicuous. Stems long. Foliage glossy bronze green. Remarkably strong

grower. Very hardy.

Soleil d'Or (Pern.; Pernet-Ducher, 1900.) Golden yellow shaded nasturtium red. Flowers large, very full and rather flat. Free blooming and extremely hardy, thriving readily in regions too cold for those with Tea blood.

Souvenir de Wootton (H. T.; Cook, 1890.) Bright crimson. Flowers large, rather loose. Delightfully sweet scented. Growth strong. Blooms

freely.

Souvenir du President Carnot (H. T.; Pernet-Ducher, 1895.) Rosy flesh, sometimes nearly white. Fine buds on long stems. Flowers large.

Very free bloomer.

Sunset (T.; Henderson, 1884.) Golden amber with a faint ruddy tinge. A sport from Perle des Jardins and the equal of that fine variety. Golden amber The new foliage is very beautiful, a deep coppery red.

Sweet Briar. The common Eglantine (Rosa rubiginosa), with simple, pink, single flowers and richly scented foliage.

*Tausendschoen (Poly.; Schwartz, 1906.) cate pink, shaded rosy carmine. Produces a great mass of bloom in spring. Wood is brown and absolutely thornless; there are a few prickles on the leafstalks. Does not mildew. Rapidly attaining great popularity.

Tipperary (H. T.; McGredy.) This is an Irish rose, a seedling of Mrs. Aaron Ward, which it resembles in foliage though not in habit, for it makes long, slender, stiff stems in a very short time, many of them to a plant, and every one tipped with a yellow flower. The bud is slender

and sharply pointed and opens into a full rosette as Ward does. It is an improvement on Ward in its steady production of bloom throughout the season, and shows no inclina-tion towards resting in mid-winter. The color is clear yellow, about the tone of Melody; it will fall into the class of corsage roses, and for fancy table decoration; the open flower has a distinct satin surface; very free and continuous.

Tip Top (Baby Doll) (Dwf. Poly.) The color is absolutely new and quite startling in its brilliancy, golden yellow, tipped with clear, bright cerise. The little buds and blooms are very perfect in form, elegantly finished, and borne in fine erect panicles. Habit of the best, neat

and compact.

Ulrich Brunner (H. P.; Levet, 1881.) Cherry red. A truly magnificent rose. The color is bright and beautiful. The stems are long, raising the large, perfectly formed flowers well above the foliage. Thrive to perfection under our conditions and certainly should be included in every collection.

*Veilchenblau (Poly.; Schmidt, 1909.) Reddish lilac, quickly changing to amethyst and steel blue. The celebrated "Blue Rose" and the only near approach to that color yet attained. Flowers semi-double and borne very freely. Has a rich and unique fragrance.

Viscountess Folkstone (H. T.; Bennett, 1886.) Creamy pink, shading to a salmon center. Blooms freely. Flowers large and fragrant.

Vigorous growth.

Verna Mackay (H. T.; A. Dickson, 1912.) Fawn suffused sulphur. In bud stage it is amber yellow, slightly ruddy outside. The buds are pointed and spiral. Open flowers are of medium size and only moderately double, showing the

odd red stamens. Fragrance is delightful,
Walter Speed (H. T.) A vigorous, erect grower.
Flowers of large size, deep lemon color, becoming white as they develop; delightfully

fragrant.

White Maman Cochet. See Maman Cochet, White. White American Beauty. See Frau Karl Druschki. White Killarney (H. T.; Waban Co., 1909.) White. Identical except in color with Killarney, from

which it is a sport. The long, full buds are handsome in shape and the open flower most refined and beautiful in form and texture.

*Wichuraiana (Japanese Species.) White. Flowers are small and single, pure white, with showy yellow stamens. They have a delightful fragrance all of their own. Foliage is deep green and very lustrous. If trained up will make an excellent climbing rose, but when allowed to grow naturally the long, slender shoots grow flat on the ground. This, with its evergreen habit, makes it fine for covering banks. Sometimes called Memorial Rose.

William Shean (H. T.) Awarded Gold Medal by the National Rose Society. Its color is pure pink, delicately veined with ocher. The flowers are large, full, and of perfect form. The bush is strong, vigorous, and free flowering. Highly

recommended for outdoor planting.
Winnie Davis (H. T.; Nanz & Nevner, 1902.) Flesh pink, outer petals silvery blush. Buds long pointed; flowers large and formed much like Clara Watson or Miss Kate Moulton. Not very double. Growth vigorous, erect and slender. An extremely heavy bloomer, particularly in spring.

^{*} VARIETIES STARRED ARE CLIMBERS.

*White Dorothy. It is a rampant grower and in a short time will cover a large trellis with its long, sturdy canes clothed with brilliant green, shining foliage of splendid texture and free from mildew or attacks of insects. The flowers are of a brilliant, glistening white and are borne in great trusses, completely covering the plant, until it resembles a snowdrift.

White Rambler (The Rose of the Masses.) Oneyear plants will attain a height of 10 to 20 feet in a single season, and the second year they will continue to produce a marvelous profusion of rich and glowing pure white flowers, sometimes tinted with blush in large clusters during June and July. It is absolutely hardy everywhere.

Yellow Maman Cochet. See Maman Cochet, Yellow.

*Yellow Rambler (Poly.; Lambert, 1896.) Flowers are yellow in bud, but nearly white when opened. A tremendous grower. Orginally called Aglaia, but that name seems to have fallen into disuse.

STANDARD OR TREE ROSES

Our Standard Roses are as fine as our bush plants, which is to say that they are the best possible. No plant will give such an individual effect as a Standard Rose.

* VARIETIES STARRED ARE CLIMBERS.



STANDARD ROSES-Price \$1.25 Each

Baby Doll Betty
Baby Rambler Bridesmaid
Belle Siebrecht Columbia

Dean Hole Duchess de Brabant Edw. Mawley

Empereur du Moroc Erna Teschendorff Geo Arende Gloire de Margottin Gold of Ophir Gorgeous Hoosier Beauty Hugh Dickson Improved Rainbow Irish Elegance Irish Fireflame Inlint Lady Battersea Lady Dunleath Liberty Lvon Mad. Abel Chatney Madame Butterfly Madame Dunlap Maman Cochet (red)

Maman Cochet (white) Maman Cochet (pink) Marechal Niel Marie Van Houtte Mrs. Chas. Russell Mrs. John Laing Papa Gontier Paul Neyron Perle Des Jardins Radiance Red Radiance Reve d'Or Rhea Reid Richmond Rose Oueen Soliel d'Or Tipperary Ulrich Brunner Verna Mackay William Richardson

Groups

The following lists include trees and plants grouped according to various characters and for certain special purposes

HEDGE PLANTS

EVERGREEN

Cupressus macrocarpa (Monterey Cypress) Taxus baccata (English Yew) Thuja orientalis (Chinese Arbor Vitae) Buxus (Boxwood, various kinds) Laurus nobilis (Bay Tree) Ligustrum japonicum (Japanese Privet) Ligustrum ovalifolium (California Privet) Ligustrum vulgare (English Privet) Myrtus communis (Common Myrtle) Pittosporum cressifolium Pittosporum eugenioides Pittosporum tenuifolium (P. nigricans) Pittosporum undulatum Prunus ilicifolia (California Evergreen Cherry) Pyracantha angustifolia Pyracantha coccinea (Evergreen Hawthorn) Pyracantha crenulata (Chinese Evergreen Haw-Viburnum tinus (Laurustinus)

DECIDUOUS

Chaenomeles japonica (Japanese Scarlet Quince) Punica granatum (Flowering Pomegranate)

BROAD-LEAVED EVERGREENS

Arbutus menziesi (Madrone)
Carpenteria californica
Ceanothus thyrsiflorus (Wild Lilac)
Mahonia aquifolium (Oregon Grape)
Photinia arbutifolia (Christmas Berry)
Prunus ilicifolia (Evergreen Cherry)
Prunus ilicifolia integrifolia (Catalina Cherry)
Quercus chrysolepis (Live Oak)
Rhamnus californica (Wild Coffee)
Umbellularia californica (Wild Laurel)

DECIDUOUS TREES

Juglans californica (Walnut) Plantanus racemosa (Sycamore)

DECIDUOUS SHRUBS

Ribes sanguineum (Currant) Spiraea billiardii Symphoricarpos occidentalis (Snowberry)

MISCELLANEOUS

Washingtonia filifera (Fan Palm) Washingtonia robusta Romneya coulteri (Matilija Poppy)

STREET TREES

BROAD-LEAVED EVERGREENS

Acacia dealbata (Silver Wattle) Acacia decurrens (Black Wattle)
Acacia melanoxylon (Black Acacia)
Acacia neriifolia (A. floribunda) Alectryon excelsum (New Zealand Oak)

Angophora lanceolata

Camphora officinalis (Camphor Tree)
Casuarina cunninghami (She Oak; Beefwood)

Eucalyptus (for roadsides)

Grevillea robusta (Australian Silk Oak) Schinus molle (Pepper)

Sterculia diversifolia (Bottle Tree)

DECIDUOUS TREES

Acer (Maple) -All kinds

Aesculus hippocastanum (White Horse Chestnut)
Aesculus carnea (Red Horse Chestnut)

Betula alba (European Birch)

pendula gracilis (Cut-Leaved Weeping Birch)

Catalpa speciosa Ginkgo biloba (Maiden Hair Tree)

Liquidambar styraciflua

Lirodendron tulipifera (Tulip Tree)

Melia azedarach umbraculiformis (Texas Umbrella) Platanus orientalis (European Sycamore)

Populus deltoides carolinensis (Carolina Poplar)

Robinia pseudacacia (Black Locust) Robinia pseudacacia decaisneana (Pink Flowering

Locust) Tilia platyphyllos (European Linden) Ulmus (Elm)—All kinds

TREES AND PLANTS NATIVE TO CALIFORNIA

CONIFERS

Abies concolor (White Fir) Chamaecyparis Lawsoniana (Lawson Cypress) Cupressus macrocarpa (Monterey Cypress) Libocedrus decurrens (Incense Cedar)

Pinus jeffreyi (Jeffrey Pine) Pinus parryana (Parry Pine) Pinus radiata (Monterey Pine) Sequoia gigantea (Big Tree) Sequoia sempervirens (Redwood) Thuja gigantea (Giant Arbor Vitae)

TREES AND SHRUBS

Bearing Ornamental Red or Orange

Berries

CONIFERS

Taxus baccata (English Yew) Taxus baccata fastigiata (Irish Yew)

BROAD-LEAVED EVERGREENS

Arbutus menziesi (Madrone)

Arbutus unedo (Strawberry Tree)

Aucuba japonica Cneorum tricoccum

Cornus capitata (Evergreen Dogwood) Cotoneaster—All species

Evonymus japonica and its varieties llex aquifolium (English Holly)

Nandina domestica

Photinia arbutifolia (Christmas Berry) Pyracantha coccinea (Evergreen Hawthorn) Pyracantha coccinea lalandi

Pyracantha crenulata Ruscus aculeatus

Schinus molle (Pepper Tree)

Viburnum odoratissimum

DECIDUOUS TREES

Celtis occidentalis

Crataegus cordata (Washington Thorn)

Crataegus crus-galli (Cockspur)

Crataegus monogyna pauli (Paul's Double Scarlet

Crataegus oxyacantha (English Hawthorn)

Crataegus rubra splendens

Crataegus tomentosa

Sorbus aucuparia (European Mountain Ash)

DECIDUOUS SHRUBS

Berberis thumbergi

Berberis vulgaris (Common Barberry) Berberis vulgaris atropurpurea

Elaeagnus longipes Symphoricarpos vulgaris

Viburnum opulus

TREES AND SHRUBS

With Variegated Foliage

CONIFERS

Cupressus macrocarpa variegata (Variegated Monterey Cypress)

Juniperus chinensis argenteo-variegata

Juniperus chinensis procumbens aureo-variegata

Taxus baccata elegantissima

Taxus baccata fastigiata variegata (Variegated Irish Yew)

Taxus baccata washingtoni

BROAD-LEAVED EVERGREENS

Aucuba japonica variegata Aucuba japonica latimaculata

Buxus sempervirens elegans variegata

Buxus sempervirens variegata

Coprosma baueri variegata

Coronilla glauca variegata

Elaeagnus pungens argentea

Elaeagnus pungens aurea Evonymus—Nearly all

Fatsia japonica variegata

Ligustrum gracile variegatum

Myrtus communis variegata Pittosporum tobira variegatum

Veronica decussata variegata

Veronica speciosa variegata

Viburnum tinus variegatum

CLIMBING PLANTS

Bougainvillea glabra variegata

Hedera helix variegata **MISCELLANEOUS**

Cortaderia "Variegated"

Miscanthus—All

Phormium tenax variegatum

DECIDUOUS TREES AND SHRUBS

Assuming Ruddy Autumnal Tints

Acer rubrum (Scarlet Maple)

Acer saccharum (Sugar Maple)

Crataegus cordata (Washington Thorn) Liquidambar styraciflua Quercus rubra (Red Oak)

SHRUBS

Berberis thunbergi

Cornus florida (Flowering Dogwood)

Viburnum opulus

Virburnum opulus sterile (Common Snowball)

CLIMBERS

Parthenocissus quinquefolia (Virginia Creeper) Parthenocissus tricuspidata (Boston Ivy)

Parthenocissus tricuspidata atropurpurea

PLANTS OF LOW OR MEDIUM GROWTH

Suitable for Shaded Locations BROAD-LEAVED EVERGREENS

Aucuba-All Azalea indica Buxus-All Camellia iaponica Cotoneaster microphylla Erica mediterranea (Mediterranean Heath) Fatsia japonica Fatsia japonica variegata Fuchsia-All Hydrangea-All Hypericum moserianum Mahonia-All Michelia fuscata Pyracantha crenulata Rhamnus californica Veronica—All

Viola odorata (Violet)

TREES AND SHRUBS

Particularly Resistant to Drought **BROAD-LEAVED EVERGREENS**

Acacia-Agonis flexuosa Alectryon excelsum (New Zealand Oak) Angophora lanceolata Azara microphylla Buddleia variabilis Callistemon-All Cassia-All Cistus albidus Eucalyptus-Nearly all Hakea—All Leptospermum laevigatum Melaleuca armillaris Melaleuca decussata Nerium oleander Pittosporum phillyraeoides

Spartium junceum (Spanish Broom)

Agave-All

Valuable Reference Literature

California Garden Flowers. By Edward J. Wickson. First edition 1915, 262 pages, 5½ x 7½ inches: illustrated: cloth bound. This book aims to tell the beginner in California, whether he be a scholar struggling with his school garden, or a suburban gazing vacantly on his residence lot, or the farm home maker, who is puzzled to translate his experience with teams, plows and pasture fields into trowels, pruning-shears and lawns, just what to do to make garden soils, grow plants and surround his abode with beauty under the peculiar climatic conditions of California. Price, \$1.50 per copy, postpaid.

The Standard Cyclopedia of Horticulture. By Prof. L. H. Bailey. In six volumes. Illustrated with color plates-4000 engravings in the text and

96 full-page cuts.

A discussion for the amateur, professional and commercial grower of the kinds, characteristics and methods of cultivation of the species of plants grown in the region of the United States and Canada for ornamental trees, fruit trees and vegetables. Price, \$36.00

per set, carriage paid.
Soils: How to Handle and Improve Them. From an economic standpoint this book should be in the hands of every farmer. Soil which has been developed to the highest point of fertility is sure to produce heavy crops. The author, S. W. Fletcher, goes into this subject very thoroughly. Price, \$3.00 per copy, postpaid.

California Fruits and How to Grow Them. Eighth editon, revised and extended. A manual of methods which have yielded great success. By Edward J. Wickson, A. N. Size of page, 6½ x 9½ inches, 513 pages, bound in cloth and fully illustrated. Postage prepaid, \$3.00 per

AGAVES, ETC.

Roeding's Fruit Growers' Guide-First Edition. The illustrations in this book, in many cases, convey the information desired. There are few men in California who have given more thought and who have had a wider experience in diversified horticulture than Geo. C. Roeding. This book contains practical information presented in a clear, concise manner which will be appreciated by the novice as well as the experienced fruit grower. Price, \$1.00 per copy,

Roses and How to Grow Them. By many experts.

There is such a charm about the rose that anyone interested in the subject of rose culture should have a copy of this book. Price \$2.00,

postpaid.

How to Lay Out Suburban Home Grounds. The progressive farmer of today is using every effort to make his home attractive and inviting like that of his city brother by beautifying his grounds with trees and shrubbery, for he fully realizes how much it adds to the value of his property. This book certainly tells you how to do it. The author is Herbert J. Kelloway, Landscape Architect. Price \$3.00, postpaid.

Yucca Tree Protectors

Our extremely long, hot and dry summers make it imperative for all fruit growers to shade the bodies of young trees the first season. The most efficient and valuable protectors are made from the Yucca Palm. Soak the bundles in water before using.

No orders accepted for less than 25 protectors.

Length	$\mathbf{W}\mathbf{idth}$	Wt. per 100	25	50	100	1000
30 in.	7 in.	22 lbs.	\$1.00	\$1.50	\$2.50	\$22.00
24 in.	7 in.	22 lbs.	.90	1.25	2.00	19.00
18 in.	7 in.	13 lbs.	.80	1.10	1.75	16.00
16 in.	7 in.	12 lbs.	.70	1.00	1.50	14.50
14 in.	7 in.	10 lbs.	.60	.85	1.40	13.00
12 in.	7 in.	9 lbs.	.50	. 75	1.30	12.00

Index

FRUIT DEPARTMENT

FRUIT	וע	EPARIMENI		
	PAGI		PAGE	
Almond		·		
Apple				
Apricot		Lenion		
Artichoke—Globe, Jerusalem				
Asparagus				
Blackberry—Himalaya Blackberry—Phenomenal		•		
Blackberry—Cory Thornless				
Capri Fig		· ·		
Cherry				
Chestnut				
Citrus Fruits				
Citrus—Headed				
Crab Apple		2 00.1		
Currant—Black, Red, White				
Dewberry				
Feijoa				
Fig	. 7			
Filbert	. 8	Prune	, 5	j
Gooseberry	. 12			
Grapes	. 10	Raspberry—Red, Black	. 12	;
Grapefruit—see Pomelo	. 9	Rhubarb	. 12	
Guava	. 10	Strawberry	. 12	
Hazelnut	. 8	Walnut—English, Black8	, 9	
ORNAMEN'	TΑ	L DEPARTMENT		
	PAGE		PAGE	,
Abelia				
Abies		9		
Acacia		Broom—Spanish—Spartium		
Acer—Maple 33				
Actinidia	,	Burning Bush—Pyracantha		
Aesculus—Horse Chestnut				
Agave—Century Plant		Buxus—Boxwood		
Akebia		Caesalpinia—Poinciana		
Ampelopsis—Evergreen (Cissus)		California Laurel		
Ampelopsis—Parthenocissus		California Big Tree—Sequoia18.		
Apple—Flowering		California Evergreen Cherry—Prunus		
Araucaria				
Arbor Vitae—Thuya		California Garden Flowers		
Arbutus		California Fruits, How to Grow Them	. 59	
Arundinaria—Bamboo				
Arundo-Giant Reed				
Ash-Fraximus	. 35	California Wild Lilac—Ceanothus	. 22	
Aucuba	. 21	Callistemon		
Australian Tea Tree	. 27	Camellia		
Autumnal Tints-Trees and Shrubs	. 58	Camphor—Cinnamonum	. 23	
Azalea		Campsis		
Balm of Gilead—Populus	. 35	Canary Islands Date Palm—Phoenix		
Bamboo		Carob—Cretonia—St. John's Bread		
Bamboo Shoots		Carpenteria		
Bamboo—Arrow		Caryopteris	. 38	
Banana—Musa		Cascara—Rhamnus		
Barberry—Berberis		Castanea		
Bay Tree—Umbellularis		Casuarina—She Oak		
Berry Bearing Trees and Shrubs		Catalina Cherry—Prunus		
Berberis21, 22,		Catalpa		
Betula—Birch Tree		Cedar—Cedrus		
Big Tree—Sequoia				
Bignonia—Trumpet Flower		Cedar—Chilean—Libocedrus	17	
Birch—Betula		Cedrela	24	
Blue Palm—Erythea		Cedrus15,		
Blue Spirea—Caryopteris		Celtis		
Bottle Brush—Callistemon		Century Plant—Agave		
Bottle Trees—Sterculia		Cephalotaxus—Japanese Yew		
Bougainvillea		Ceratonia		
Boxwood—Buxus		Ceratostigma—Plumbago		
Breath of Heaven—Diosma		Cercis—Judas Tree		

	PAGE	PA	AGE
CestrumL	23	Grevillea—Silk Oak	
Chaenomeles—Flowering Quince		Guadaloupe Island Palm—Erythea	
Chamaecyparis		Gum—Eucalyptus	
Chamaerops—Fan Palms Cherry—Prunus—Evergreen		Hackberry—Celtis—Nettle Tree	
Chestnut—Castanea		Hardenbergia	
Choisya—Mexican Orange		Hawthorn—Deciduous—Crataegus	
Christmas Berry—Photinia	29	Hawthorn—Evergreen	
Cinnamomum—Camphor		Heather—Erica	
Cissus—Ampelopsis Evergreen		Hedera—Ivy Hedge Plants	
Cistus—Rock Rose		Hills of Snow—Hydrangea	
Climbing Fig—Ficus		Hints on TransplantingInside Front Co	
Climbing Plants		Holly—Ilex	27
Cockspur—Crataegus—Hawthorn		Honeysuckle—Lonicera	
Cocos—Palms	46	Horse Chestnut—Aesculus	
Conifers14		Hydrangea	
Courbonia		Hypericum—Gold Dollar Flower	
Corchorus—Kerria Cordyline		Ilex—Holly	
Cork Elm—Ulmus		Incense Cedar—Libocedrus	17
Cork Oak—Quercus		Indian Currant—Symphoricarpos	
CornusDogwood2	4, 39	Island Ironwood—Lyonothamnus	
Coronilla		Ivy_Boston_Parthenocissus	
Cortaderia—Pampas Grass		Ivy—Hedera	
Corylus—Purple Leaf Filbert		Japanese Cedar—Cryptomeria	
Cotypha—Fan Leaf PalmCotoneaster		Japanese Rose—Kerria	
Crepe Myrtle—Lagerstroemia		Jasmine—Jasminum	
Crataegus—Deciduous Hawthorn		Judas Tree—Cercia	
Crataegus—Evergreen Pyracantha		Juniper—Juniperus	
Crinum		Kerria—Japanese Rose	
Cryptomeria		Laburnum—Golden Chain Lagerstroemia—Crepe Myrtle	
Currant—Ribes		Lagunaria	
Cydonia—Flowering Quince		Lantana	
Cypress—Cupressus		Lantana—Weeping—Lantana Sellowiana	. 43
Cypress—Lawson—Chamaecyparis		Laurel—Bay Tree—Laurus	
Cytisus—Broom		Laurel-California-Umbellularia	
Daphniphyllum		Laurel—Cherry—Prunus Laurus	
Dasylirion		Laurustinus—Viburnum	
Date Palm—Phoenix Canariensis Deciduous Ornamental Trees		Lawson Cypress—Chamaecyparis	
Deciduous Shrubs—Autumnal Tints		Lemon Verbena—Lippia	
Deciduous Weeping Trees		Leptospermum—Australian Tea Tree	
Deodara Cedrus	15, 16	Libocedrus—Incense Cedar	
Deutzia		Ligustrum—Privet	
Diervilla—Weigelia		Lilac—SyringaLilac—California—Wild—Ceanothus	
Diosma		Lime Tree—Linden—Tilia	
Dracaena—Cordyline		Lippia—Lemon Verbena	
Drought Resisting Trees and Shrubs		Liquidambar—Sweet Gum	. 35
Dwarf Fan Palm—Chamaerops		Liriodendron—Tulip Tree	
Eleagnus	25, 39	Literature	. 59
Elm—Ulmus		Live Oak—Quercus Livistona—Fan Palm	. 30
English Laurel—Prunus Erica—Heather		Livistona—ran Paini	. 36
Escallonia		Lonicera—Honeysuckle	43
Eucalyptus		Lonicera—Nitida (Shrub)	28
Eugenia		Lyonthamnus—Island Ironwood	28
Eulalia—Miscanthus		Madrone—Arbutus	. 21
Evonymus		Magnolia	. 28
Ferns—Boston, Roosevelt		Mahonia—Oregon Grape Mahonia—Japanese	. 28
Filbert-Purple Leaf		Maiden Hair Tree—Ginkgo	. 17
Fir—Abies		Maiden Hair Vine-Muehlenbeckia	42
Forsythia—Golden Bell		Maple—Acer	, 34
Fraximus—Ash		Matilija Poppy—Romneya	30
Fuchsia		Melaleuca	28
Garland Syringa—Philadelphus		Mexican Orange—Choisya	. 23
Genista		Miscanthus	. 40
Gint Reed—Arundo		Monkey Puzzle—Araucaria	15
Gold Dust Plant—Aucuba		Morus—Mulberry	, 38
Golden Bell—Forsythia		Mountain Ash—Sorbus	36
Golden Chain Liburnum	25	Muehlenbeckia	42

I	AGE		PA	GE
Musa—Banana	. 48	Rosemary—Rosmarinus		30
Myrtle—Myrtus	. 28	Ruscus—Butcher's Broom		31
Myrtus—Eugenia	. 26	Salix—Weeping Willow		38
Nandina	. 28	Schinus-California Pepper Tree		81
Nerium—Oleander	. 28	Scorpion Senna—Coronilla		24
Nettle Tree—Celtis—Hackberry	. 34	Sequoia—California Big Tree	18,	19
New Zealand Flax—Phormium	. 48	Shaded Locations, Plants for		59
Nolina	. 48	Shrubs—Deciduous		58
Nootka Sound Cypress—Chamaecyparis	. 16	Silk Oak—Grevillea		26
Oak—Quercus		Snowball—Viburnum		41
Oleander—Nerium	. 28	Snowberry—Symphoricarpos		41
Oregon Grape—Mahonia	. 28	Sophora—Pagoda Tree		36
Oriental Plane—Plantanus	. 35	Sorbus—Mountain Ash		36
Pagoda Tree—Sophora		Spartium		31
Palms46	, 47	Spirea	40,	41
Pampas Grass—Cortaderia		Spruce—Picea		
Pandorea		Standard Roses		57
Parthenocissus—Boston Ivy		Sterculia—Bottle Tree		31
Passiflora—Passion Vine		Strawberry Tree—Arbutus		
Pepper Tree—Schinus		Street Trees		
Phaedranthus—Bignonia Cherere		Sweet Gum—Liquidambar		
Philadelphus-Mock Orange		Sycamore—Platanus		
Philadelphus Mexicana		Symphoricarpos—Snowberry		
Phillyrea		Syringa—Lilac		
Phoenix—Ornamental Date Palm		Syringa—Mock Orange—Philadelphus		
Phormium—Flax		Tamarisk—Tamarix		
Photinia—Toyon Heteromeles		Tasmanian Ivy-Muehlenbeckia		
Phyllostachys—Bamboo		Taxus—Yew		
Picea—Spruce		Tecoma—Pandorea—Tecomaria		
Pine—Pinus		Teucrium		
Pittosporum		The Standard Encyclopedia of Horticulture		
Plane—Platanus—Sycamore		Thorn—Crataegus		
Plants—Low—Medium Growth		Thuya—Arbor Vitae		
Plumbago—Ceratostigma	. 38	Tilia—Linden		
Plumbago—Climbing Vine	. 44	Telling Planting Distances Inside From		
Poinciana—Caesalpinia	. 38	Tobira—Pittosporum		
Polygala		Toyon—Photinia		
Pomegranate—Punica—Flowering		Trachycarpus—Windmill Fan Palm		
Poplar—Populus35, 36		Tree Protectors		
Portugal Laurel—Prunus	. 30	Trees, Plants, Native to California		
Privet—Ligustrum		Trumpet Vine—Campsis Bignonia		
Prunus—Laurel29		Tulip Tree—Liriodendron		
Prunus—Flowering Peach	. 37	Ulmus—Elm		
Punica—Pomegranate—Flowering	. 40	Umbellularia—California Laurel		
Pyracantha—Burning Bush		Variegated Trees and Shrubs		
Pyrus—Flowering Apple	. 37	Velvet Grass—Zovsia		
Quercus—Oak	. 36	Veronica		
Quince—Flowering—Chaenomeles	. 38	Viburnum—Snowball		
Raphiolepis		Viburnum—Laurustinus		
Redwood—Sequoia18		Vinca		
Rhamnus—Cascara—Wild Coffee		Virginia Creeper—Parthenocissus		
Ribes—Fruiting Currant		Washingtonia—California Fan Palm		
Robinia—Locust		Weeping Trees—Deciduous		
Rock Rose—Cistus		Weigelia—Diervilla		
Roeding's Fruit Growers' Guide		Willow—Salix		38
Romneya—Matilija Poppy		Wistaria		44
Roses and How to Grow		Yew—Cephalotaxus		16
Roses—Bush 49 to		Yew—Taxus Yucca	······	47
Roses—Standard or Trees.		Zoysia		48
20000 Daniana of 21000		•		



